

1/2 42964-29
copy
1/6/85
1/2/85



**PROFESSIONAL
PRODUCTS**

Asepticare[®] Spray Cleaner/Disinfectant

**Ready-To-Use Formula
For Health Care Institutional
and Industrial Use**

Active Ingredients:	
n-alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chlorides	.04%
n-alkyl (68% C ₁₂ , 32% C ₁₄)	
dimethyl ethylbenzyl ammonium chlorides	.04%
n-alkyl (40% C ₁₂ , 50% C ₁₄ , 10% C ₁₆)	
dimethyl benzyl ammonium chlorides	.02%
Inert Ingredients:	99.90%
(Includes essential oil odor control agents)	
	100.00%

Keep Out of Reach of Children

CAUTION
(See Back Panel for Additional
Precautionary Statements)

ACCEPTED
DEC 19 1985
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 42964-29
EPA Reg. No.

EPA Reg. No. 42964-29
EPA Est. No. 9405-NJ-1


Net Contents: 5 Gallons

114405



PROFESSIONAL PRODUCTS

Asepticare[®] Spray Cleaner/Disinfectant



Asepticare Spray Cleaner/Disinfectant is a ready-to-use one-step cleaner/disinfectant in light to moderate soil (5% blood serum), fungicide, mildewstat, deodorizer, and is effective as a cleaner in removing dry and greasy soils, blood, vomit, body oils, soap scum and other cleaning problems of washable, nonporous hard surfaces (see Applications below).

Microbial control under adverse conditions (5% blood serum) is assured by combining high performance cleaning power with 1000 ppm of quaternary germicide. Effective against gram positive and gram negative bacteria and fungi.

Asepticare Spray Cleaner/Disinfectant's fast-breaking formula leaves surfaces shiny and sparkling clean, fresh lemon scent to the cleaned area. It is noncorrosive and nonabrasive and contains only biodegradable detergents. It is the product of choice for use in all spot cleaning operations.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not mix with chemicals or other products.

Fill a clean trigger sprayer bottle with Asepticare Spray Cleaner/Disinfectant. DO NOT DILUTE THIS PRODUCT. Asepticare Spray Cleaner/Disinfectant is ready-to-use.

Using trigger sprayer, thoroughly wet surface. Wipe off with dry, absorbent cloth or paper towel. To clean, spray on and then wipe away dry and greasy soils, blood, vomit, body oils and soap scum. For

disinfection of nonporous hard surfaces, spray and allow to remain wet for 10 minutes. For gross soil, precleaning is required. Product will maintain fungistatic control of mold and mildew for a period of 21 days if not washed or rubbed off. Repeat application when new growth appears. When cleaning food storage or preparation areas, remove or protect foodstuffs before use. Following cleaning, rinse all food contact surfaces with potable drinking water before use.

APPLICATIONS
Housekeeping
For use in patient rooms, hallways, showers and washrooms, laundry areas, public restrooms, lobbies, day rooms and anywhere high performance cleaning and disinfection for microorganism control is required. For use on:

Countertops	Shower Stalls	Stainless Steel
Sinks	Porcelain	Tile
Walls	Woodwork	Laminated
Tables	Chrome Fixtures	Plastic

Critical Care Areas
Use between surgical and other procedures in the operating room, emergency room, OB/GYN, dental and pathology laboratories, examination rooms, and other areas where control of microorganisms is required. Can be used to clean and disinfect tables, trays, gowns, chairs and stools.

Therapy Areas
Use between patient treatment in physical therapy and other therapy areas for the complete and effective

removal of soils and other contaminants. Excellent for cleaning and disinfection of whirlpool tanks, Hubbard tanks, portable baths, equipment, wheelchairs, and other nonporous surfaces in therapy areas.

*Drain all tanks and basins before cleaning or disinfecting.

MICROBIOLOGICAL EFFICACY
Asepticare Spray Cleaner/Disinfectant has been tested according to AOAC test protocols (1985 Edition) in the presence of protein (5% blood serum) against the following organisms:

- Bacteria (gram negative and gram positive) and Yeast
- (Bactericidal Use-Dilution Test AOAC 13th Edition)
- Pseudomonas aeruginosa* (ATCC# 15442)
- Staphylococcus aureus* (ATCC# 6538)
- Salmonella choleraesuis* (ATCC# 10708)
- Escherichia coli* (ATCC# 11229)
- Klebsiella pneumoniae* (ATCC# 13883)
- Candida albicans* (ATCC# 16804)
- Fungus
- (Fungicidal Test AOAC 13th Edition)
- Trichophyton mentagrophytes* (interdigital) (ATCC# 9533)
- (Fungistatic Hard Surface Medium Fungistatic Test)
- Aspergillus niger* (ATCC# 6275)

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: Avoid spraying in eyes. First Aid: In case of eye contact, flush with water for 15 minutes. Rinse hands with water after use.

STORAGE AND DISPOSAL


DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Store at ambient temperature. Keep container tightly closed when not in use. Do not freeze.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse and offer for reconditioning or puncture and dispose of in a sanitary landfill or by other approved Federal, state or local procedures.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at approved waste disposal facility.

954220-510



52
1/26/85

Reg. No. 42964-29
1/26/85



Asepticare[®] Spray Cleaner/Disinfectant

Ready-To-Use Formula For Health Care Institutional and Industrial Use

Active Ingredients:

n-alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chlorides	.04%
n-alkyl (68% C ₁₂ , 32% C ₁₄)	
dimethyl ethylbenzyl ammonium chlorides	.04%
n-alkyl (40% C ₁₂ , 50% C ₁₄ , 10% C ₁₆)	
dimethyl benzyl ammonium chlorides	.02%
Inert Ingredients:	99.90%
(Includes essential oil odor control agents)	
	100.00%

Keep Out of Reach of Children
CAUTION
(See Back Panel for Additional
Precautionary Statements)

ACCEPTED
DEC 19 1985
Under the Federal Fungicide and Rodenticide Act as amended, for the registered under 42964-29
EPA Reg. No.


EPA Reg. No. 42964-29
EPA Est. No. 9405-NJ-1

Net Contents: 5 Gallons
114405



**PROFESSIONAL
PRODUCTS**

Asepticare[®] Spray Cleaner/Disinfectant



Asepticare Spray Cleaner/Disinfectant is a ready-to-use one-step cleaner/disinfectant in light to moderate soil (5% blood serum), fungicide, mildewstat, deodorizer, and is effective as a cleaner in removing dry and greasy soils, blood, vomit, body oils, soap scum and other cleaning problems of washable, nonporous hard surfaces (see Applications below).

Microbial control under adverse conditions (5% blood serum) is assured by combining high performance cleaning power with 1000 ppm of quaternary germicide. Effective against gram positive and gram negative bacteria and fungi.

Asepticare Spray Cleaner/Disinfectant's nonstreaking formula leaves surfaces shiny and imparts a clean, fresh lemon scent to the cleaned area. It is noncorrosive and nonabrasive and contains only biodegradable detergents. It is the product of choice for use in all spot cleaning operations.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not mix with chemicals or other products.

Fill a clean trigger sprayer bottle with Asepticare Spray Cleaner/Disinfectant. **DO NOT DILUTE THIS PRODUCT.** Asepticare Spray Cleaner/Disinfectant is ready-to-use.

Using trigger sprayer, thoroughly wet surface. Wipe off with dry, absorbent cloth or paper towel. To clean, spray on and then wipe away dry and greasy soils, blood, vomit, body oils and soap scum. For

disinfection of nonporous hard surfaces, spray and allow to remain wet for 10 minutes. For gross soil, precleaning is required. Product will maintain fungistatic control of mold and mildew for a period of 21 days if not washed or rubbed off. Repeat application when new growth appears.

When cleaning food storage or preparation areas, remove or protect foodstuffs before use. Following cleaning, rinse all food contact surfaces with potable drinking water before use.

APPLICATIONS

Housekeeping

For use in patient rooms, hallways, showers and washrooms, laundry areas, public restrooms, lobbies, day rooms and anywhere high performance cleaning and disinfection for microorganism control is required. For use on:

Countertops	Shower Stalls	Stainless Steel
Sinks	Porcelain	Tile
Walls	Woodwork	Laminated
Tables	Chrome Fixtures	Plastic

Critical Care Areas

Use between surgical and other procedures in the operating room, emergency room, OB/GYN, clinical blood and pathology laboratories, examination rooms, and other areas where control of microorganisms is required. Can be used to clean and disinfect tables, trays, O/R lights, chairs and stools.

Therapy Areas

Use between patient treatment in physical therapy and other therapy areas for the complete and effec-

tive removal of soils and other contaminants. Excellent for cleaning and disinfection of whirlpool tanks, Hubbard tanks, portable baths, equipment, wheelchairs, and other nonporous surfaces in therapy areas.

*Drain all tanks and baths before cleaning or disinfecting.

MICROBIOLOGICAL EFFICACY

Asepticare Spray Cleaner/Disinfectant has been tested according to AOAC test protocols (1985 Edition) in the presence of protein (5% blood serum) against the following organisms:

Bacteria (gram negative and gram positive) and Yeast

(Bactericidal Use-Dilution Test AOAC 13th Edition)

Pseudomonas aeruginosa (ATCC# 15442)

Staphylococcus aureus (ATCC# 6538)

Salmonella choleraesuis (ATCC# 10708)

Escherichia coli (ATCC# 11229)

Klebsiella pneumoniae (ATCC# 13883)

Candida albicans (ATCC# 18804)

Fungus

(Fungicidal Test AOAC 13th Edition)

Trichophyton mentagrophytes (interdigitale)

(ATCC# 9533)

(Fungistatic Hard Surface Milder-Fungistatic Test)

Aspergillus niger (ATCC# 6275)

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: Avoid spraying in eyes. First Aid: In case of eye contact, flush with water for 15 minutes. Rinse hands with water after use.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Store at ambient temperature. Keep container tightly closed when not in use. Do not freeze.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse and offer for reconditioning or puncture and dispose of in a sanitary landfill or by other approved Federal, state or local procedures.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at approved waste disposal facility.

954220-510

