

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(& DOMESTIC ANIMALS)**

DANGER

CORROSIVE

CAUSES EYE DAMAGE AND SKIN BURNS
MAY BE HARMFUL OR FATAL IF SWALLOWED
MAY BE HARMFUL IF ABSORBED IN LARGE AMOUNTS THROUGH SKIN

CAUTION: DO NOT GET IN EYES, ON SKIN OR CLOTHING. WEAR GOGGLES OR FACE SHIELD AND GLOVES WHEN HANDLING. AVOID BREATHING VAPORS. AVOID CONTAMINATION OF FOOD. DO NOT USE NEARLY. WASH THOROUGHLY AFTER HANDLING.

PRACTICAL TREATMENT

IF SWALLOWED: Drink 2-4 glasses of water. Induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything to an unconscious person. Get medical attention.

IF ON SKIN: Wash immediately with plenty of water. Remove clothing and shoes if contaminated before re-use.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosa damage may be expected. Give special attention to eyes and respiratory tract.

IMMERSION ULTRASONIC INSPECTION ADDITIVE
FOR BOTH LABORATORY AND PRODUCTION TANKS

- EFFECTIVE AGAINST ALL BACTERIA IN IMMERSION ULTRASONIC TANKS
- DOES NOT INTERFERE WITH TANK CHANGES DUE TO ALGAE AND OTHER ORGANIC CONTAMINATION
- TOTAL RESIDUE IN TANKS LESS THAN 15 PPM WHEN USED AS DIRECTED

ECHOCIDE

Immersion Ultrasonic Additive

ACTIVE INGREDIENTS
ECHOICIDE 100%
INERT INGREDIENTS

KEEP OUT OF REACH OF CHILDREN

DANGER

ATTENTION: ECHOICIDE IS A CORROSIVE AND SKIN IRRITANT. A CONCENTRATED SOLUTION OF ECHOICIDE IS FATAL IF SWALLOWED AND MAY BE HARMFUL IF ABSORBED IN LARGE AMOUNTS THROUGH SKIN.

NOTE: CAUTION IN USE OF ECHOICIDE. SEE LEFT SIDE PANEL FOR STATEMENT OF ACTIVE INGREDIENTS AND ADDITIONAL PRECAUTIONARY STATEMENT.

FOR INDUSTRIAL USE ONLY

WARRANTY	DATE	WARRANTY	DATE	WARRANTY	DATE

**DIRECTIONS
GENERAL CLAUSE**

It is a violation of Federal Law to use in a manner inconsistent with its labeling.

REGULARITY OF ADDITIVE

ECHOICIDE'S active ingredient bath should be maintained at efficiency. The concentration of ECHOICIDE should be conveniently monitored with an ultrasonic bath through Echo Laboratories. The rate at which ECHOICIDE be replenished varies with the concentration and the temperature of the bath.

STORAGE AND DISPOSAL

STORAGE: DO NOT CONTAMINATE. STORE IN ORIGINAL CONTAINER. IF PLASTIC, DO NOT REUSE. PESTICIDE OR RINSER. CHEMICALLY REPROCESSED. LANDFILL APPROVED FOR TANKS. PLACE AWAY FROM WATER. THIS PLASTIC CONTAINER IN CASE OF A LANDFILL APPROVED FOR REUSE IN A SAFE PLACE.

ECHO
LABORATORIES
1000 NEW STONE
TELEPHONE

43022-1

**STATEMENTS
TO HUMANS
(IC ANIMALS)**

SKIN BURNS
IF SWALLOWED
IF EATEN IN LARGE

ES. ON SKIN. ON CLOTHING
FIELD AND RUBBER GLOVES
BREATHING VAPOR FROM
FOOD. DO NOT EAT OR DRINK
Y AFTER HANDLING

WASHING

2 glasses of water and
treat with finger gloves
anything by medical
attention

Wash with soap and water
to wash contaminated
se

enty of water and
a cloth

may contain and care
first aid only. No
ions may be found

IMMERSION ULTRASONIC INSPECTION ADDITIVE

FOR BOTH LABORATORY AND PRODUCTION TANKS

- INCREASES REFLECTIVITY OF SURFACES UNDER INSPECTION
- LENGTHENS TIME BETWEEN CLEANINGS DUE TO ALGAL GROWTH
- PREVENTS CORROSION

ECHOCIDE

Immersion Ultrasonic Additive

ACTIVE INGREDIENTS
INERT INGREDIENTS

NET CONTENT

KEEP OUT OF REACH OF CHILDREN

DANGER

CONTAINS
MAY BE IRRITATING TO SKIN
THREATENING TO LIFE
NOTE: AVOID CONTACT WITH EYES
PRACTICAL INFORMATION

FOR INDUSTRIAL USE ONLY

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

USE AS DIRECTED ON LABEL

REGULARITY OF ADDITION

ECHOCIDE SHOULD BE ADDED TO THE INSPECTION TANK AT THE BEGINNING OF EACH INSPECTION CYCLE. THE ADDITIVE SHOULD BE REAPPLIED TO THE TANK AT THE END OF EACH CYCLE. THE ADDITIVE SHOULD BE REAPPLIED TO THE TANK AT THE END OF EACH CYCLE.

STORAGE AND DISPOSAL

STORAGE: STORE IN ORIGINAL CONTAINER AT ROOM TEMPERATURE. DO NOT STORE IN EXCESSIVE HEAT OR MOISTURE. DO NOT STORE IN CONTACT WITH FOOD OR FEEDSTUFFS. DISPOSAL: DISPOSE OF EXCESS ADDITIVE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

43022-1