

ACCEPTED
with COMMENTS
in EPA Letter Dated

Pool Cide Rek-30

APR 8 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, this pesticide
registered under EPA Reg. No.

43196-12

BEST AVAILABLE COPY

ACTIVE INGREDIENT:

Polyoxyethylene (dimethylamino) ethylene-
(dimethylamino) ethylene dichloride) 30.0 %

INERT INGREDIENT 70.0 %

This product contains 2.67 lb. of active ingredient per gallon and weighs
8.9 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Pool Cide Rek-30 is used to control the growth of algae in swimming pools, exterior spas, whirlpools, hot tubs, and decorative fountains. For maximum effectiveness pools, spas, whirlpools, hot tubs, and decorative fountains containing heavy growth of algae should be cleaned prior to using Pool Cide Rek-30.

For pools having just visible algae growth add an initial dose of 23.5 to 36.4 fluid ounces of Pool Cide Rek-30 per 10,000 gallons of water and remove settled algae debris by cleaning. For treatment of a freshly cleaned and filled pool add initially 12.8 to 23.5 fluid ounces of Pool Cide Rek-30 per 10,000 gallons of water. Subsequent additions of 4.3 to 8.6 fluid ounces of Pool Cide Rek-30 per 10,000 gallons of water should be made every 5 to 7 days after initial treatment for maintenance.

Spas, whirlpools, hot tubs, and decorative fountains having just visible algae growth require an initial dose of 2 to 4 fluid ounces of Pool Cide Rek-30 per 1000 gallons of water. For treatment of a freshly cleaned and filled spa, whirlpool, hot tub, or decorative fountain, add initially 1 to 2 fluid ounces of Pool Cide Rek-30 per 1,000 gallons of water. Subsequent additions of 0.5 to 0.8 fluid ounces of Pool Cide Rek-30 should be made every 5 to 7 days after initial treatment for maintenance.

Pool Cide Rek-30 is compatible with those chemicals normally used to treat pools, spas, and decorative fountains and is effective at both acid and alkaline pH. Pool Cide Rek-30 can be used in pools, spas, and decorative fountains treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix Pool Cide Rek-30 with concentrated dry or liquid chlorine products.

STORAGE AND DISPOSAL

STORAGE: Keep container closed when not in use. Leaking or damaged containers should be placed in a plastic bag and discarded in trash. Mop up spills with clear water. All pesticides should be kept out of reach of children and stored away from food.

DISPOSAL: Do not reuse empty container. Wrap container and place in trash.

Manufactured by:

Rek-Chem Manufacturing Corporation

121 Virginia N.E.

Albuquerque, New Mexico 87108

EPA REG. NO. 43196

EPA EST. NO. _____

NET CONTENTS _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Pool Cide Rek is used to control the growth of algae in swimming pools, exterior spas, whirlpools, hot tubs, and decorative fountains. For maximum effectiveness pools, spas, whirlpools, hot tubs, and decorative fountains containing heavy growth of algae should be cleaned prior to using Pool Cide Rek.

For pools having just visible algae growth add an initial dose of 11 to 17 fluid ounces of Pool Cide Rek per 10,000 gallons of water and remove settled algae debris by cleaning. For treatment of a freshly cleaned and filled pool add initially 6 to 11 fluid ounces of Pool Cide Rek per 10,000 gallons of water. Subsequent additions of 2 to 4 fluid ounces of Pool Cide Rek per 10,000 gallons of water should be made every 5 to 7 days after initial treatment for maintenance.

Spas, whirlpools, hot tubs, and decorative fountains having just visible algae growth require an initial dose of 1 to 2 fluid ounces of Pool Cide Rek per 1000 gallons of water. For treatment of a freshly cleaned and filled spa, whirlpool, hot tub, or decorative fountain, add initially 0.6 to 1.1 fluid ounces of Pool Cide Rek per 1,000 gallons of water. Subsequent additions of 0.2 to 0.4 fluid ounces of Pool Cide Rek should be made every 5 to 7 days after initial treatment for maintenance.

Pool Cide Rek is compatible with those chemicals normally used to treat pools, spas, and decorative fountains and is effective at both acid and alkaline pH. Pool Cide Rek can be used in pools, spas, and decorative fountains treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix Pool Cide Rek with concentrated dry or liquid chlorine products.

STORAGE AND DISPOSAL

STORAGE: Keep container closed when not in use. Leaking or damaged containers should be placed in a plastic bag and discarded in trash. Mop up spills with clear water. All pesticides should be kept out of reach of children and stored away from food.

DISPOSAL: Do not reuse empty container. Wrap container and place in trash.

Manufactured by:

Rek-Chem Manufacturing Corporation
121 Virginia N. E.
Albuquerque, New Mexico 87108

EPA REG. NO. 43196 EPA EST. NO. _____

NET CONTENTS _____

ACCEPTED
with COMMENTS
by EPA Letter Dated:

Pool Cide Rek

APR 3, 1985

BEST AVAILABLE COPY

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this pesticide is registered under EPA Reg. No. 43196-13

ACTIVE INGREDIENT:

Poly(oxyethylene (dimethyliminio) ethylene-
(dimethyliminio) ethylene dichloride) 60.0 %

INERT INGREDIENT 40.0 %

This product contains 5.76 lb. of active ingredient per gallon and weighs 9.6 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.