

SEP 13 1991

5382072

Mr. Dariush Majlessi
Sanex Chemicals, Inc.
15 Webster Street
North Tonawanda, NY 14120

Dear Mr. Majlessi:

Subject: Sanex Magic Mist Resmen S.Q.
EPA Registration No. 43227-74
Your Submission Dated September 21, 1989

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Since methylene chloride has been removed from the basic formulation, remove the following statement from the label:

This product contains the toxic inert
ingredient methylene chloride.

- b. The term "active ingredien " should be made singular.

50570:I:CR-44:Schroeder:C.Disk:KEVRIC:01/10/91:tlc:WO:FX:tlc:WO:CL

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

- c. As required in Section 156.10(q)(3) of Title 40 of the Code of Federal Regulations, the accepted common name for each active ingredient should be followed by the chemical name. Therefore, use the following listing:

Resmethrin: [5-(Phenylmethyl)-3-furanyl]
methyl 2,2-dimethyl-3(2-methyl-3-propenyl)
cyclopropanecarboxylate

- d. Insert the following footnote to "Resmethrin":

Cis/trans isomer ratio: max. 30% (+) cis;
min. 70% (+) trans.

- e. All of the percentages should be aligned according to decimal point.

- f. Delete the designation "W.W." from the ingredient statement.

- g. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

RFM

Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This aerosol is designed for use in adjustable automatic activators set to dispense a 100 mg. dose every 15 minutes for 8 hours while the plant or institution is not in operation.

STORAGE: Keep in locked storage area.
CONTAINER DISPOSAL: Replace cap and discard container in trash.
DO NOT PUNCTURE OR INCINERATE

Use one aerosol in an automatic activator for each 6,000 cubic feet of room space to be treated. Install the activator on a wall approximately 7 feet from the floor. Do not install directly over any food handling or dispensing area. Never locate automatic activators in drafty hallways or where air currents are excessive. Select areas where the air currents are least noticeable. The rate of air change, shape of space to be treated, humidity and temperature affect insect activity and insect control. One unit per 6,000 cubic feet should be considered as an average ratio. Adjust the ratio depending upon the conditions under which the automatic activator is used.

When properly located, the effectiveness of the Magic Mist Resmen S.Q. formula will be noticeable within one hour after the activator is started. After one hour of operation enough insecticide is suspended in the air to kill a substantial proportion of the house flies, mosquitoes and gnats present.

This 12 ounce aerosol contains enough material to operate 825 hours, or 103 days on an 8 hour basis. It is suggested the aerosol be changed once every 3 months on an 8 hour use basis. Also the activator should be periodically checked to assure it is operating only on the off hours period. As with any method of insect control, improved performance is achieved when good sanitary practices and other supplementary control methods are used.



Authorized by USDA for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs.

THIS PRODUCT CONTAINS THE TOXIC INERT INGREDIENT

METHYLENE CHLORIDE

ACTIVE INGREDIENTS

† Resmethrin

1.00%

INERT INGREDIENTS

99.00%

100.00% w/w

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

NET WT 12 OUNCES

EPA Reg No
43227-74

SANEI

EPA Est 44832-CN-01

15 Webster St., North Tonawanda, N.Y. U.S.A.

Branches Throughout North America

FOR USE IN AUTOMATIC TIMED DISPENSER DURING "AFTER HOURS"

This formula is an effective insecticidal aerosol for use in timed dispensing units during the "after hours" when food handling establishments, restaurants, food processing plants and other institutions, where house flies, mosquitoes and gnats are an annoyance, would not be in operation. All food processing surfaces should be thoroughly cleaned before using. Avoid contamination of food and foodstuffs. Use only during non operating hours when food is not being processed or served. Use only when insect infestation exists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist. Remove pets and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush skin and eyes with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

PHYSICAL & CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

WARRANTY STATEMENT

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with the directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other material.