

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

ACCEPTED

MAY 27 1981

The Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under Reg. No. 40831-73



**FALLS CHEMICALS INC.
ENDRIN**

MULSIFIABLE CONCENTRATE

ACTIVE INGREDIENTS:

Endrin (Hexachlorocyclopentadiene-endo,endo-dimethanonaphthalene) . 19.1%

Xylene . 74.9%

INERT INGREDIENTS: . 6.0%

TOTAL . 100.0%

This product contains 1.6 lbs. of Endrin per gallon.

**KEEP OUT OF REACH OF CHILDREN
DANGER — POISON**



See Side Panels for Antidote and additional warnings.

NET CONTENTS ☐ ☐ ☐ ☐ GALLONS
1 5 30 55

Reg. No. 40831-73

EPA Est. No. 40831-MT-01

FALLS CHEMICALS INC., GREAT FALLS, MONTANA 59403

PROPHYLATIC USE — COTTON

Unnecessary use of this product can lead to resistance in pest populations and subsequent lack of efficacy.

EQUIPMENT — SMALL GRAINS AND COTTON

GROUND APPLICATION — For use with boom-nozzle ground equipment. Apply at not less than 5 gallons total mixture, water and chemical per acre. Do not use nozzle liquid pressure at greater than 40 pounds per square inch (psi). Do not use cone nozzle size smaller than one capable of delivering 0.16 gallons per minute (gpm) at 40 psi such as type D2-25 or TX-10 or any other atomizer or nozzle giving smaller drop size.

AERIAL APPLICATION — SMALL GRAINS — Do not apply at less than 1 gallon total mixture of water and chemical per acre. Do not operate nozzle liquid pressure over 40 psi or with any nozzle smaller than 0.4 gpm or fan angle greater than 65 degrees such as type 5504. Do not use any cone type nozzles smaller than those capable of delivering 0.4 gpm nor whirl plate smaller than #46 such as type D4-46 or any other atomizer nozzle giving smaller drop size. Do not release this material at greater than 10 ft. above the crop.

AERIAL APPLICATION — COTTON — Do not apply at less than 2 gallons total mixture of water and chemical per acre. Do not operate nozzle liquid pressure over 40 psi or with any fan nozzle smaller than one capable of delivering 0.4 gpm or fan angle greater than 65 degrees such as type 6504. Do not use any cone type nozzles smaller than those capable of delivering 0.4 gpm nor whirl plate smaller than #46 such as type D-46 or any other atomizer or nozzle giving smaller drop size. Do not release this material at greater than 10 feet above the crop.

STORAGE AND DISPOSAL

PROHIBITIONS — Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL — Pesticide, spray mixture, or residue that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL — Reread container and offer for reconditioning, or triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place.

GENERAL — Consult Federal, State or Local disposal authorities for approved alternative procedures.

SMALL GRAINS — (Barley, Oats, Rye, Wheat) — To control Army Cutworm and Pale Western Cutworms, make single application when insects first appear using 1 to 1½ pints per acre in 1-10 gallons water for aerial application or 5-50 gallons of water for ground sprayers. Do not apply within 45 days of harvest or feeding. Do not graze treated fields. Do not feed threshings to livestock.

COTTON — FOR USE IN AREAS WEST OF INTERSTATE HIGHWAY 405 ONLY — Use the dosage of Endrin per acre as shown below in 2 to 10 gallons of water for aerial application and 5 to 50 gallons of water for ground sprayers. Bollworm, Bollworm: For early season control use 1 pint/acre. For late season control use 1 to 2 pints/acre. Thrips, Fleashoppers: For early season control use ½ pint/acre. Mid-season control use ½ pint/acre. Late season control use 1 pint/acre. Brown Cotton Leafworm, Cabbage Looper, Cotton Leafworm, Cutworms, Garden Webworms, Leaf Perforator, Lygus Bugs, Rapid Plant Bug, Salt Marsh Caterpillar, Tarnished Plant Bug: Use 1 to 2 pints/acre. Apply when insects are present. Repeat as necessary. Fall Armyworm, Garden Webworm: Use 1 to 1½ pints/acre. Greenhouse Leafminer: Use 2 pints/acre. Apply when necessary.

DANGER — Workers entering treated fields within 5 days after application should be protected. Do not graze dairy animals or animals being finished for slaughter.

SUGAR CANE — To control Sugar Cane Beetle, apply 2½ pints of Endrin Emulsifiable Concentrate per acre in 25-50 gallons of water for ground equipment. Apply on seed pieces in open planting furrow. Do not feed bagasse or field trimmings to livestock.

REQUIRED CLOTHING FOR FEMALE WORKERS

Female ground applicators, mixers and loaders and flagpersons must wear long-sleeved shirts and long pants made of a closely woven fabric, and wide-brimmed hats. Mixers and loaders must also wear rubber or synthetic rubber boots and aprons.

WARNING TO FEMALE WORKERS


The United States Environmental Protection Agency has determined that Endrin causes birth defects in laboratory animals. Exposure to Endrin during pregnancy should be avoided. Female workers must be sure to wear all protective clothing and use all protective equipment specified on this label. In case of accidental spills or other unusual exposure, cease work immediately and follow directions for contact with Endrin.

WARRANTY STATEMENT

NOTICE — This product shall conform with quantities and formulas indicated hereon, within accepted tolerances as permitted by appropriate governmental authorities, and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. No warranty extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable by Falls Chemicals Inc. In no case shall Falls Chemicals Inc. be liable for consequential, special or indirect damages resulting from use or handling of this product. All such risks shall be assumed by buyer. **FALLS CHEMICALS INC. MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESSED OR IMPLIED WARRANTIES EXCEPT AS STATED ABOVE.**

76

BEST DOCUMENT AVAILABLE



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION: Harmful if swallowed. Avoid breathing of mist. Avoid contact with eyes. Avoid contact with skin. Wash hands after handling. Do not consume food, water or feedstuffs. Food should be removed or covered during treatment. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially processed. Do not use in serving areas while food is exposed.

PHYSICAL OR CHEMICAL HAZARDS
 Contents under pressure. Do not puncture or incinerate container or throw into fire. Exposure to temperatures above 130°F may cause bursting.

FOR USE ONLY WHEN BUILDING IS VACATED BY HUMANS AND PETS

STATEMENT OF PRACTICAL TREATMENT

If in Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

DIRECTIONS FOR USE

It is a violation of FIFRA Law to use this product in a manner inconsistent with its labeling. Use at least one canister for each 10,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured.

IMPORTANT:

Lava's fogger is used in rooms or areas being treated. Place newspapers under fogger unit and tie strings or tape foot around the unit to prevent staining or marking surfaces. Close doors and windows. Remove pets and cover or remove fish bowls. Leave to remove exposed foods and dishes. Open cabinets and doors to areas to be treated. Shut off fans and air conditioning. Put out all open flames except pilot light. Place at least 8 feet away from pilot light. Keep at arms length when releasing. Point top of can away from face and eyes. To start fogging action, press plastic tab on valve down until it clicks. Set in upright position and leave the building at once. Leave unobstructed for at least 2 hours. Open doors and windows and thoroughly ventilate for at least 30 minutes longer. Solvents may soften some asphalt or synthetic tile floors. If used directly over asphalt or synthetic tile, newspapers should be spread on the floor for several feet around the tank at release. Do not use with freshly mowed lawns; plants may become hardened. Some plastic may be affected. Remove or cover plastic items such as awnings, storage covers, water hoses.

NOTE: This product may not control hidden nesting insects. It will kill only those insects that come in contact with the mist. Therefore, complete control of an infestation of nesting insects may not be achieved.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

EPA Reg. No. 43299-12 EPA Est. No. 43299-TX-1

KILLS

Roaches
 Ants
 Fleas
 Ticks
 Spiders
 Scorpions
 Houseflies
 Mosquitoes
 Fruit Flies
 Gnats
 Wasps
 Small Flying Moths

FOR USE IN

Kitchen
 Family Room
 Garage
 Bedroom
 Living Room
 Basement
 Bathroom
 Attic
 Office
 Workshop
 Horse Barn
 Kennel
 Barn
 Mobile

OMNI ROOM FOGGER

Kills Exposed
Roaches, Ants, Ticks, Fleas,
Flying Moths, Spiders
& Scorpions
Entire Contents Release
From One Spot

Fog Penetrates Throughout Area

Action Ingredients:	
O-isopropylphenyl methylcarbamate	1.00%
2,2-Dichloroethyl dimethyl phosphide	0.47%
Related compounds	0.03%
Inert Ingredients	98.50%
	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read Back Panel for Additional Cautions

Net Wt. 12 Oz.

Manufactured By
OMNI Development
 Houston, Tx 77000

20