

AUG 31 1984

United States of America
Federal Insecticide, Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 43382-16



**Biochem
Products**

A Division of
Salsbury Laboratories, Inc.
A Member of the Salsbury Group
Montchanin, CA 95710

EPA Registration No.
43382-16

EPA Est. No.
8329-IL-01

Net weight:
25 lbs.

GRANULAR LARVICIDE FOR CONTROL OF MOSQUITO LARVAE

ACTIVE INGREDIENT: *Bacillus thuringiensis* Berliner var. *israelensis*, Serotype H-14, wettable powder, 3500 *Aedes aegypti* (AA)

International Toxic Units (ITU) per milligram (Dry weight basis)*

5.0%

INERT INGREDIENTS

95.0%

*Equivalent to 175 AA ITU per milligram of Granules or 79.45 million AA ITU per pound of Granules

100.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

Hazards to Humans: Avoid contact with eyes or open wounds.

Conditions:

Rates (pounds/acre):

Pools, ponds, flood water, pastures,
ditches, ricefields, brackish water,
light to moderate populations.

4-7½

Catch basins, tidal water, salt
marshes, storm water retention areas,
mangrove swamps, moderate pollution
or organic content.

7½-10

Allow 24 hours for control. Under certain conditions such as sewage
waste lagoons, high pollution or organic content, heavy vegetative
cover, high populations, the above application rates may be doubled.

Notice: Biochem Products makes no warranty, express or implied,
including the warranties of commercially acceptable quality and/or
fitness for any particular purpose concerning this material, other
than those which are contained on this label.

STORAGE AND DISPOSAL

Storage: Close containers of unused granules. Store in cool, dry area.

Disposal: Do not reuse empty packaging material. Perforate or
crush according to local trash disposal regulations. Do not
contaminate food or potable water by disposal.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner
inconsistent with its labeling.

Apply 4 to 20 pounds granules/acre with aircraft or ground
equipment. Use the higher rates in heavily polluted water, when
populations are high, when larvae are nearly grown or in fourth
instar, and when aquatic or covering vegetation is dense. Most
treatments require no more than 5 or 6 pounds/acre. Apply only
when mosquitoes are larvae not pupae.