R-8# 45502 24 1 1/4

			PM 17	
	US ENVIRONMENTAL PROTECTION AGENCY	EPA PEGISTRATION	DATE OF ISSUANCE	
	OFFICE OF PESTICIDES PROGRAMS	43.732+.4	21 NOV 1986	
	REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	TERM OF ISSUANCE		
		NAME OF PESTICIDE PRODU	СТ	
	NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION		Townslo Concentrate	
	(Under the Federal Insecticide, Fungicide,			
	and Rodentierde Act, as amended)	<u> </u>		
	NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		1	
\cap	H	\neg	1	
	`	•	1	
				
	a divinion of our south of a distort	,	/	
	Process Asses		/ .	
	L. Moret Shararay, 2 1 17 by		1 1,4	
			(Note	
	NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration submitted to and accepted by the Registration Division prior to use of the label in commerce. In any corresponde product always refer to the above U.S. EPA registration number.			
	On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under he Federal Insecticide, Fungicide, and Rodenticide Act.			
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith Registration is in no way to be construed as an indorsement or approval of this product by this Agency. I health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registrate in accordance with the Act. The acceptance of any name in connection with the registration of a product is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it			turned herewith,	
			_	
			cancel the registration of a pest- stration of a product under this	
	by others.			
	Fig. product in which pulsey registers in accordance with area section $\sigma(c)(I)(A)$ provides that your last regulars for registration/relegistration of long product adder (100A a culon 3(c)(s) when the elemey requires (1)			
	registrants of smaller promots to submit such duta. L. Add the phrase "dPA Registration Bo. 43002-24" to your laced by two			
	you release the present or snaphent.			
	Fig. 1. Substitutive (C) copies anyon lined printer new ling color per ridge, the one and the color beauty set in the complete anomals in the catalog as the customer of the color of complete vita, the requestion while set			
	son, of to one Patton is seen since with taken a strong (a). That to be			
	for some and of the imposite a netative a describence of these conditions. A star of popy of the range in nel decreasing your technique.			
	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1 -		
HOC. IN.				
	1 Catalle			
Arturo L. Cartillo				
	Product Hanajar (17) Inscottedde-Rodentiedde Branch Registration Division (NS-7677)			
	·			
	ding to surjes		:	

EPA Form 8570-6 (Rev. 5-76)

ATTACHMENT IS APPLICABLE
SIGNATURE OF APPROVING OFFICIAL

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

DATE

BACTO-GARDENTM

Flowable Concentrate

Bacto-Garden FC is a multipurpose natural pest control. It will kill most plant insects without obnoxious fumes or chemical pesticides.

Bacto-Garden FC is a special combination of the natural insecticides B.t.k. (Bacillus thuringiensis) and pyrethrin. This combination gives a very broad range of insect control.

Bacto-Garden FC can be used on fruits, vegetables and ornamental plants.

ACTIVE INGREDIENTS:
Bacillus thuringiensis Berliner, var. kurstaki
primary powder fermentation product
(potency of at least 80,000 International Units/milligram) 3.0
Pyrethrins 1.2
*Piperonyl Butoxide, Technical
INERT INGREDIENTS
100
L
Equivalent to min 5.76% (butylcarbityl)(6-propylpiperonyl) ether ancl 1.44% related compounds.
CAUTION: KEEP OUT OF REACH OF CHILDREN
See Back Panel For Additional Precautions

KOVOI NUS

Net Contents Lot No.

EPA Reg. No. 43382-

EPA Est. No. 43382-BL-1

Biochem Products A Division of Salsbury Laboratories, Inc. A Member of the Solvay Group Montchanin, Delaware 19710

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Bacto-Garden FC can be applied with a tank or hose-end sprayer. Apply at first sighting of insect pests. Thorough coverage of both top and bottom leaves is important for good control.

The active ingredients are exempt from EPA residue tolerances, so can be used up to and including the day of harvest.

APPLICATION RATES

Mix 1.5 Fluid oz. Bacto-Garden FC per 2 gallons of water for all listed uses.

Mix thoroughly before spraying and agitate periodically while spraying.

Apply 2 gallons of diluted spray material per 1000 square feet on Vegetables and Berries. For Fruits and Citrus/Trees, Nursery and Ornamentals, apply diluted spray to cover foliage thoroughly.

TYPE OF PLANT

INSECTS CONTROLLED

VEGETABLES

Broccoli, Spinach, Collards,
Cauliflower, Kale, Lettuce,
Rappini, Artichokes,
Turnips, Turnip greens, Beets,
Celery, Mustard greens, Beans,
Cabbage, Brussel Sprouts, Peas,
Chinese Cabbage, Sweet Potatoes,
Kohlrabi, Endive, Sweet Corn,
Tomatoes, Peppers, Eggplant,
Escarole, Lentils, Potatoes,
Spinach, Carrots, Cucumbers,
Melons, Squash, Watercress,
Asparagus, Radishes

Armyworms,

Tomoto fruitworm, Corn earworm,
European corn borer, Variegated cutworm,
Salt marsh caterpillar, Tarnished plant bug,
Mimosa webworm, Tobacco budworm,
Loopers, Melonworm, Pickleworm,
Asparagus beetle, Aphids, Leafhoppers,
White fly, Mexican bean beetle,
Cucumber beetles, Harlequin bug,
Celery leaftier, Blister beetle,
Flea beetle, Colorado potato beetle,
Stink bug, Thrips,
Diamondback moth, Cross-striped cabbageworm,
Imported cabbageworm, Sap beetles,
Green cloverworm, Hornworms,
Artichoke plume moth

BERRIES

Grapes, Blucberries, Blackberries, Currants, Raspberreis, Hops, Strawberries, Cranberries, Dewberries Leafhoppers, Grapeleaf skeletonizer, Loopers, Salt marsh caterpillar, Grape leaffolder/leafrollers, Hornworms, Aphids

INSECTS CONTROLLED

FRUITS & CITRUS

Peaches, Plums, Cherries, Walnuts, Almonds, Pecans, Filberts, Apples, Pears, Avocadoes, Kiwis, Citrus, Tropical fruits Hornworms,
Gypsy moth,
Walnut caterpillar,Loopers,
Leafrollers,Green fruitworm,
Cankerworms,Redhumped caterpillar,
Tent caterpillars,Aphids,
Fall webworm,
Orangedog

TREES, NURSERY & ORNAMENTALS

Shade trees, Ornamental plants, Flowers, Shrubs Armyworms, Pine butterfly, Spruce budworm, Western spruce budworm, Douglas fir tussock moth, Diamondback moth, Gypsy moth, Elm spanworm.Saddleback caterpillar, Bagworm, Saddled prominent, Leafrollers, Loopers, Western tussock moth, Tobacco budworm, Io moth Mimosa webworm, Jack pine budworm, Oleander moth, Fall webworm, Tent caterpillars, Hornworms, Redhumped caterpillar, Aphids, Cankerworms, Oakworms, Leafhoppers, Flea beetle

DISPOSAL

Do not reuse empty container. Wrap in several layers of newspaper and put in trash.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION

Harmful if swallowed. Avoid inhalation or contact with eyes or open wounds. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.