





DRAFT LABEL: Chem-Tek 100  
EPA File Symbol 43410-GG

Pos.	Type	Element	TEXT
8		SIDE PANEL PRECAUTIONARY STATEMENTS BOX	
8a	10	Hazards	PRECAUTIONARY STATEMENTS
	8		Hazards to Humans and Domestic Animals
	12		CAUTION ✓
	8		Avoid Contact with skin, eyes or clothing.
	8		FIRST AID
	6		IF IN EYES: Flush with water 15 minutes. Get medical attention if irritation persists.
	6		IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
8b	8	Environmental Hazards	ENVIRONMENTAL HAZARDS
	6		This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not dump where surface or subsurface waters may become polluted.
8c	8	Physical and	PHYSICAL AND CHEMICAL HAZARDS
	6	Chemical Hazards	Do not store or use in presence of fire, sparks or spark producing devices. Dust may ignite explosively.
9a	10	Directions	DIRECTIONS FOR USE
9c	6	Misuse	
	6	Statement	It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DRAFT LABEL: Chem-Tek 100  
EPA File Symbol 43410-GG

Pos.	Type	Element	TEXT
10c		STORAGE AND DISPOSAL BLOCK	
	12		STORAGE AND DISPOSAL
	8		Do not contaminate water, food or feed by storage or disposal.
	6		Storage: Store at ambient temperature in a dry place. Do not separate unit packages from master container except for immediate use.
			Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
			Container: Completely empty bag into application equipment. Then dispose of bags in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.
10d	8	Product Use	PRODUCT DIRECTIONS
	8		PAINTS -
	6		Incorporate Chem-Tek 100 with the TiO <sub>2</sub> in the pigment grind for all paint systems.
			Use Chem-Tek 100 in the paint formulation at the rate outlined in the table below. Quantities given are in pounds per 100 gallons of paint.
	8		INTERIOR PAINTS
	6		TT-P-0029 latex flat .....1/10 - 1/4 lb. TT-P-650 latex primer .....1/4 - 1/2 lb. New York City Housing Authority coatings .....1/4 - 3/4 lb. Sanitary latex semigloss .....1/2 - 1 lb. Oleoresinous interiors .....1/2 - 1 lb.

DRAFT LABEL: Chem-Tek 100  
EPA File Symbol 43410-GG

Pos.	Type	Element	TEXT
10d	8 6	Use Continued	<p>EXTERIOR PAINTS</p> <p>Zinc oxide pigmented latex .....1/4 - 3/4 lb.  PVA . .....1/2 - 1 lb.  Acrylic .....1/2 - 1 lb.  Vinyl acrylic .....1/2 - 1 lb.  Zinc oxide pigmented Alkyd and oil paint .....1/2 - 1 lb.  Alkyd-modified latex .....1 - 1 1/2 lb.  Oil house paint .....1 - 1 1/2 lb.  Alkyd .....1 - 2 lb.</p>
10d	8 6		<p>NYLON CARPETING -</p> <p>Using conventional methods such as melt blending or spin finish application, apply 0.05 (spin finish) to 0.5% (melt blending) of Chem-Tek 100 based on the total weight of the material being used.</p>
	8 6		<p>CANVAS TEXTILES -</p> <p>Dissolve Chem-Tek 100 in a solution of hydrochloric acid (or other suitable acid) at pH 3.5 or less. Use Chem-Tek 100 at the rate of 500-3000 ppm active ingredient based on the weight of the finished fabric. The fabric is passed through the solution until thoroughly wetted. The use of a wetting agent to aid the Chem-Tek 100 in penetrating is recommended. Do not use Chem-Tek 100 to treat fabric intended for use in clothing or for skin contact.</p>

DRAFT LABEL: Chem-Tek 100  
EPA File Symbol 43410-GG

Pos. Type Element

TEXT

11 6 Warranty  
Statement

Seller warrants that this material conforms to the ingredient statement on the label and is reasonably fit for the purposes referred to in the Directions for Use. No other warranty, express or implied, is made. This includes any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Seller is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential damages, such as loss of profits or values.