

FEB 9 1992

David J. Hall
AGRI-CHEM, Inc.
P.O. Box 607477
Orlando, FL 32860-7477

Dear Mr. Hall:

Subject: Amended Labeling - Additional Sites
Chem-Tek 100
EPA Registration No. 43410-33
Your Submission Dated December 22, 1992

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/-reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

a. In the Hazards to Humans Section specify "Harmful if swallowed, inhaled or absorbed through skin."

b. In the If Inhaled Section correct the spelling of "breathing".

3. Submit one (1) copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

-2-

A stamped copy of the label is enclosed for your records.

Sincerely yours,

/S/

Cynthia Giles-Parker
Product Manager (22)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

CHEM-TEK 100

Fungicide

ACTIVE INGREDIENT:

2-(4-thiazolyl) benzimidazole 98.5 %

INERT INGREDIENTS: 1.5 %

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Precautionary Statements

ACCEPTED
with COMMENTS
In EPA Letter Dated:

FEB 9 1993

Agri-Chem, Inc.
Orlando, FL 32860

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No. EPA Reg. No. 43410-33

EPA Est. No.

Net Contents ____ lbs. ____ oz.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic
Animals

CAUTION

Harmful if swallowed. Avoid Contact with skin, eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Statement of Practical Treatment

IF IN EYES: Flush with water 15 mins. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably by mouth-to-mouth.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS

Do not store or use in presence of fire, sparks or open producing devices. Dust may ignite explosively.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store at ambient temperature in a dry place.
Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product must be disposed of in accordance with Federal, State and local procedures under the Resource Conservation and Recovery Act. Contact your state pesticide or Environmental Control Agency, or the Nearest Regional office for guidance.
Container Disposal: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities. If burned stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRODUCT DIRECTIONS

PAINTS - Incorporate Chem-Tek 100 with Titanium oxide in the pigment grid for all systems.

Use Chem-Tek 100 in the paint formula at the rate outlined in the table below. Quantities given are in pounds per 100 gallons of paint.

INTERIOR PAINTS

TT-P-0029 latex flat 1/4 - 1/2

TT-P-650 latex primer 1/4 - 1/2

New York City Housing Authority coatings 1/4 - 3/4

Sanitary latex semigloss 1/2

Oleoresinous interiors 1/2

EXTERIOR PAINTS

Zinc oxide pigmented latex 1/4 - 1/2

PVA 1/2

Acrylic 1/2

Vinyl acrylic 1/2

Zinc oxide pigmented Alkyd and oil paint 1/2 - 1

Alkyd-modified latex 1 - 1 1/2

Oil house paint 1 - 1 1/2

Alkyd 1

NYLON CARPETING - Using conventional methods such as melt blending or spin finish application, apply 0.05 (spin finish) to 0.5% (melt blend) of Chem-Tek 100 based on the total weight of the material being used.

CANVAS TEXTILES - Dissolve Chem-Tek 100 in a solution of hydrochloric acid (or other acid) at pH 3.5 or less. Use Chem-Tek 100 at a rate of 500-3000 ppm active ingredient based on the weight of the finished fabric. The fabric is passed through the solution until thoroughly wetted. The use of a wetting agent to aid in the penetration of Chem-Tek 100 is recommended.

FRUITS and VEGETABLES -

Prepare a suspension of Chem-Tek 100 by dispersing the appropriate amount in water with a wetting agent. Agri-Chem's WETTING AGENT is recommended at the rate of 16 oz. per gallon. Application may be made in post-harvest or pre-harvest. When mixing in wax do not use a wetting agent.

When using as a dip, discard suspension when (1) it becomes dirty, (2) after it has been used 5 times or (3) when the volume becomes too low for use.

Use Chem-Tek 100 in suspension at the