



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Karen Pither
Aeroxon, Inc.
2125 Center Ave., Suite 507
Fort Lee, NJ 07024

APR 15 2008

Dear Ms. Pither:

Subject: Labeling Amendment; General Revisions
Window Fly Killer
EPA Registration No. 43419-2
Submission Date: April 11, 2007

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

1. On page two of the label, delete the website www.npic.orst.edu.
2. On page three of the label, delete the websites www.aeroxon.us and www.winstoncompany.com.
3. On the sticker label, delete the website www.aeroxon.us.

A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the referenced label, incorporating the above changes, before releasing the product for shipment. If you have any questions regarding this letter, please contact me (703) 306-0415.

Sincerely,

A handwritten signature in black ink, appearing to read "Kable Bo Davis", written over a horizontal line.

Kable Bo Davis
Entomologist
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosure

Date Revised: April 8, 2008

Window Fly Killer

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK FOR FIRST AID STATEMENTS

ACTIVE INGREDIENT:

Imidacloprid, 1-[6-chloro-3-pyridinyl)methyl]- <i>N</i> -nitro-2-imidazolidinimine.....	4.30%
Z-9 tricosene.....	0.21%
OTHER INGREDIENTS:.....	95.49%
TOTAL:.....	100.00%

Contains: 2 (or 3, 5 or 6) Stickers with 7.5 mg active ingredient each.

**ACCEPTED
with COMMENTS
in EPA Letter Dated:
APR 15 2008**

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
43419-2

STOP: READ ENTIRE LABEL BEFORE USE

Precautionary Statements

Hazards to Humans & Domestic Animals

CAUTION

Keep out of reach of children. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time (NPIC Web site: www.npic.orst.edu).</p>	

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use on houseflies. Aeroxon Window Fly Killer (“Sticker”) is not approved for use on other types of flies. No release of insecticides or fumes into the air. The Sticker is a decorative window Sticker treated with a bait to control house flies. It is to be placed on the inside of a window. Houseflies are attracted to the surface where they come into contact with the active ingredient and are killed from ingesting the active ingredient. The dead houseflies do not stick to the surface. Dead flies should be removed by using a hand brush and disposing the flies in household garbage or by vacuum cleaning.

Do not allow children or pets to play with the Sticker. Place the Sticker out of reach of children. Remove the white front protective paper. Peel off the decorative window Sticker from the backing sheet. Place one Sticker per room in a window with the greatest sun exposure. For high infestations or quicker results, place a Sticker in each window within the room. Place the Sticker high on the inside of the windowpane. Once applied,

keep the Sticker dry. Do not wipe the Sticker! Protect the Sticker against condensation moisture. Do not use on skylights.

Keep unused Sticker dry and frost-free in the original packaging. Keep outer container until the last Sticker is disposed. For maximum efficacy, replace Sticker every six months.

Storage and Disposal

Storage: Store in original containers in cool, dry place. Store out of reach of children.

Disposal: Nonrefillable container. Do not reuse or refill this container.

EPA Reg. No. 43419-2

EPA Est. No. 043419-CHK-001
Made in the Czech Republic

Aeroxon, Inc.
2125 Center Avenue
Suite 507
Fort Lee, NJ 07024
1-866-416-6660
www.aeroxon.us


Distributor Information: Distributed by Tanglefoot

OR
Questions or Comment?
Winston Company, Inc.
7704 E. 38th Street
Tulsa, OK 74145
Toll Free: 800-331-9099
www.winstoncompany.com}

Possible Marketing Changes


Effective, Decorative and Odorless
Attracts and Kills Houseflies
Contains an Attractant Proved to be Effective
Effective Product You Can Trust
No Sticky Mess
“Lasts 6 Months” in jagged circle logo
Remains Effective for 6 Months
Effective Control for 6 Months

Format Einfachnutzen 120 x 175 mm / Zweiernutzen 120 x 170
Fläche des Ornamentfeldes 120 x 170 mm



Peel off the Sticker from the backing sheet. Place the Sticker high on the inside of the windowpane.

Window Fly Killer
 Active Ingredient:
 Imidacloprid :4.30%
 Z-9 Tricosene :0.21%
 Other Ingredients :95.49%
 Caution.
 Keep out of the reach of children.
 See outer carton for complete directions and precautions.
 EPA Re. No. 43419-2



Peel off the Sticker from the backing sheet. Place the Sticker high on the inside of the windowpane.

Window Fly Killer
 Active Ingredient:
 Imidacloprid :4.30%
 Z-9 Tricosene :0.21%
 Other Ingredients :95.49%
 Caution.
 Keep out of the reach of children.
 See outer carton for complete directions and precautions.
 EPA Re. No. 43419-2

