

1/3

NOV 15 1988

CH₂O, Incorporated
P.O. Box 1190
Olympia, WA 98507

Attention: Joyce Prindle

Gentlemen:

Subject: Ever-San F-551
EPA Registration No. 43553-16
Your Application Dated December 1, 1987
EPA Received Date December 10, 1987


The amendment referred to above, submitted in connection with the Label Improvement Program Notice for Antimicrobial Products Used as Food Contact Surface Sanitizers, is acceptable and a stamped copy is enclosed for your records.

Make the labeling change listed below before you release the product for shipment bearing the amended labeling.

- At the next printing of your labels, delete from the pesticide and container disposal heading the statement "or bury in a safe place."

If you have any questions about this letter, please contact Karen Leavy at (703) 557-3966.

Sincerely yours,


 John H. Lee
 Product Manager (31)
 Antimicrobial Program Branch
 Registration Division (TS-767C)

enclosure

50236:I:Lee:LL-3:KENCO:10/19/88:12/1/88:rw:VO:EK:aw

CONCURRENCES

SYMBOL	SURNAME	DATE					

ACCEPTED
with COMMENTS
in EPA Letter Dated:

NOV 16 1988

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

43553-16

SANITIZING OF FOOD PROCESSING EQUIPMENT AND OTHER HARD SURFACES IN FOOD CONTACT LOCATIONS. For sanitizing food processing equipment, dairy equipment, food servers, dishes, silverware, glasses, and food counters, refrigerators, storage and display equipment and other hard non-porous surfaces, **NO POTABLE WATER RINSE IS REQUIRED.**

Wash and rinse all articles thoroughly. Then apply a solution of 1 oz. **EVER-SAN F-551** in 4 gallons of water (150 ppm active). Surfaces should remain wet for at least one minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when the solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing applications.

Apply to the floor, counter tops, refrigerated storage and display equipment and other stationary hard surfaces by comb or brush or mechanical spray device. **NO POTABLE WATER RINSE IS REQUIRED.**

Dishes, silverware, glasses, cooking utensils and other similar hard processing equipment can be sanitized by immersion in a 1:4 solution of **EVER-SAN F-551**. **NO POTABLE WATER RINSE IS REQUIRED.**

NOTE: 4 gallons **EVER-SAN F-551** meets the criteria of Appendix F of the Code of Federal Regulations 1918 (Recommendations of the U.S. Public Health Service) in waters up to 800 ppm of hardness calculated as CaCO₃ when evaluated by EPA/CAC (EPA/600/4-80-010) and General Sanitization Methods against the bacteria coli and *Staphylococcus aureus*.

The udders, teats and teats of dairy cows can be sanitized by washing with a solution of 1 oz. **EVER-SAN F-551** in 4 gallons of warm water. **NO POTABLE WATER RINSE IS REQUIRED.** Use a fresh towel for each cow. Avoid contamination of sanitizing solution by age and use. Do not soiled towels back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

Precautionary Statement

Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product normally. If swallowed, Do not breathe spray mist. Avoid contamination of food.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.
- OPEN DUMPING IS PROHIBITED. • DO NOT REUSE EMPTY CONTAINER.

PESTICIDE DISPOSAL

PESTICIDE OR RESIDUE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR SOLID WASTE. AWAY FROM WATERS, SPRINGS.

CONTAINER DISPOSAL

TRIPLE RINSE OR EQUIVALENT AND DUMP IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS OR BURY IN A SAFER AREA.

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES. CHERAS LIMITED CHEMICALS, INC.



CH₂O, inc.
EVER-SAN F-551

Disinfectant • Sanitizer • Fungicide • Deodorizer

with Organic Soil Tolerance for Hospital, Institutional, Industrial, Schools

Active Ingredients

- 10% (0.5%) benzyl dimethyl ammonium chloride
- 10% (0.5%) didecyl dimethyl ammonium chloride
- 10% (0.5%) didecyl dimethyl ammonium chloride
- 10% (0.5%) didecyl dimethyl ammonium chloride

Inert Ingredients

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water; call a physician. Remove and wash contaminated clothing before re-use. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin, or other large quantities of water. Avoid alcohol. Call a physician. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate measures against circulatory shock, respiratory depression, and coma.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONS

EPA Registration No.

EPA Establishment No.

Net Contents

MANUFACTURED BY

CH₂O, INC. • 301 W. LEE • TUMWATER, WA 98501 • P.O. BOX 1190

(206) 831-1063 • TOLL FREE IN WASHINGTON 1-800-

BEST AVAILABLE COPY

Directions for Use
GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply EVER SAN F 551 with a clean, dry brush or sprayer to all surfaces which come in contact with food. Use only when the surface is clean and dry. Do not use on surfaces which are wet or greasy. Wash surfaces with solution should be applied to all surfaces. Use solution becomes cloudy.

Directions in Hospitals, Nursing Homes and Other Health Care Institutions: For disinfecting floors, walls, counters, etc. Apply 1/2 pint of EVER SAN F 551 to 4.5 gallons of water and use for 10 minutes. For disinfecting bed linen, use 1/4 pint of EVER SAN F 551 to 4.5 gallons of water. Apply to the linen and allow to dry. For disinfecting bed linen, use 1/4 pint of EVER SAN F 551 to 4.5 gallons of water. Apply to the linen and allow to dry. For disinfecting bed linen, use 1/4 pint of EVER SAN F 551 to 4.5 gallons of water. Apply to the linen and allow to dry.

Directions in Institutions, Industry and Schools: Apply 1/2 pint of EVER SAN F 551 to 4.5 gallons of water. Use for 10 minutes. For disinfecting floors, walls, counters, etc. Apply 1/2 pint of EVER SAN F 551 to 4.5 gallons of water. Use for 10 minutes. For disinfecting floors, walls, counters, etc. Apply 1/2 pint of EVER SAN F 551 to 4.5 gallons of water. Use for 10 minutes.

Directions for Barber Shops: Apply 1/2 pint of EVER SAN F 551 to 4.5 gallons of water. Use for 10 minutes. For disinfecting floors, walls, counters, etc. Apply 1/2 pint of EVER SAN F 551 to 4.5 gallons of water. Use for 10 minutes.

Directions for Poultry Equipment, Animal Cages and Kennels: Apply 1/2 pint of EVER SAN F 551 to 4.5 gallons of water. Use for 10 minutes. For disinfecting floors, walls, counters, etc. Apply 1/2 pint of EVER SAN F 551 to 4.5 gallons of water. Use for 10 minutes.

Directions for Poultry Equipment: Apply 1/2 pint of EVER SAN F 551 to 4.5 gallons of water. Use for 10 minutes. For disinfecting floors, walls, counters, etc. Apply 1/2 pint of EVER SAN F 551 to 4.5 gallons of water. Use for 10 minutes.

Directions for Animal Cages and Kennels: Apply 1/2 pint of EVER SAN F 551 to 4.5 gallons of water. Use for 10 minutes. For disinfecting floors, walls, counters, etc. Apply 1/2 pint of EVER SAN F 551 to 4.5 gallons of water. Use for 10 minutes.

Directions for Kennels: Apply 1/2 pint of EVER SAN F 551 to 4.5 gallons of water. Use for 10 minutes. For disinfecting floors, walls, counters, etc. Apply 1/2 pint of EVER SAN F 551 to 4.5 gallons of water. Use for 10 minutes.

Directions for Floors, Walls, Counters, etc.: Apply 1/2 pint of EVER SAN F 551 to 4.5 gallons of water. Use for 10 minutes. For disinfecting floors, walls, counters, etc. Apply 1/2 pint of EVER SAN F 551 to 4.5 gallons of water. Use for 10 minutes.

BEST AVAILABLE COPY

103