
 <p style="text-align: center;"> <b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b>          Office of Pesticide Programs          Antimicrobials Division (7510C)          1200 Pennsylvania Avenue NW          Washington, D.C. 20460       </p> <p style="text-align: center;"> <b>NOTICE OF PESTICIDE:</b>  <input checked="" type="checkbox"/> Registration  <input type="checkbox"/> Reregistration       </p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number: <b>43553-34</b>	Date of Issuance: <b>JUN 20 2006</b>
	Term of Issuance: <b>Conditional</b>	
	Name of Pesticide Product: <b>AQUA-CLEAR 15</b>	
Name and Address of Registrant (include ZIP Code): <b>C.H.2.O., INC.          8820 OLD HIGHWAY 99 SE          OLYMPIA, WA 98501</b>		
Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p style="text-align: center;">         This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:       </p> <ol style="list-style-type: none"> <li>1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.</li> <li>2. Make the labeling changes listed below before you release the product for shipment:           <ol style="list-style-type: none"> <li>a. Revise the "EPA Registration Number to read, "EPA Reg. No. 43553-34".</li> </ol> </li> </ol>		
Signature of Approving Official:  for Emily Mitchell Product Manager Team-32 Regulatory Management Branch II Antimicrobials Division (7510P)	Date: <b>JUN 20 2006</b>	

Aqua-Clear 15  
EPA Reg. No. 43553-34

b. Revise "one pass water systems" to read "one-pass cooling water systems" wherever it appears on the label.

c. Remove ". . .in Federally Inspected Plants" from the directions for use in Controlling Microbial Population in Poultry Processing Chill Water. This statement does not appear on the cited product.

d. Remove "Bacteria and Slime" from the Mollusk Control directions for use. These claims are not on the cited product under the Mollusk Control.


e. Remove the "General Industrial Process Water Treatment" section from the label. This statement does not appear on the cited product.

3. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



for Emily Mitchell  
Product Manager 32  
Regulatory Branch II  
Antimicrobials Division (7510C)

Enclosure: (Stamped Label)

# Aqua-Clear 15

(15% Active Sodium Chlorite)

ACTIVE INGREDIENT:  
Sodium Chlorite\* ..... 15.0%  
OTHER INGREDIENTS: ..... 85.0%  
TOTAL: ..... 100.0%

\*AVAILABLE CHLORINE ..... 23.4%

CONTAINS 1.55 LBS. OF SODIUM CHLORITE PER GALLON AT 70°F

KEEP OUT OF REACH OF CHILDREN  
**DANGER**

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor immediately for treatment advice.</li> </ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice</li> <li>• Have person drink a glass of water immediately if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If inhaled:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration.</li> <li>• Call a poison control center or doctor for further treatment advice</li> </ul>
<b>HOTLINE NUMBER</b>	
Have the product or container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.	
<b>NOTE TO PHYSICIAN:</b>	
Probable mucosal damage may contraindicate the use of gastric lavage.	

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**DANGER. Corrosive.** Causes irreversible eye damage and skin burns. Harmful if swallowed. Irritating to nose and throat. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (splashproof goggles). Wear protective clothing and rubber gloves when handling this product. Avoid breathing mists or fumes. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing to avoid fire.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**CHEMICAL HAZARDS**

Dry sodium chlorite is a strong oxidizing agent. This product becomes a fire or explosive hazard if allowed to dry. Mix only into water. Contamination may start a chemical reaction with generation of heat, liberation of hazardous gases (chlorine dioxide a poisonous, explosive gas), and possible fire and explosion. Do not contaminate with garbage, dirt, organic matter, household products, chemicals, soap products, paint products, solvents, acids, vinegar, beverages, oils, pine oil, dirty rags, or any other foreign matter.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use the product in a manner inconsistent with its labeling.

**Directions for Controlling the Growth of Algae in Recirculating Cooling Water Towers**

1. Clean badly fouled systems before starting treatment. 2. When algae are visible, add an initial dosage of 14 fluid ounces of Aqua-Clear 15 per 1,000 gals of water in the system. Repeat if necessary until control is evident. 3. Where algae control is evident, use a subsequent dose of 7 fluid ounces of Aqua-Clear 15 solution per 1,000 gals of water in the system twice a week or as needed to maintain control. 4. Add Aqua-Clear 15 directly to the cooling tower drip pan (cold water basin) near the inlet to the recirculating pump.

**Directions for Use in the Mechanical or Electrolytic Generation of Chlorine Dioxide as a Disinfectant, or for Microorganism or Mollusk Control and as a Chemical Oxidant in Aquatic Systems.**

**Feed requirements:** Feed rates of Aqua-Clear 15 will depend on the severity of contamination and the degree of control desired. The exact dosage will depend on the size of the system and residual necessary for effective control.

Some examples of industrial applications of chlorine dioxide include:

- Potable water disinfection and removal of sulfide.
- Control of bacterial slime and algae and mollusks in irrigation systems and industrial recirculating and one-pass water systems.
- Biocontrol in food processing flumes, water-using equipment, cooling water, and recycled waters.
- Disinfection of sewage and plant wastes.
- Destruction of phenolics, simple cyanides and sulfides by chemical oxidation.
- Bacterial slime control in white water paper mill systems.
- Bacterial control in oil well and petroleum systems.

See product bulletins (or Technical Data Sheets) for specific application instructions. Your CH<sub>2</sub>O representative can guide you in application techniques.

**Method of feed:** Large amounts of chlorine dioxide can be generated by several common methods, including:

ACCEPTED  
with COMMENTS  
EPA Letter Dated:



**CH<sub>2</sub>O, Incorporated**

8820 Old Hwy. 99 SE, Olympia, WA 98501/ 360-943-6068

20 2006

per the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended for the pesticide,  
registered under EPA Reg. No. 43553-34

3/4

1. The chlorine method which utilizes a **Aqua-Clear 15** solution and chlorine gas, 2. The hypochlorite method which utilizes a **Aqua-Clear 15** solution, a hypochlorite solution, and an acid, or 3. The acid-chlorite method, which uses **Aqua-Clear 15** and an acid as the activating agent.

Your CH<sub>2</sub>O representative can guide you in the selection, installation and operation for feed systems. Consult the product bulletin and also the instructions on the chlorine dioxide generation system before using **Aqua-Clear 15**.

User is responsible for compliance with applicable Federal, state and local laws regarding proper use and disposal of the chlorine dioxide generated.

#### **Directions for Use in Controlling Microbial Population in Poultry Processing Chill Water in Federally Inspected Plants**

Chlorine dioxide generated from **Aqua-Clear 15** may be used as an antimicrobial agent in poultry processing chill water, provided that the residual concentration of chlorine dioxide does not exceed 3 ppm, as determined by an appropriate method in accordance with 21 CFR 173.300.

For treatment of poultry chill water, apply **Aqua-Clear 15** as necessary through a chlorine dioxide generation system to maintain a residual concentration of up to 3 parts per million (ppm) chlorine dioxide in the chiller water.

#### **Food Plant Process Water Treatment**

Chlorine dioxide generated from **Aqua-Clear 15** is effective for use in controlling microbiological growth in flume water and other food processing water systems such as chill water systems and hydrocoolers. The required dosages will vary with process conditions and the degree of contamination present. Depending on the requirements of the specific water system, **Aqua-Clear 15** should be applied continuously or intermittently through a chlorine dioxide generating system to achieve a chlorine dioxide residual concentration between 0.25 and 5.0 ppm. Water, containing up to 3 ppm residual chlorine dioxide may be used for washing fruits and vegetables that are not raw agricultural commodities in accordance with 21 CFR 173.300. Treatment of the fruits and vegetables with chlorine dioxide must be followed by a potable water rinse, or by blanching, cooking or canning.

#### **Industrial Cooling Water Treatment**

For control of bacterial slime and algae in industrial recirculating and one-pass cooling systems, the required dosages will vary depending on the exact application and the degree of contamination present. The required chlorine dioxide residual concentrations range between 0.1 and 5.0 ppm. Chlorine dioxide may be applied either continuously or intermittently. The typical chlorine dioxide residual concentration range is 0.1 - 1.0 ppm for continuous doses, and 0.1 - 5.0 ppm for intermittent doses. The minimum acceptable residual concentration of chlorine dioxide is 0.1 ppm for a minimum one minute contact time.

#### **Potable Water Treatment**

Chlorine dioxide (ClO<sub>2</sub>) is used as both an oxidant and a disinfectant in drinking water treatment. The required dosages will vary with source water conditions and the degree of contamination present. For most municipal and public potable water systems, a chlorine dioxide residual concentration of up to 2 ppm is sufficient to provide adequate disinfection. Residual disinfectant and disinfectant byproducts must be monitored as required by the National Primary Drinking Water Regulations (40 CFR part 141) and state drinking water standards.

#### **Mollusk, Bacteria, and Slime Control in Water Systems**

Chlorine dioxide generated from **Aqua-Clear 15** may be used for mollusk, bacteria, and slime control in irrigation systems and commercial and industrial recirculating and one-pass water systems. The required dosages will vary with the system type, system conditions, the degree of water contamination present and the desired level of control. Depending on the extent of the infestation, **Aqua-Clear 15** may be applied either continuously or intermittently through a chlorine dioxide generating system to achieve the necessary chlorine dioxide residual concentration. Veliger Control: Maintain a continuous chlorine dioxide residual of 0.1-0.5 ppm.

Intermittent Dose: Apply chlorine dioxide to obtain a chlorine dioxide residual concentration of 0.2 - 25 ppm. Repeat as necessary to maintain control. Continuous Dose: Maintain a chlorine dioxide residual concentration of up to 2 ppm.

#### **Wastewater Treatment**

Chlorine dioxide (ClO<sub>2</sub>) is effective as both a disinfectant and an oxidant in wastewater treatment. The required dosages will vary with water conditions and the degree of contamination present. For most municipal and other wastewater systems, a chlorine dioxide residual concentration of up to 5 ppm is sufficient to provide adequate disinfection. For sulfide odor control, between pH 5-9, a minimum of 5.2 ppm (wt) of chlorine dioxide should be applied to oxidize 1 ppm of sulfide (measured as sulfide ion). For phenol destruction, at pH less than 8, 1.5 ppm chlorine dioxide will oxidize 1 ppm phenol; at pH greater than 10, 3.3 ppm chlorine dioxide will oxidize 1 ppm phenol.

**General Industrial Process Water Treatment (Oilfield Injection Water, White Water Paper Mill Systems and Recirculating Cooling Towers):** For control of microbial slime, these systems will require a chlorine dioxide residual concentration ranging between 0.25 and 5.0 ppm. The **Aqua-Clear 15** dosage needed to achieve these levels will vary widely depending on the exact application. Please consult your CH<sub>2</sub>O representative for assistance in determining the correct dosage level.

### **STORAGE AND DISPOSAL**

**STORAGE:** Do not contaminate water, food or feed by storage or disposal. Keep product in tightly closed container when not in use. Don't drop, roll or skid drum. Keep upright. Always replace cover. Store in a cool, dry well-ventilated area away from heat or open flame.

**EMERGENCY HANDLING:** In case of contamination or decomposition, do not reseal container. If possible, isolate container in open and well ventilated area. Flood with large volumes of water. If fire occurs, extinguish fire by applying large quantities of water. Any unopened drums near the fire should be cooled by spraying with water.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse container. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 43553-XX EPA Est. 43553-WA-1

**NET CONTENTS:** \_\_\_\_\_ Gal. ( \_\_\_\_\_ l) **LOT NUMBER:** \_\_\_\_\_

**NON-WARRANTY:** As the use of this material is subject to conditions beyond the seller's control, seller makes no warranty express or implied as to this material or its use other than its chemical analysis when packed. The total liability of seller shall be limited to the purchase price of the product. Any disputes will be settled via arbitration in accordance with purchase details on your invoice.

1/06

4/4