

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS


DANGER: Corrosive. May cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance contact the regional office of the Environmental Protection Agency.

**PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

**AMERICAN CHEMICAL & BUILDING
MAINTENANCE SUPPLY
dba AMCHEM
2530 22nd Street
St. Petersburg, FL 33173
EPA REG. NO. 43562-1 EPA EST NO.
NET CONTENTS**



"FOR SWIMMING POOL CHLORINATION AND SANITIZING."

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If in skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention if swallowed. Do not drink large quantities of milk or grain alcohol. If the smell of chlorine is detected, add 2 quarts of water to the tank. If symptoms of chlorine fume inhalation develop, seek medical attention.

AMERICAN CHEMICAL & BUILDING MAINTENANCE SUPPLY

DIRECTIONS FOR USE GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

DIRECTIONS FOR SWIMMING POOL CHLORINATION: Add the amount of spring start-up superchlorate during the first 16 hours of use. Use 1 cup of chlorine solution for each 2500 gallons of water. The usage is equivalent to 1 pound of chlorine per 1000 gallons of water.

After the initial start-up, add chlorine daily to maintain a residual chlorine level of at least 0.2 ppm. Chlorinate at least once a week. Chlorination frequency depends on the number of swimmers and the water temperature. Chlorine is effective at temperatures between 60° and 80° F. Chlorine is available in various forms: tablets, granules, liquid, powder, etc.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS

For disinfection of drinking water, add the same amount of the product as in hypochlorite chlorination. Mix thoroughly with water. If the water contains more than 100 mg/l of hypochlorite, add chlorine to a residual chlorine level of at least 0.2 ppm. Add no more than 0.6 ppm chlorine to the water as determined by a DPD chlorine test kit. Bacteriological analysis should be conducted at least once a month. Chlorine is available in various forms: tablets, granules, liquid, powder, etc.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT: Add the same amount of the product as in hypochlorite chlorination. Mix thoroughly with water. If the water contains more than 200 mg/l of hypochlorite, add chlorine to a residual chlorine level of at least 0.2 ppm. Chlorinate for 15 minutes. Do not rinse with water. Chlorine is available in various forms: tablets, granules, liquid, powder, etc.

NOTE: Chlorine is available in various forms: tablets, granules, liquid, powder, etc.

STORAGE AND DISPOSAL: Store in a dry area away from heat and direct sunlight. Do not store near flammable materials. Do not store in containers that previously held other liquids. Do not discard in ground water. Product is safe for disposal in sanitary sewer. Do not pour into waterways or onto land. Do not use equipment.