and the second second

· Product labeling for containers with clear poly seal and flower design on front of container:

#### **Card Front**

★★★ Gimborn Rich Health

For Medium to Small [Large] Cages

# Feather Glo® Bird Cage Defender®

To Kill Mites and Lice on Birds in Cages Protects caged birds from lice and mites for months. For Caged Birds

# **ACTIVE INGREDIENT:**

 Paradichlorobenzene
 50%

 OTHER INGREDIENTS
 50%

 Total
 100%

# Keep Out of Reach of Children WARNING

See back panel for additional precautionary statements.

EPA Reg. No. 435"6-2

EPA Est. 43576-GA-1

[Available Only from Veterinarians]

Net Weight: 0.5 oz. or 1 oz. (14.18 gms) or (28.35 gms)

## Card Back

# Feather Glo Bird Cage Defender

Protects caged birds from mites and lice for months
 Hangs on cage
 Helps deodorize cage

# DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Punch through clear poly seal where holes appear on flower design with a pencil or ball point pen. Using attached twist-tie, hang container on outside of cage with opening facing cage. For optimum effect, cover cage nightly. Replace Feather Glo Bird Cage Defender when slight odor of Paradichlorobenzene cannot be detected in morning when cage is uncovered. Clean cage weekly, or when needed, with soap and hot water.

Storage: Store only in original container in a cool, dry place inaccessible to children and pets. Disposal: Do not reuse empty container. Securely wrap in newspaper and diseard in trash.

# PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Causes eye, skin and respiratory tract irritation. Do not get in eyes or on clothing. Avoid contact with skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not allow birds to chew on container. Replace container if damaged.

Notice: California has determined that a chemical contained in this product causes cancer based on tests performed on laboratory animals.

### First Aid

If Swallowed: Call a physician or poison control center. Do not induce vomiting or give anything by mouth to an unconscious person. Drink promptly a large quantity of water. Avoid alcohol. If on Skin: Wash with plenty of soap and water. If symptoms persist, get medical attention. If in Eyes: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Container Label

# ACCEPTED

8

badar the Federal Insecticide, Frank his hand hodernicide Ace as mended, for the pesticide registered under 3576-1 RPA Re. No. 43576-1

OCT

Keep Out of Reach of Children EPA R. WARNING
See card for complete precautionary statements
ACTIVE INGREDIENT:

Feather Glo®

Bird Cage Defender®

 Paradichlorobenzene
 50%

 OTHER INGREDIENTS
 50%

 Total
 100%

## **DIRECTIONS FOR USE**

: is a violation of Federal law to use this product in a manner inconsistent with its labeling Punch through clear poly seal where holes appear on flower design with a pencil or ball point pen. Using attached twist tie, hang container on outside of cage with opening facing cage. For optimum effect, cover cage nightly. Replace Feather Glo Bird Cage Defender when slight odor of Paradichlorobenzene cannot be detected in morning when cage is uncovered. Clean cage weekly, or when needed, with soap and hot water. Storage: Store only in original container in a cool, dry place inaccessible to children and pert. Bispecsel'. Do not reuse empty container. Sequelly wran

to children and pets. Disposal: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

EPA Reg. No. 43576-2 EPA Est. 43576-GA-1

Gimborn, Inc.

4280 N.E. Expressway, Atlanta, GA 30340 NET WT. OZ. (\_\_\_\_ GMS) ' Product labeling for containers with a non-transparent, adhesive seal on front of container:

# **Card Front**

★★★ Gimborn Rich Health

For Medium to Small [Large] Cages

# Feather Glo<sup>®</sup> Bird Cage Defender<sup>®</sup>

To Kill Mites and Lice on Birds in Cages Protects caged birds from lice and mites for months. For Caged Birds

**ACTIVE INGREDIENT:** 

 Paradichlorobenzene
 50%

 OTHER INGREDIENTS
 50%

 Total
 100%

# Keep Out of Reach of Children WARNING

See back panel for additional Precautionary statements.

EPA Reg. No. 43576-2

EPA Ec. 43576-GA-1

[Available Only from Veteritarians]

Net Weight: 0.5 oz. or 1 oz. (14.18 gms) or (28.35 gms)

# Container Front

# Feather Glo\* Bird Cage Defender

To Kill Mites and Lice on Birds in Lages
Protects Caged Birds from Mites and Laze for Months
Hangs on Cage • For Cagen Birds • Emils Dendorize Cage
[Available Only From Venerinanians]
Keep Out of Rench of Children
WARNING

See card for complete precautionary statements.

ACTIVE INGREDIENT:

 Paradichlorobenzene
 50%

 OTHER INGREDIENTS
 50%

 Total
 100%

Remove this seal from mintainer. Hang on outside of cage with perforations facing rage. See back panel for complete Directions for Use.

# Card Back

# Feather Glo Bird Cage Defender

Protects caged birds from mites and lice for mouths
 Hangs on cage
 Helps deodorize cage

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove seal from one side of container. Using attached twist-tie, hang container on outside of cage with opening facing cage. For optimum effect, cover cage nightly. Replace Feather Glo Bird Cage Defender when slight odor of Paradichlorobenzene cannot be detected in morning when cage is uncovered. Clean cage weekly, or when needed, with soap and hot water.

Storage: Store only in original container in a cool, dry place inaccessible to children and pets. Disposal: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

### PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Causes eye, skin and respiratory tract irritation. Do not get in eyes or on clothing. Avoid contact with skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not allow birds to chew on container. Replace container if damaged.

Notice: California has determined that a chemical contained in this product causes cancer based on tests performed on laboratory animals.

First Aid

If Swallowed: Call a physician or poson control center. Do not induce vomiting or give anything by mouth to an unconscious person. Drink promptly a large quantity of water. Avoid alcohol. If on Skin: Wash with plenty of soap and water. If symptoms persist, get medical attention. If in Eyes: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Product No.\_\_\_\_ EPA Reg. No. 43576-2 EPA Est. 43576-GA-1 Manufactured by Gimborn, Inc. 4280 Northeast Expressway Atlanta, GA 30340

# Container Back

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove seal from other side. Using attached twist-tie, hang container on outside of cage with perforations facing cage. For optimum effect cover cage nightly. Replace Feather Glo Bird Cage Defender when slight odor o Paradichlorobenzene cannot be desected in morning whe cage is uncovered. Clean cage weekly, or when needed, with soap and hot water. Storage: Store only in original container in a cool, dry place, inaccessible to chikifart and pets. Disposal: Do not reuse empty container. Securely wrap in newspaper and discard in trasts.

EPA Reg. No. 43576-2 EPA Est. 43576-43A-1
Gimborn, Inc.

4280 Northeast Expressway; Atlanta, GA 30340 Net Wt. \_\_\_oz. (\_\_\_gms)