

43576-2

1/8/2003

Page 177

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

January 8, 2003

GPS Group, Inc.
c/o RegWest Company
30856 Rocky Road
Greeley, CO 80631-9375

300
17 5-625718

Attention: Ms. Kim Davis

Subject: Feather Glo® Bird Cage Defender®
EPA Reg. No. 43576-2
Your application of October 18, 2002

Purpose The purpose of your amended application, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is to revise the label for this product, which contains the active ingredient, paradichlorobenzene, and which is used to control mites and lice on caged birds, to conform to PR Notices 2001-1 and 2001-6. We have reviewed this application and have the following comments.

Review of label The labeling submitted with the above letter, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided that you submit one (1) copy of final printed labeling to us, with the changes listed below, before you release product for shipment. A copy of the stamped label is enclosed for your records.

1. Wherever it occurs, reformat your "STORAGE AND DISPOSAL" text as follows, so that the subheadings, "Storage" and "Disposal" are left justified:

STORAGE AND DISPOSAL

Storage: Store only ... pets.
Disposal: If empty ... or outdoor drain.

Existing stocks Stocks of existing labels may be used for eighteen (18) months.

Consequence for non-compliance If these conditions are not complied with, the registrations will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Questions If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or peacock.dan@epa.gov (by E-Mail).

Sincerely yours,



Daniel B. Peacock, Biologist
Insecticide-Rodenticide Branch
Registration Division (7504C)

Enclosure 1. Minimum Type Size for Final Printed Label

Letter location Disk 91,A:\PDB\43576-2, revised label per PR Notice 2001-1 and 2001-6, 1-1-2003.wpd, January 1, 2003

Feather Glo® Bird Cage Defender®

Made in the U.S.A.

{Product Labeling for boxes containing cans with clear poly seal and flower design on front of container}
{Box Front Panel}

To Kill Mites and Lice on Birds in Cages
Protects Caged Birds from Lice and Mites for Months
For Caged Birds
[Available Only from Veterinarians]

For Medium to
Small [Large] Cages

Active Ingredient:

Paradichlorobenzene	50%
Other Ingredients	<u>50%</u>
Total	100%

<p>Keep Out of Reach of Children WARNING See back panel for additional precautionary statements.</p>

ACCEPTED
with **COMMENTS**
in EPA Letter Dated:
JAN 8 2003

Net Weight: 0.5 oz. (14.18 gms.) [1 oz. (28.35 gms.)]

[Money Back Guarantee]

[Money Back Guarantee]

If not satisfied return unused portion to GPS Group for full refund.]

Feather Glo® Bird Cage Defender®

- Protects caged birds from mites and lice for months
 - Hangs on cage
 - Helps deodorize cage

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Punch through clear poly seal where holes appear on flower design with a pencil or ball point pen. Using [attached] hang tab [twist-tie], hang container on outside of cage with opening facing cage. For optimum effect, cover cage nightly. Replace **Feather Glo Bird Cage Defender** when slight odor of Paradichlorobenzene cannot be detected in morning when cage is uncovered. Clean cage weekly, or when needed, with soap and hot water.

Storage: Store only in original container in a cool, dry place inaccessible to children and pets. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency [or 1-800-CLEANUP] for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Causes eye, skin and respiratory tract irritation. Do not get in eyes or on clothing. Avoid contact with skin. Thoroughly wash with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not allow birds to chew on container. Replace container if damaged.

Notice: California has determined that a chemical contained in this product causes cancer based on tests performed on laboratory animals.

First Aid

If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If Swallowed	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Immediately rinse skin with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. [You may also call 1-800-755-7056 for emergency medical treatment advice.]	
Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.	

{Note: The first aid statements' grid format will be used if market label space allows; otherwise a paragraph format will be used.}

[In case of questions or emergencies, call 800-755-7056]

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Product No. _____

EPA Reg. No. 43576-2 EPA Est. 43576-GA-1

[Manufactured by] GPS Group
4280 Northeast Expressway
Atlanta, GA 30340
800-755-7056
[website]
© _____

{Container Label}

Feather Glo® Bird Cage Defender®
Keep Out of Reach of Children
WARNING
See card for complete precautionary statements

Active Ingredient:
Paradichlorobenzene 50%

Other Ingredients 50%

Total 100%

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Punch through clear poly seal where holes appear on flower design with a pencil or ballpoint pen. Using [attached] hang tab [twist-tie], hang container on outside of cage with opening facing cage. For optimum effect, cover cage nightly. Replace **Feather Glo Bird Cage Defender** when slight odor of Paradichlorobenzene cannot be detected in morning when cage is uncovered. Clean cage weekly, or when needed, with soap and hot water.

Storage: Store only in original container in a cool, dry place inaccessible to children and pets. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency [or 1-800-CLEANUP] for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA Reg. No. 43576-2 EPA Est. 43576-GA-1

[Manufactured by] GPS Group
4280 N.E. Expressway, Atlanta, GA 30340
Net Wt. 0.5 oz. (14.18 gms.) [1 oz. (28.35 gms.)]

{Product labeling for boxes containing cans with a non-transparent, adhesive seal on front of container}
{Box Front Panel}

To Kill Mites and Lice on Birds in Cages
Protects Caged Birds from Lice and Mites for Months
For Caged Birds
[Available Only from Veterinarians]

For Medium to
Small [Large] Cages

Active Ingredient:	
Paradichlorobenzene	50%
Other Ingredients	<u>50%</u>
Total	100%

Keep Out of Reach of Children
WARNING
See back panel for additional
precautionary statements.

Net Weight: 0.5 oz. (14.18 gms.) [1 oz. (28.35 gms.)]

[Money Back Guarantee]

{Box Back Panel}

[Money Back Guarantee

If not satisfied return unused portion to GPS Group for full refund.]

Feather Glo® Bird Cage Defender®

- Protects caged birds from mites and lice for months
 - Hangs on cage
 - Helps deodorize cage

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove seal from one side of container. Using attached twist-tie [hang tab], hang container on outside of cage with perforations facing cage. For optimum effect, cover cage nightly. Replace **Feather Glo Bird Cage Defender** when slight odor of Paradichlorobenzene cannot be detected in morning when cage is uncovered. Clean cage weekly, or when needed, with soap and hot water.

Storage: Store only in original container in a cool, dry place inaccessible to children and pets. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency [or 1-800-CLEANUP] for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Causes eye, skin and respiratory tract irritation. Do not get in eyes or on clothing. Avoid contact with skin. Thoroughly wash with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not allow birds to chew on container. Replace container if damaged.

Notice: California has determined that a chemical contained in this product causes cancer based on tests performed on laboratory animals.

First Aid

If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If Swallowed	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Immediately rinse skin with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. [You may also call 1-800-755-7056 for emergency medical treatment advice.]	
Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.	

{Note: The first aid statements' grid format will be used if market label space allows; otherwise a paragraph format will be used.}

[In case of questions or emergencies, call 800-755-7056]

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Product No. _____

EPA Reg. No. 43576-2 EPA Est. 43576-GA-1

[Manufactured by] GPS Group
4280 Northeast Expressway
Atlanta, GA 30340
800-755-7056
[website]
© _____

{Container Label Front Panel}

Feather Glo® Bird Cage Defender®
To Kill Mites and Lice on Birds in Cages
Protects Caged Birds from Lice and Mites for Months
For Caged Birds
[Available Only from Veterinarians]

Keep Out of Reach of Children
WARNING
See card for complete precautionary statements

Active Ingredient:	
Paradichlorobenzene	50%
Other Ingredients	50%
Total	100%

Remove this seal from container. Hang on outside of cage with perforations facing cage. See back panel for complete Directions for Use.

{Container Label Back Panel}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove seal from other side. Using attached twist-tie [hang tab], hang container on outside of cage with perforations facing cage. For optimum effect, cover cage nightly. Replace **Feather Glo Bird Cage Defender** when slight odor of Paradichlorobenzene cannot be detected in morning when cage is uncovered. Clean cage weekly, or when needed, with soap and hot water.

Storage: Store only in original container in a cool, dry place inaccessible to children and pets. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency [or 1-800-CLEANUP] for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA Reg. No. 43576-2 EPA Est. 43576-GA-1

[Manufactured by] GPS Group
4280 N.E. Expressway, Atlanta, GA 30340
Net Wt. 0.5 oz. (14.18 gms.) [1 oz. (28.35 gms.)]

[] Denotes alternate/optional language

{ } Denotes language that does not appear on the market label