
PM-10

172

FRONT PANEL



MADE IN U.S.A.

CONTAINS A
NATURAL
ORGANIC
INSECTICIDE

ACTIVE INGREDIENTS:

*Equivalent to max. 0.240% (butylcarbityl)(6-propylpiperonyl) ether and min. 0.060% related compounds.

Keep Out of Reach of Children

CAUTION

See back panel for additional precautionary statements.

NET CONTENTS: 8 FL. 07. (237 ML)

MONEY BACK GUARANTEE

BACK PANEL - Scalex Mite & Lice Spray for Birds

MONEY BACK GUARANTEE

If not satisfied return unused portion to Rich Health for full refund.

For Use on Cage and Aviary Birds to kill Mites and Lice.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use Directly On Birds to Control Bird Lice. Leave birds in cage. Remove food and water. Spray directly on birds from a distance of 12 to 18 inches. Avoid the bird's eyes and face. Lightly spray with 3 or 4 pumps. Repeat twice a week.

Use On Cage and Aviary Surfaces to Control Feather Mites. Remove bird(s)' food and water cups, etc. Spray cage and aviary surfaces thoroughly from at least one foot, using 5 or 6 pumps per cage. Spray outside of the cage bottom thoroughly as feather mites often live there.

Repeat Treatment in Aviaries, Cages and on Birds Twice a Week: Bird cages should be cleaned in hot water weekly.

STORAGE: Store in original container in a cool, dry place (preferably locked) inaccessible to children and pets and away from heat or sunlight. Protect from freezing. DISPOSAL: Do not reuse empty container. Securely wrap container in several layers of newspaper and discard in trash collection.

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash skin with soap and water after using. Avoid spraying food or foodstuffs. Remove birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Promptly drink one or two glasses of water and contact a physician or poison control center immediately. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. Contact a physician if needed. If On Skin: Immediately remove contaminated clothing and wash affected area with plenty of water. Contact a physician if irritation persists. Wash clothing prior to reuse. If In Eyes: Immediately flush eyes with plenty of water. Contact a physician if irritation persists.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

EPA Reg. No. 43576-6

RICH HEALTH
P.O. Box 18258, Irvine, CA 92713

1 TRA Est . 43576-CA-1