



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

February 12, 2018

GPS Group
c/o RegWest Company LLC
ATTN: Kim Davis, consultant
8203 West 20th St., Suite A
Greeley, CO 80634

Subject: Label Amendment – adding graphics and alternate brand name
Product Name: Scalex Mite & Lice Spray for Birds
EPA Registration Number: 43576-6
Application Date: 7-31-2017
Decision Number: 532036

Dear Ms. Davis:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

The alternate brand name R-7M Feather Care for Birds Scalex Mite & Lice Spray for Birds has been added to the product record.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

Page 2 of 2
EPA Reg. No. 43576-6
Decision No. 532036

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Autumn Metzger at 703-305-5314, or Metzger.autumn@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Elizabeth Fertich". The signature is written in a cursive, flowing style.

Elizabeth Fertich
Product Manager 4
Invertebrate & Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

Scalex® Mite & Lice Spray for Birds

{ABN: R-7M™ Feather Care for Birds Scalex® Mite & Lice Spray for Birds}

{Select Marketing Claims and Graphics from the "Marketing Claims" and "Graphics" sections below}

Active Ingredients:


Pyrethrins (CAS No. 8003-34-7)	0.03%
Piperonyl butoxide* (CAS No. 51-03-6)	0.30%
Other Ingredients	<u>99.67%</u>
Total	100.00%

*(butyl carbityl)(6-propylpiperonyl) ether and related compounds
 [Contains 0.0003 oz Pyrethrins and 0.0030 oz Piperonyl butoxide per fl oz]

**Keep Out of Reach of Children
 CAUTION**

See back panel for First Aid and additional Precautionary Statements.

Net Contents: ___ fl oz (___ ml)
 (4 fl. oz. through 1 gallon)



{Back Panel}

First Aid

If Swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Immediately rinse skin with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. [You may also call 1-800-755-7056 for emergency medical treatment advice.]	

{Note: The first aid statements' grid format will be used if market label space allows; otherwise a paragraph format will be used.}

**PRECAUTIONARY STATEMENTS
 Hazards to Humans & Domestic Animals**

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Thoroughly wash with soap and water after using and before eating, drinking, chewing gum, using tobacco or using the toilet. Users should wear long-sleeved shirt, long pants, socks and shoes. Remove contaminated clothing and wash before reuse.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not spray this product on food or foodstuffs, including chickens.

Use Directly on Birds to Control Bird Lice. Leave birds in cage. Remove food and water. Lightly spray with 3 or 4 pumps directly on birds from a distance of 12-18 inches. Avoid the bird's eyes and face. Repeat twice a week.

Use on Cage and Aviary Surfaces to Control Feather Mites. Remove bird(s)' food and water cups, etc. Thoroughly spray cage and aviary surfaces from a distance of at least 1 foot, using 5-6 pumps per cage. Thoroughly spray the outside of the cage bottom as feather mites often live there. Do not wet cages or aviary surfaces to the point of runoff or drip.

Repeat treatment in aviary, cages and on birds twice a week. Clean bird cages in hot water weekly.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry (preferably locked) place inaccessible to children and pets and away from heat or sunlight. Protect from freezing. **Pesticide Disposal and Container Handling:** Non-refillable container; do not reuse or refill this container. **If empty:** Offer for recycling, if available, otherwise discard in trash. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[In case of questions or emergencies, call 800-755-7056.]

To the extent not prohibited by applicable law, buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith.

Product No. _____

EPA Reg. No. 43576-6 EPA Est. _____

[Manufactured by [for]:]

GPS Group

2425 W. Dorothy Lane

Dayton, OH 45439

800-635-2044

© Copyright {Year}

{Marketing Claims:}

Made in U.S.A.

Spray for Cage and Aviary Birds

For Use on Birds to Kill Lice and on Cage/Aviary Surfaces to Kill Mites

For Use on Cage and Aviary Birds to Kill Mites and Lice

Money Back Guarantee

If not satisfied, return unused portion to GPS Group for a full refund.

{End of Marketing Claims:}

{Graphics:}



{End of Graphics:}

[] Denotes alternate/optional language

{ } Denotes language that does not appear on the market label