

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS
AND DOMESTIC ANIMALS
DANGER**

**CAUSES EYE DAMAGE
CAUSES SEVERE SKIN IRRITATION,
ESPECIALLY TO BROKEN SKIN
HARMFUL IF SWALLOWED**

Do not get in eyes, on skin or clothing.
Wear goggles or face shield and rubber gloves when
handling this product.
Remove and wash contaminated clothing.
Do not take internally.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage
or disposal. Open dumping is prohibited. If plastic, do not
reuse empty container.

DISPOSAL: Pesticide or insecticide that cannot be used or
chemically reprocessed should be disposed of in a landfill
approved for pesticides or buried in a safe place away from
water supplies. Triple rinse (or equivalent) all containers
and for metal containers offer for recycling or recondi-
tioning (for plastic containers dispose in an incineration
or disposal unit) approved for pesticide containers or
bury in a safe place. Consult Federal, State and local
authorities for approved alternative procedures.

NOTICE: Never warrant that the product is safe for use in
chemical decontamination or fumigation. The purpose
of this label is to inform you of the hazards of the product
under normal conditions of use. Do not use the product
under any other conditions. Do not use the product in
particular places where it is not intended to be used.
Storage containers should be kept in a cool, dry place.
Do not use the product if the container is damaged or
if the product is not as labeled. Do not use the product
if it is not as labeled.

POLY-CRAFT LABORATORIES
Division of Waxcraft, Inc.
1291 West Sherman Avenue
Vineland, New Jersey 08360

RECEIVED
MAY 1981
43579-1

SaniDeC

**DISINFECTANT-CLEANER-
FUNGICIDE-DEODORANT**

ACTIVE INGREDIENTS

n Alkyl (50 C., 40 C., 10 C.) dimethyl benzyl ammonium chloride 1.5

INERT INGREDIENTS

Total 98.5

100.0

**KEEP OUT OF REACH OF CHILDREN
DANGER**

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

POLY-CRAFT LABORATORIES
Vineland, NJ 08360

EPA Est. No. 43579-NJ-1
EPA Reg. No. 43579-1

NET CONTENTS

**DIRECTIONS FOR
GENERAL CLASS**

It is a violation of Federal law to
inconsistent with its labeling.

FOR CLEANING

Lightly soiled areas — scrub
mopped or brushed with a solution
of **SaniDeC** per
area with fresh water.

Heavily soiled areas — mop
solution containing 5.6 ounce
per gallon of water. Rinse clean.

GENERAL PURPOSES

To disinfect walls, floors and
faces in homes, schools, rest
public areas, mop or brush with
3 ounces of **SaniDeC**
as to maintain thoroughly wet
soiled surfaces must be pre-
follow directions for cleaning.
later come in contact with
water of drinking quality. Do not

To disinfect hard non porous
shower stalls, walkways around
pathogenic fungi, mop or brush
with 2 ounces of **SaniDeC**
so as to maintain thoroughly wet.
This solution will destroy Trich
active agent of athlete's foot
pre-cleaned prior to disinfecting.
Do not reuse used solution.

HOSPITAL DISIN

To disinfect walls, floors, furni-
surfaces in hospitals and nurs-
fresh solution containing 5.6
per gallon of water so a

surface for ten minutes. All sur-
prior to disinfection. Follow
surfaces that are heavily soiled
exudates should be thorough-
with 5.6 ounces of **SaniDeC**
water and then rinse with
ounces of **SaniDeC**
disinfection. Do not reuse use
been tested for effect. Use
and must not be re-used
intended by the user.

DEODORIZATION

Prior to deodorization of bath-
pair food storage area, ver-
obnoxious odors may develo-
and or animal. Pre-clean
where possible before deod-
brush surfaces thoroughly with
of **SaniDeC**.

**GENERAL INFOR
SaniDeC**

Cleaner designed for use in
tutional cleaning. When used
SaniDeC will disinfect hard
floors, walls, countertops and
to deodorize bathroom area
food storage area. Animal
obnoxious odors may develo-
control pathogenic fungi
bacterial detergent in home
nursing homes, public room
rout cleaning and antimicro-

CAUTIONARY STATEMENTS

**HAZARDOUS TO HUMANS
AND DOMESTIC ANIMALS**

**SEVERE DAMAGE TO EYES
SEVERE SKIN IRRITATION.
DANGEROUS TO BROKEN SKIN
IF SWALLOWED**

Wash hands on clothing
Wash shield and rubber gloves when
used
Do not contaminate clothing
Wash thoroughly

USE AND DISPOSAL

Do not contaminate water, food or feed by storage
Dumping is prohibited. If plastic, do not
burn.

Do not use or reuse that cannot be used or
reused should be disposed of in a landfill
or buried in a safe place away from
water. For equivalent, all containers
of this product offer for recycling or second-
ary use. Containers should be disposed of in an incinerator
approved for pesticide containers. For
more information, consult Federal, State or local disposal
regulations and procedures.

Caution: That the product conform to the
requirements of the applicable Federal, State
and local regulations. For the purpose
of this label, the product is classified as a
flammable liquid. Do not use in the vicinity
of open flames, sparks, or other sources of
ignition. Do not use in the vicinity of
heat, steam, or other sources of high
temperature. Do not use in the vicinity
of electrical equipment.

SaniDeC

**DISINFECTANT - CLEANER -
FUNGICIDE - DEODORANT**

ACTIVE INGREDIENTS

n-Alkyl (50 C₁₄, 40 C₁₂, 10 C₁₀) dimethyl benzyl ammonium chloride 15

INERT INGREDIENTS

98.5

Total

100.0

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

POLYCRAFT LABORATORIES
Vineland, NJ 08360

EPA Est. No. 43579-NJ-1
EPA Reg. No. 43579-1

NET CONTENTS

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR CLEANING

Lightly soiled areas — surfaces to be cleaned should be mopped or brushed with a solution containing 3 ounces of SaniDeC per gallon of water. Rinse cleaned area with fresh water.

Heavily soiled areas — mop or brush soiled surface with a solution containing 5.6 ounces of SaniDeC per gallon of water. Rinse cleaned surface with fresh water.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard non porous surfaces in homes, schools, restaurants, restrooms and other public areas, mop or brush with a fresh solution containing 3 ounces of SaniDeC per gallon of water so as to maintain thoroughly wetted surface for ten minutes. All soiled surfaces must be pre-cleaned prior to disinfection (follow directions for cleaning). Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality. Do not reuse used solution.

To disinfect hard non porous surfaces in locker rooms, shower stalls, walkways around pools and other areas against pathogenic fungi, mop or brush with a fresh solution containing 2 ounces of SaniDeC per gallon of water so as to maintain thoroughly wetted surface for ten minutes. This solution will destroy *Trichophyton interdigitale*, a causative agent of athlete's foot. All soiled surfaces must be pre-cleaned prior to disinfection (follow directions for cleaning). Do not reuse used solution.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard non porous surfaces in hospitals and nursing homes, mop or brush with a fresh solution containing 5 ounces of SaniDeC per gallon of water so as to maintain thoroughly wetted surface for ten minutes. All soiled surfaces must be pre-cleaned prior to disinfection (follow directions for cleaning). Those surfaces that are heavily soiled with blood, fecal material or exudate should be thoroughly scrubbed with a solution containing 5.6 ounces of SaniDeC per gallon of water and then rinsed with a fresh solution containing 5.6 ounces of SaniDeC per gallon of water before disinfection. Do not reuse used solution. This product has not been tested for effectiveness against *Mycobacterium tuberculosis*. It should not be used in areas where tuberculosis is suspected by the user.

DEODORIZATION

Prevent deodorization in bathroom areas, garbage pails, diaper pails, food storage area, kennel areas and other areas where odors may develop. Remove all garbage, refuse, food and animal products. Pre-clean surface, using pressurized water where possible before deodorization. To deodorize, mop or brush surface thoroughly with a solution containing 5 ounces of SaniDeC per gallon of water.

GENERAL INFORMATION

SaniDeC is an effective anti-bacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, SaniDeC will disinfect hard non porous surfaces, such as floors, walls, countertops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, diaper pails, food storage area, kennel quarters and other areas where odors develop. This product may be used to control pathogenic fungi, and as a general purpose anti-bacterial detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms and other places where efficient cleaning and antimicrobial action is desired.

POLYCRAFT LABORATORIES

Inc.

Vineland, NJ 08360

(833) 435-7911

EPA Reg. No. 43579-1

EPA Est. No. 43579-NJ-1

RECEIVED
FEB 19 1981
435-79-1