



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number: 43591-3
Date of Issuance: 12 OCT 1993

Term of Issuance: Conditional

NOTICE OF PESTICIDE:
 Registration
 Reregistration

Name of Pesticide Product:
VPL ABS Flyrepel 793

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Veterinary Products Laboratories
301 West Osborn
Phoenix, AZ 85013

FILE COPY

Y 160/S 447/55
18/2

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Revise the label as follows:

a. Revise the EPA Registration Number to read, "EPA Reg. No. 43591-3".

b. Add the phrase under the Directions for Use, immediately after Indoor Application, "The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned with potable water before using."

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Date:

Oct. 12, 1993

VPL ABS FLYREPEL 793

FLY SPRAY FOR HORSES
HIGH TECH HAIR POLISH
EXCELLENT FOR HORSES SENSITIVE TO OIL BASE FLY SPRAYS
CONTAINS LESS THAN 1% OIL
CONTAINS PYRETHRINS
LEAVES NO OILY RESIDUE TO ATTRACT DUST

READY-TO-USE

To protect horses from Horn Flies, Stable flies, Deer Flies,
Mosquitoes, House Flies, Horse Flies, Gnats, and Lice.

- * Contains More Active Ingredients than the original Bronco Fly Spray
- * A Water Based Micro Emulsion with Pleasant Citronella Scent
- * A Concentrated Pyrenone Micro Emulsion
- * Clear-Stable-Leaves No Oily Or Objectionable Residues
- * Effective, Fast Acting Insecticide
- * Kills And Repels Biting Flies
- * For Control Of Fleas And Brown Dog Ticks On Premises And On Pets

ACTIVE INGREDIENTS

Pyrethrins.....	0.10%
*Piperonyl Butoxide, Technical.....	1.00%

INERTS INGREDIENTS.....	98.90%
	<u>100.00%</u>

* Equivalent to min. 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds.

Do not transport or store under 32°F

PYRENONE - Registered Trademark of Rouseil UCLAF

KEEP OUT OF REACH OF CHILDREN
CAUTION
See back panel for additional cautions

NET CONTENTS _____


ACCEPTED
with COMMENTS
in EPA Letter Dated

12 OCT 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

43591-3

August 20, 1993



VPL's Water Base Fly Repel gives you the perfect show combination - a high-tech silicon shine and a pyrethrin fly repellent in one product. All the advantages of a silicon polish - detangles manes and tails quickly; a lustrous healthy looking coat that shines like a winner; silicone formula repels dust and dirt and prevents stains from grass, urine, manure and latigo - plus protection from annoying flies.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Remove pets, birds, and cover fish aquaria before space spraying or surface applications. Avoid contamination of feed and food-stuffs.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately. **IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water. Seek medical attention if irritation persists. **IF IN EYES:** Flush eyes with plenty of water. Seek medical attention if irritation persists. **IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated. Seek medical attention if indicated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, ponds, streams, tidal marshes or estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON HORSES INTENDED FOR SLAUGHTER

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herein.

INDOOR APPLICATION:

To control Carpet Beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

To control Bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed.

Pet Areas: To control Fleas and Brown Dog Ticks on premises: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals is recommended. Repeat treatment as needed.

To control Clothes Moths: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storage areas directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining.

ON LIVESTOCK: To protect cattle, horses, and hogs from Horn Flies, House Flies, Mosquitoes and Gnats apply a light mist sufficient to wet the surface of the hair.

To control Stable Flies, Horse Flies and Deer Flies, apply at a rate of 2 ounces per adult animal sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.

To control Blood-sucking Lice, apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 2 to 3 weeks if required.

To control Poultry Lice, spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

For control of Bedbugs and Mites in poultry houses, spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

FLEAS AND TICKS ON DOGS AND CATS: Start spraying at the animal's head, avoiding the eyes, nose and mouth as you spray. Make sure the animal's entire body is covered including the legs, under body and tail. While spraying, fluff the hair so that the spray will penetrate the skin. Make sure spray wets thoroughly. Avoid contact with genitalia. Repeat as necessary. Kills fleas, ticks and lice on dogs and cats.



OUTDOORS: (Camping, fishing, hunting) - Spray outer clothing and surroundings. Repels Biting Flies, Mosquitoes, Midges and

Gnats. If sprayed every hour or so, will aid in keeping surroundings free from Mosquitoes. If in rare cases skin irritation results, avoid continued contact.

USE AS A WIPE ON: First, brush animal to remove excess dirt and dust. For horses face, always apply as a wipe using a piece of clean, absorbent cloth or toweling (Turkish). Rub over the hair. It is best to apply by rubbing against the hair growth. Give special attention to the neck and facial areas where flies most often are seen. Only a light application is required. Avoid using an excessive amount on your horses. Do not wet skin. After application, brush thoroughly to bring out bright sheen on the coat. Repeat as required. Wash hands with soap and water after use.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat and open flame. Store above 32°F in a place inaccessible to children and pets.

DISPOSAL: Securely wrap container in several layers of newspaper and discard in trash. Do not puncture or incinerate.

EPA REG. NO. 43591-

EPA EST. NO. 11715-TN-1

VETERINARY PRODUCTS LABORATORIES
301 West Osborn
Phoenix, Arizona 85013

Product Code

Printed in USA

