

43602-20

2-14-1991

1/3

# FIGHTER BOMBER TRIPLE FLY AND MOSQUITO INSECTICIDE

An Effective Semi-Concentrated PYRENONE Insecticide.

For Application in Specialized Mechanical, Thermal, or Compressed Air Fogging Equipment.

For Use in Bakeries, Food Plants, Restaurants, Hotels, Motels, Hospitals, Schools, Office Buildings, Food Processing or Handling Plants and Warehouses.

**ACTIVE INGREDIENTS:**

Pyrethrins .....	0.3%
*Piperonyl Butoxide, Technical .....	2.4%
**INERT INGREDIENTS: .....	97.3%

100.0%

\*Equivalent to 1.92% of (butylcarbityl) (6-propylpiperonyl) ether and 0.48% of related compounds.

\*\*Contains petroleum distillate

PYRENONE — Registered Trademark of Fairfield American Corporation.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**  
(See side panel for additional precautionary statements.)

**FOR INDUSTRIAL, INSTITUTIONAL, AND  
COMMERCIAL USE ONLY**

Manufactured by:

**DAVIS SPECIALTY CHEMICALS, INC.**

P. O. Box 1080  
Ridgeland, MS 39158

EPA Est. No. 43602-MS-1  
EPA Reg. No. 43602-20

Net Contents: \_\_\_\_\_ GALLONS

2/3

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

### PESTICIDE STORAGE AND SPILL PROCEDURES

Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

### PESTICIDE DISPOSAL

Pesticides, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

### CONTAINER DISPOSAL

Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

\*CONTAINERS ONE GALLON AND SMALLER: Store in original container in a cool dry place inaccessible to children and pets. Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

**SPACE TREATMENT:** Close doors and windows and shut off ventilating systems. Apply as a fog or fine mist, distributing the spray throughout the area. Use at a rate of 1 ounce per 1,000 cubic feet of space. Direct spray behind and under obstructions and contact crawling insects whenever possible. Keep area closed for 10 to 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment as necessary. For Wasps and Hornets, spray late in the evening when insects are at rest.

The above described application will kill accessible exposed stages of house flies, fruit flies, mosquitoes, silverfish, small flying moths, gnats, crickets, cockroaches, spiders, scorpions, wasps, hornets, clover mites, cheese mites, cheese skippers, and these common stored product pests: granary weevils, rice weevils, confused flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, tobacco moths, meal worms and grain mites.

**SURFACE APPLICATION:** To insure maximum control of crawling insects listed, apply as a coarse mist directed toward insects, into cracks, crevices, around machinery, around containers of stored products and other areas wherever these insects may hide. Repeat as necessary.

**SPACE SPRAY:** Stored Sweet Potatoes: Use 1 gallon of this material per 100,000 cubic feet to control vinegar flies. Apply as a space spray with a mechanical or thermal generator. Apply only when flying insects are present. During periods of heavy infestation several applications may be necessary. Do not make more than 10 applications.

ACCEPTED  
FEB 14 1991  
Under the Federal Insecticide, Fungicide, and Pesticide Act, as amended, for the pesticide registered under Reg. No. 42602-20

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled, with an acceptable detergent solution and then rinse with potable water to remove all traces of contamination.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed on the label. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewithin.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This ready-to-use concentrate may be dispersed through good mechanical, thermal or compressed air fogging or spraying equipment. If used in edible product areas of Federally inspected meat, poultry, shell egg grading and egg product establishments, it must be dispersed as an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns).

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Contact a physician or Poison Control Center immediately. Do not induce vomiting unless directed by a physician. This product contains a high amount of petroleum distillate vomiting may cause aspiration pneumonia.

**IF INHALED:** Remove affected person to fresh air. Apply artificial respiration if indicated.

**IF IN EYES:** Flush eyes with plenty of water. Contact a physician if irritation persists.

**IF ON SKIN:** Remove contaminated clothing and wash affected areas of skin with soap and water. Contact a physician if irritation persists.

**DO NOT USE THIS PRODUCT IN OR ON ELECTRICAL EQUIPMENT  
DUE TO THE POSSIBILITY OF SHOCK HAZARD.**