

STORAGE AND DISPOSAL

TO MAINTAIN PRODUCT QUALITY STORE AT TEMPERATURES BELOW 60 C
KEEP CONTAINER TIGHTLY CLOSED
WHEN NOT IN USE • FOR INDUSTRIAL USE ONLY

**INDUSTRIAL RE-CIRCULATING
WATER COOLING TOWERS**

FOR CONTROL OF BACTERIA

Application: Supply Method
Initial Dose: 200 ppm
Subsequent Dose: 100 ppm


Application: Supply Method
Initial Dose: 200 ppm
Subsequent Dose: 100 ppm

FOR CONTROL OF FUNGI AND ALGAE

Application: Supply Method
Initial Dose: 200 ppm
Subsequent Dose: 100 ppm

Application: Supply Method
Initial Dose: 200 ppm
Subsequent Dose: 100 ppm

Application: Supply Method
Initial Dose: 200 ppm
Subsequent Dose: 100 ppm

 **NOTICE** Do Not Ship or Store with Food
Feeds, Drugs, or Clothing

DANGER

CAUSES SEVERE BURNS OF EYES
EYE CONTACT MAY CAUSE LOSS OF VISION
MAY BURN THE SKIN • MAY BE HARMFUL
OR FATAL IF SWALLOWED
Do Not Get in Eyes, on Skin, or on Clothing
Chemical Worker's Goggles Must Be Worn
When Handling

WASH THOROUGHLY AFTER HANDLING

215 353-8300

ARCO Performance Chem
Subsidiary

ARCO

Controls bacteria, fungi, and yeasts
and enhanced oil recovery systems
recirculating water cooling towers,
cooling water systems, controls slim

ACTIVE INGREDIENT: 100%

NET INGREDIENT

EPA REGISTRATION
EPA ESTABLISHMENT

ARCO Performance

1500 Market Street
215 557 2203


LATING
WERS

RIA

ALGAE

NG WATER


ARCO Performance Chemicals Company, Inc.



ARCO 8950

Controls bacteria, fungi, and yeasts in water systems including cooling towers, air washers, and advanced water systems. Controls biofilm in recirculating water systems, including cooling water systems.

ARCO Performance Chemicals Company, Inc.



1500 M...

FOR CONTROL OF FUNGI
AIR WASHER SYSTEM
ACCEPTED
JUN 6 1987

