STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in a safe place.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Highly corrosive. Causes skin and eye durnage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

PRACTICAL TREATMENT: (FIRST AID): If swallowed feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately.

If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation presists, get medical attention.

If in Eyes: Flush with cold water for at least 15 minutes. Get medical attention.

### SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT: Strong Oxidizing Agent. Mix only with water. Use clean dry utensits. Do not add this product to any dispensing device containing ramnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may mart a chemical reaction, with generation of heat liberation of lazindous gases, and possible generation of fire and explosion. In case of gontamination or decomposition, do not reseal container. If possible isolate container in open air or well ventifated area. Flood with large volumes of water, if necessars.

ARCO Performance Chemicals Company, Inc. Suboldiery of Atlantic Richflett Company



# ARCO 8955

# Industrial Microbiocide FOR INDUSTRIAL USE ONLY

Active Ingredient: Trichloro-s-triazinetrione\* ... 99% Inert Ingredients ... ... 1% \*available chlorine ... ... 89%

EPA REGISTRATION NO. 43692-3 EPA ESTABLISHMENT NO. 9157-MI1

KEEP OUT OF REACH OF CHILDREN

DANGER

CONTAMINATION MAY CAUSE FIREI MIX ONLY INTO WATER.

Manufactured For

# ARCO Performance Chemicals Company, Inc.

Subsidiary of Atlantic Richfield Company 1500 Market Street P.O. Box 7258 Philadelphia, Pennsylvania 19101 Business Telephone: 215-557-2203 Emergency Telephone (24 hours): 215-353-8300



Inc.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ARCO 8955 is an effective agent for controlling slimes of algae, bacteria and fungi in condensing and cooling equipment in which recirculating water is used as the cooling medium.

# INDUSTRIAL RECIRCULATING WATER COOLING TOWERS

For bacterial, fungal and algal slime control in industrial and recirculating cooling water towers use 1.4 -2.8 pounds ARCO 8955/10,000 gallons of system water (16.8 - 33.6 ppm product which is equivalent to 15 - 20 ppm as available chlorine) initially. Repeat as needed to achieve control. Begin treatment when the system is in jeopardy of becoming affected or after cleaning systems whose efficiency is already impaired. Treatment should provide at least 1 ppm of available chlorine residual in the system for 4 hours. Test water to insure proper chlorine residual. Badly fouled systems must be precleaned. Once the desired degree of control has been achieved, apply .5 -1.4 pounds ARCO 8955/10,000 gallons of system water (5.6 - 11.2 ppm product which is equivalent to 5 - 10 ppm as available chlorine) weekly or as need to maintain control.

Feed ARCO 8955 directly from the drum to a point in the system where it will be evenly mixed and uniformly distributed.

NET CONTENTS NET WEIGHT

46 lbs. per 5 gal. pail 100 lbs. per 13 gal. drum 300 lbs. per 47 gal. drum ACCEPTED 22 0 T 1931 43 692-3

UNDER THE FEDERAL INSERTICAL FUR HOLD, AND HODENHOUSE ACT FOR ECONOMIC POISON AND STEN IND UNDER IND.

091581



TRICHLORO-S-TRIAZINETRIONE MIXTURE, DRY