### STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition isolate container if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Highly corrosive Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat Avoid breathing dust. Remove and wash contaminated clothing before reuse.

PRACTICAL TREATMENT (FIRST AID): If swallowed feed bread soaked in milk followed by olive oil or cooking oil Call a physician immediately

If on skin. Brush off chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in Eyes: Flush with cold water for at least 15 minutes. Get medical attention

## SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

#### PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING

AGENT: Strong Oxidizing Agent Mix only with water Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.



# IPC 8955

# Industrial Microbiocide FOR INDUSTRIAL USE ONLY

<ul> <li>Active Ingredient Tric</li> </ul>	:hloro-s-triazinetrione*	99%
Inert Ingredients		1%
*available chlorine		89%

EPA REGISTRATION NO. 43692-3
EPA ESTABLISHMENT NO. 9157-MI-01, 43692-CA-01, 43692-TX-01

**KEEP OUT OF REACH OF CHILDREN** 


### DANGER

CONTAMINATION MAY CAUSE FIRE!
MIX ONLY INTO WATER.

Manufactured For

# ChemLink, Inc.

1500 Market Street P.O. Box 7258
Philadelphia: Pennsylvania 19101
Business Telephone: 215-557-2229
Emergency Telephone: (24 hours): 800-424-9300
or 215-353-8300



ENVIRONMENTAL HAZARDS: This product is toxic to fish Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit For guidance contact the regional office of EPA

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

IPC 8955 is an effective agent for controlling slimes of algae bacteria and fungi in condensing and cooling equipment in which recirculating water is used as the cooling medium

### INDUSTRIAL RECIRCULATING WATER COOLING TOWERS

For bacterial, fungal and algal slime control in industrial and recirculating cooling water towers use 1.4 -2.8 pounds iPC 8955/10.000 gallons of system water (16 8 - 33 6 ppm product which is equivalent to 15 -20 ppm as available chlorine) initially Repeat as needed to achieve control. Begin treatment when the system is in jeopardy of becoming affected or after cleaning systems whose efficiency is already impaired Treatment should provide at least 1 ppm of available chlorine residual in the system for 4 hours Test water to insure proper chlorine residual Badly fouled systems must be precleaned. Once the desired degree of control has been achieved, apply 5 - 14 pounds IPC 8955/10.000 gallons of system water (5 6 - 11 2 ppm product which is equivalent to 5 - 10 ppm as available chlorine) weekly or as needed to maintain control

Feed IPC 8955 directly from the drum to a point in the system where it will be evenly mixed and uniformly distributed

NET CONTENTS NET WEIGHT

45 lbs. per 5 gal. pail 100 lbs. per 13 gal. drum 300 lbs. per 47 gal. drum



Trichloro-s-triazinetrione, Dry. Oxidizer, UN 2468