

Sanitizing of Food Processing Equipment and Other Hard Surfaces in Food Contact Locations For sanitizing food processing equipment and other hard surfaces in food contact locations, dilute **[REDACTED]** with water to a 10% solution. Apply to surface to be sanitized and allow to stand for 10 minutes. Rinse with clean water. No Potable water rinse is required.

Disinfecting of Hospital, Institutional, Industrial, School, Dairy and Other Farm Use For disinfecting hospital, institutional, industrial, school, dairy and other farm use, dilute **[REDACTED]** with water to a 10% solution. Apply to surface to be disinfected and allow to stand for 10 minutes. Rinse with clean water. No Potable water rinse is required.

Disinfecting of Residential Areas For disinfecting residential areas, dilute **[REDACTED]** with water to a 10% solution. Apply to surface to be disinfected and allow to stand for 10 minutes. Rinse with clean water. No Potable water rinse is required.

Disinfecting of Laundry Areas For disinfecting laundry areas, dilute **[REDACTED]** with water to a 10% solution. Add 3 oz of **[REDACTED]** to 45 gallons water. Apply to laundry area surfaces. At this use level, **[REDACTED]** is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella choleraesuis* in the presence of 5% blood serum when evaluated by the AOAC Use-Dilution test.

Precautionary Statements

Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive Causes eye damage and skin irritation Do not get in eyes, on skin, or on clothing Wear goggles or face shield and rubber gloves when handling this product. Harmful if swallowed Do not breath spray mist Avoid contamination of food.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER SUPPLY OR FEED BY LEAKAGE OR DRIPPING.
OPENING AND CLOSING IS PROHIBITED.
DO NOT REUSE EMPTY CONTAINER.

PESTICIDE DISPOSAL

PESTICIDE DISPOSAL THAT IS ANOTHER USE IN CHEMICALLY REPROCESSED FEEDS IS PROHIBITED. DO NOT USE IN A LANDFILL AREA UNLESS APPROVED BY THE STATE OR LOCAL REGULATORY AUTHORITY.

CONTAINER DISPOSAL

THREE-HOUR DRAFFEL ALLOWS AN EASY WAY TO GENERATE DRAGGABLE APPROXIMATELY ONE CONTAINER OVER A BURRY IN A DRAGGABLE.

GENERAL

CONSULT FEDERAL STATE OR LOCAL REGULATORY AUTHORITY APPROVAL FOR AN ALTERNATIVE USE. THIS PRODUCT IS NOT MATERIALIZED.

Disinfectant-Sanitizer Fungicide-Deodorizer with Organic Soil Tolerance for Hospital, Institutional Industrial, School, Dairy and Other Farm Use

Active Ingredients	ACCEPTED	WITHDRAWN
Alkyl (C ₁₂ -30%) 90% (C ₁₂ -10%) dimethyl benzyl ammonium chlorides	3.000%	
Octyl decyl dimethyl ammonium chloride	2.250%	
Didecyl dimethyl ammonium chloride	1.125%	
Diocetyl dimethyl ammonium chloride	1.125%	
Inert Ingredients	92.500%	
	43201-5	
	100.000%	

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. **[REDACTED]**

EPA Establishment No. **[REDACTED]**

Net Contents

MANUFACTURED BY:
10/42 12-1434 B-AF-DE 3000 TONS/1000

Directions for Use GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply **[REDACTED]** with a cloth mop or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

Disinfection in Hospitals, Nursing Homes and Other Health Care Institutions. For disinfecting floors, walls, countertops, bathing areas, lavatories, bedframes, tables, chairs, garbage pails and other hard non-porous surfaces.

Add 3 oz of **[REDACTED]** to 45 gallons water. Apply to previously cleaned hard surfaces. At this use level, **[REDACTED]** is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella choleraesuis* in the presence of 5% blood serum when evaluated by the AOAC Use-Dilution test.

Disinfection in Institutions, Industry and Schools. Add 2 oz of **[REDACTED]** to 45 gallons of water. At 0.5 oz to 2.25 gallons of water per use level, the fungicidal effectiveness of **[REDACTED]** in the presence of 5% blood serum against *Trichophyton mentagrophytes* has been shown utilizing the AOAC Fungicidal Test.

Disinfection of Barber Tools. Precleaned barber tools (such as straight razors and scissors) can be disinfected by immersing in a 0.5 oz/gallon solution of **[REDACTED]**.

Disinfection of Poultry Equipment, Animal Quarters and Kennels. Poultry brooders, watering fountains, feeding equipment and other animal quarters (such as stalls, pens, etc., of areas) can be disinfected after cleaning by applying a solution of 2 oz of **[REDACTED]** to 45 gallons of water. Small utensils should be immersed in this solution.

Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racers and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other used spaces. Do not re-use poultry, other animals or employ equipment until treatment has been absorbed, set or dried.

Washed equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

181

BEST DOCUMENT AVAILABLE

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.	DATE OF ISSUE/EXPIRATION
617-111-001	6/1/71 - 6/1/76

NOTICE OF PESTICIDE: *Registration No. 617-111-001*
*Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended.*

NAME AND ADDRESS OF REGISTRANT: *Ho Ho ZIP Co., Inc.*

NOTE: Changes in labeling formula differing in substance from that accepted in connection with the registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above-named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it had been covered by others.

ATTACHMENT - APPENDIX A

SIGNATURE OF APPROVING OFFICER

DATE