

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

**MARCO POOL & PATIO CENTER
761 Elkcam Circle
Marco Island, FL 33937**

**EPA REG. NO. 43753-2 EPA EST. NO.
NET CONTENTS**

ACCEPTED

43753-2
AUG 15 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this pesticide is registered under EPA Reg. No.

**MARCO
POOL-SHOCK**

**"FOR SWIMMING POOL CHLORINATION
AND SANITIZING."**

ACTIVE INGREDIENT SODIUM HYPOCHLORITE 9.2%
INERT INGREDIENTS 90.8%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE IN A MANNER INCONSISTENT WITH ITS

DIRECTIONS FOR SWIMMING POOL CHLORINATION: For a new pool or for spring start-up, superchlorinate with this sodium hypochlorite solution for each 2500 gallons of water to 5 ppm available chlorine by weight.

For Pool Maintenance:
A) Adjust pool water pH to 7.6 - 7.2 range and maintain.
B) Add manually or by a feeder device this sodium hypochlorite solution to maintain an available chlorine residual of 0.6 to 1.0 ppm of this sodium hypochlorite solution for each 6000 gallons of pool water. Frequency of addition will depend upon temperature and bather load. Use test kit to make certain the pH and chlorine residual.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER SYSTEM

Dilute this sodium hypochlorite solution in the ratio of 1 part solution to 3 parts softened water. Mix sodium hypochlorite solution thoroughly and begin feeding of solution with a hypochlorinator. Maintain a free available chlorine residual of at least 0.2 ppm throughout the distribution system as determined by a DPC biological sampling must be conducted at a free, any residual with a DPD chlorine test kit.

Contact your local Health Department for further details.

DIRECTIONS FOR SANITIZING FOOD PROCESSING EQUIPMENT: Clean equipment in the normal manner. Just before using, flush with this sodium hypochlorite solution containing 200 ppm available chlorine. Contact with disinfectant for a minimum of two minutes. Rinse thoroughly with sodium hypochlorite solution. Do not use the liquid or 12.5% of this sodium hypochlorite solution. Provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit as necessary to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store from direct sunlight. In case of spill, flood area with large quantity of water. Wash thoroughly with water and return to empty container. Recycle or bury in an approved landfill. Do not be used. Do not be diluted with water and disposed of in a landfill. Do not be used for sewage disposal or clean.

**CAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

R: Corrosive. may cause severe skin irrita-
burns to broken skin. Causes eye damage. Do
not get on skin or on clothing. Wear goggles or face
shield and gloves when handling this product. Wash af-
ter use. Avoid breathing vapors. Vacate poorly ventilated
area if possible. Do not return until odors have dissi-

ENVIRONMENTAL HAZARDS: This pesticide
leaches out of lakes, streams or ponds. Treated ef-
fluent discharged into lakes, streams, ponds or pub-
lic waterways requires a valid discharge permit. For guidance, con-
sult the Office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:
OXIDIZING AGENT: Mix only with
water. Do not mix with other chemicals. Mixing this product with
other chemicals may release hazardous gases
from lungs and mucous membranes.

Manufactured by

POOL & PATIO CENTER
761 Elkcam Circle
Marco Island, FL 33937

43753-2 EPA EST. NO.
CONTENTS

ACCEPTED
43753-2
AUG 15 1980

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the purpose of
being registered under
EPA Reg. N

**MARCO
POOL SHOCK**

**"FOR SWIMMING POOL CHLORINATION
AND SANITIZING."**

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE 9.2%
INERT INGREDIENTS 90.8%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in
eyes, flush with water for at least 15 minutes. Get medical atten-
tion. If swallowed, drink large quantities of milk, or gelatin solu-
tion or, if these are not available, drink large quantities of water.
Do NOT give vinegar or other acids. Do NOT induce vomiting.
Get prompt medical attention.

See additional precautions on side panel

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING

DIRECTIONS FOR SWIMMING POOL CHLORINATION
For a new pool or for spring start-up, superchlorinate with one (1) pint (16 fl. ozs.) of
this sodium hypochlorite solution for each 2500 gallons of water. This dosage is equiv-
alent to 5 ppm available chlorine by weight.

For Pool Maintenance
A) Adjust pool water pH to 7.6 - 7.2 range and maintain.
B) Add manually or by a feeder device this sodium hypochlorite solution at a rate to
maintain an available chlorine residual of 0.5 to 1.0 ppm. One-half pint (8 fl. ozs.)
of this sodium hypochlorite solution for each 6000 gallons of water will provide
1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.5 to 1.0
ppm available chlorine will depend upon temperature and number of swimmers.
Use test kit to make certain the pH and chlorine residual are in the proper range.

**DIRECTIONS FOR DISINFECTION OF POTABLE WATER
FOR HOME WELL WATER SYSTEMS**
Dilute this sodium hypochlorite solution in the ratio of one part sodium hypochlorite
to three parts softened water. Mix sodium hypochlorite solution and water thor-
oughly and begin feeding of solution with a hypochlorinator (metering pump). Main-
tain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm
throughout the distribution system, as determined by a DPD chlorine test kit. Bacteri-
ological sampling must be conducted at a frequency no less than that prescribed by
the National Sanitation Primary Drinking Water Regulations. Check water frequently
with a DPD chlorine test kit.
*Contact your local Health Department for further details.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT
Clean equipment in the normal manner. Just before using, rinse all surfaces thor-
oughly with this sodium hypochlorite solution containing 200 ppm available chlorine. Main-
tain contact with disinfectant for a minimum of two minutes. Do not rinse with water.
After treatment with sodium hypochlorite solution, do not soak overnight. Addition of
one (1) fluid ounce (2 tbsp.) of this sodium hypochlorite solution per 4 gallons of water will
provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage
as necessary to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away
from direct sunlight. In case of spill, flood area with large quantities of water. Rinse
empty container thoroughly with water and either return to manufacturer or discard
by placing in trash collection or burying in an approved landfill. Product or rinseate that
cannot be used should be diluted with water and disposed of in a sanitary sewer. Do
not containate food or feed by storage, disposal or cleaning of equipment.