

# EASTERN MINERALS FLY CONTROL MINERAL WITH RABON (R) ORAL LARVICIDE

To prevent the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle

ACTIVE INGREDIENTS	100.00%
INERT INGREDIENTS	0.00%
TOTAL	100.00%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS**

**ENVIRONMENTAL HAZARDS**

ACCEPTED  
OCT 1 1984

• Each pound contains 4.65g RABON (R)  
• Refers only to ingredients which are not larvicidal.  
EPA REGISTRATION NO. 43757-1  
EPA EST. NO. 43757 NC 02

**GUARANTEED ANALYSIS**

Net Weight: 50.00 lb (22.68 kg)  
Net Content: 4.65 g RABON (R) per lb  
Total Active Ingredient: 4.65 g RABON (R) per lb  
Inert Ingredient: 95.35 g per lb  
Total Weight: 100.00 g per lb

**FEED INGREDIENTS:**

Contains 4.65 g RABON (R) per lb of feed  
Use as directed on the label  
Do not feed to other animals

**STORAGE AND DISPOSAL**

**PESTICIDE DISPOSAL**  
Do not mix with other pesticides  
Do not dump into water

**CONTAINER DISPOSAL**  
Do not reuse containers  
Do not burn

**DIRECTIONS FOR USE:  
GENERAL CLASSIFICATION**  
(See Back Of Label)

## DIRECTIONS FOR USE: GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Feed FLY CONTROL MINERAL WITH RABON (R) ORAL LARVICIDE at the rate of 2.4 ounces per 100 pounds of body weight per head per day by mixing it into the ground grain or complete dry ration.

This product will mix uniformly in feeds when standard mixing procedures are followed. That is, use procedures that are common to all feed preparation and will not cause clumping, such as mixing by hand or exclusive handling methods. Avoid this problem by using appropriate procedures for mixing. This product should be added to the feed at the time the feed is mixed. The premix should be prepared with dry or dry grain or grain supplements. It may be mixed with water or other liquids, but it should not be added to a liquid feed. Mixing should be done in a clean, dry container. Do not use a person's hands to mix the feed. If the feed is to be mixed in a container, the person should wear clean clothing and avoid contact with the feed. If the feed is to be mixed in a container, the person should wear clean clothing and avoid contact with the feed. If the feed is to be mixed in a container, the person should wear clean clothing and avoid contact with the feed.

Do not use this product in feeds for horses, ponies, or other animals not mentioned in the label. Do not use this product in feeds for birds, fish, or other aquatic animals. Do not use this product in feeds for insects or other arthropods.

This product is a feed additive and should be stored in a cool, dry place. It should be kept in its original container and protected from moisture and light. Do not use this product if the container is damaged or if the product has become clumpy or discolored.

For more information, contact the manufacturer, **W. T. WARD, INC.**, P.O. Box 100, St. Louis, Missouri 63103.

This product is registered under the name **W. T. WARD, INC.**, P.O. Box 100, St. Louis, Missouri 63103. It is a registered trademark of **W. T. WARD, INC.** and is used under license by **W. T. WARD, INC.** and its subsidiaries. All other trademarks are the property of their respective owners.

This product is not intended for use in feeds for humans. It is not a drug and does not diagnose, cure, or prevent any disease. It is a feed additive and should be used only in accordance with the label directions.

For more information, contact the manufacturer, **W. T. WARD, INC.**, P.O. Box 100, St. Louis, Missouri 63103. This product is a registered trademark of **W. T. WARD, INC.** and is used under license by **W. T. WARD, INC.** and its subsidiaries. All other trademarks are the property of their respective owners.