

ACCEPTED

43783-3
MAR 27 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

DIRECTIONS
GENERAL CL

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

**BAYSIDE INDUSTRIES
P.O. Box 1927
1001 Marclay St.
Harrisburg, PA 17105**

**EPA REG. NO. 43783-3 EPA EST. NO.
NET CONTENTS.**

**SODIUM
HYPOCHLORITE
SOLUTION**

**"FOR SWIMMING POOL CHLORINATION
AND SANITIZING."**

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE 12.5%
INERT INGREDIENTS 87.5%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel

DIRECTIONS FOR SWIMMING POOL CHLORINATION:
For Pool Start-up: Add 3.0 lbs. of this sodium hypochlorite solution for each 3,000 gal. of water to bring available chlorine to 5 ppm.
For Pool Maintenance: Adjust pool water pH to 7.6 - 7.2 range. Add manually or by a feeder device this sodium hypochlorite solution to maintain an available chlorine residual of 1.0 ppm. Use test kit to make certain the pH and available chlorine will depend on the test kit.

DIRECTIONS FOR DISINFECTING:
Dilute this sodium hypochlorite solution in solution to 11 parts softened water. Mix thoroughly and begin feeding of solution with a free available chlorine residual of at least 1.0 ppm throughout the distribution system, as determined by bacteriological sampling must be conducted at the National Interim Primary Drinking Water Standards with a DPD chlorine test kit.

DIRECTIONS FOR SANITIZING:
Clean equipment in the normal manner. Just before use, contact with disinfectant for a minimum of 10 minutes after treatment with sodium hypochlorite solution of one fluid oz. (2 tbsps.) of this sodium hypochlorite solution will provide approximately 200 ppm available chlorine.

NOTE: This product degrades with age. As necessary, to obtain the required level of available chlorine, use a test kit.

STORAGE AND DISPOSAL:
Store in original container, away from direct sunlight. In case of spill, flood or empty container thoroughly with water and by placing in trash collection or burying in an approved manner. Do not dilute with water. Do not contaminate food, or feed by storage of

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with soil filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

BAYSIDE INDUSTRIES
P.O. Box 1927
1001 Marclay St.
Harrisburg, PA 17105

EPA REG. NO. 43783-3 EPA EST. NO.
NET CONTENTS

**SODIUM
HYPOCHLORITE
SOLUTION**

**"FOR SWIMMING POOL CHLORINATION
AND SANITIZING."**

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE 12.5%
INERT INGREDIENTS 87.5%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel.

ACCEPTED

43783-3
MAR 27 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

USE OF THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING IS A VIOLATION OF FEDERAL LAW.

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For spring start-up, superchlorinate with one (1) pint (16 flu. oz.) of sodium hypochlorite solution for each 3000 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

For Pool Maintenance

- A) Adjust pool water pH to 7.6 - 7.2 range and maintain.
- B) Add manually or by a feeder device this sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One fourth pint (4 flu. oz.) of this sodium hypochlorite solution for each 4000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend on temperature and number of swimmers. Use test kit to make certain the pH and chlorine residual are in the proper range.

**DIRECTIONS FOR DISINFECTION OF POTABLE WATER
FOR HOME WELL WATER SYSTEMS**

Dilute this sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to 11 parts softened water. Mix sodium hypochlorite solution and water thoroughly and begin feeding of solution with a hypochlorinator (metering pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system, as determined by a DPD chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations. Check water frequently with a DPD chlorine test kit.

Contact your local Health Department for further details.

**DIRECTIONS FOR SANITIZING FOOD PROCESSING
OR DAIRY EQUIPMENT**

Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with this sodium hypochlorite solution containing 200 ppm available chlorine. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water after treatment with sodium hypochlorite solution. Do not soak overnight. Addition of one fluid oz. (2 tbsps) of this sodium hypochlorite solution per 5 gallons of water will provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL:

Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinseate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.