# PF AUTIONARY STATEMENTS AZARDS TO HUMANS (AND DOMESTIC ANIMALS) CAUTION

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs, and domestic water supplies. Do not allow children or pets to contact treated surfaces until spray has dried. Do not spray air in rooms or use on plants. Thoroughly wash dishes and food handling utensils if contaminated with this product. Remove pets and cover fish bowls before spraying. Wash with soap and water after handling and before eating or smoking. Apply as a surface spray only as specified on this label.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is antidote.

### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Do not apply directly to lakes, streams, or ponds. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

### PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not store below 32 degrees farenheit.

DIRECTIONS FOR USE

43784

It is a violation of federal law to use this product in a manner of inconsistent with its labeling.

APR 2 G 1982

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by de storage or disposal.

- STORAGE: Store in a cool, dry place, but do not allow to freeze. Do not store near heat or open flame.
- 2. CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.



### DURSBAN\* WB Household Insecticide Controls Numerous Pests in and Around Households

ACTIVE INGREDIENTS:

\*Duraban Reg. Trademark Dow Chemical Company

## KEEPOUT OF REACH OF CHILDREN CAUTION

### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN: Wash the affected area with soap and warm water.

IF IN EYES: Immediately flush eyes with running water for at least 15 minutes. Call a Physician.

See side panel for additional precautionary statements.

Mlg by Agricultural Products Co. Ft Worth, Texas 76112

EPA Est. 43789-TX-01 EPA Reg. No. 43789-84

... Net Contents

 $\star$ 

AGRICULTURAL PRODUCTS COMPANY Ft. Worth, TX 76112

PRECAUCION AL USUARIO: SI uele '.io ice Inglice, no uese este producto heele que le etiquole le haye sido explicade amplemento. TRANSLATION: (TO THE USER: If yo i cannot d English, do not use this product until read English, as not successful to you.)

**USE DIRECTIONS** It is a violation of Federal law to use thit product senner inconsistent with its labeling.

PESTS INDOORS

General Information: Use DURS-BAN WB Insecticide to control the prata indi-cated in the areas listed below by application of the product as an undituted spray (0.5% chor-pyrilos). Repeat the treatment as needed.

Do not apply sprays of this product in conduits, motor housings, function and switch house or other electrical equipment because of possible shock hazard. Do not use in poultry houses or other animal buildings. Do not allow spray to contact food, feedstuffs, and water supplies. Thoroughly wash dishes and food handling utenties with soep and water if they become contaminated by application of this product Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover lish bowls (tanks) before apraying.

Application Within Food Handling Extablishments (Pieces Other Then Private Residences in Which Feed is Held, Precessed, Prepared or Served) Including, But Not Limited to: Residences; General, Betteries, Betteries, General, General, Betteries, Betteries, Conneries and Grain Millis: Use as a spot treatment in and around both fixed and nonfood areas to control ceckrosches (iscluding strains resistent to certain other inserticides), ants, crickets, firebrets, alterfieb, piders, and stored product insects such as e-infused flour beetles, indien meet mothe, rice wearlie, Middlermen flour mothe, and red flour beetles. Apply as a coarse, low pressure (20 pai or less; spray to localized areas. Do not introduce the spray into the air or allow the spray to contact food or foodlocalized areas. Do not introduce the stray into the air or silow the agray to contact food or food-contacting surfaces. Areas treated may include dark corners or rooms and closets; alting and behind baseboards; beneath and behind sloves, refrigeration units and similar food preversition makes and equipment; floor drains; and around plumbing and other utility installations. For ante apply to ent traits and wherever these posts may find entrance. Spot treatment may encompass crack and crevice treatment by applying small amounts of material directly into openings leading to voide and hollow spaces in walls, equipment legs and bases or which occur at points between different elements of construction or batween equipment and floors. Equipment capable of delivering a pin stream of insecticide should be used. Repeat treatment as ner ded but not more often than once every 7 days in restaunot more often than once every 7 days in restau-rants and similar food service establishments or more often than once every 14 days in other types of food handling establishments, incase of emergency (call-back), DURSBAN WB may be

applied after 2 days from the last treatment, but amargancy use should be limited to once per

ð

APPLICATION OF THIS PRODUCT IN FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A SPOT AND/OH CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

Application Within Residential Buildings Including Homes and Apertment Buildings and Within Nenfeod Areas of Inducting, Institutional, and Commercial Buildings Including Hospitale, Biores, Manufacturing Plants and Warshouses: For Spat Treatment Only-Apply as a coarse spray or with a paint brush to localized sreas where cockreaches (including strains resistant to other insecticides), ants, clever miles, crickets, firebests, silverfish, and spiders are found or normally occur including dark corners of rooms and closets; cracks and crevices in welfs; along and behind baseboards; beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. For ants apply to ant trails, also around doors and windows and wherever else these pasts may find entrance. Note: A period of 4 to 7 days is normally required for maximum effect on cockroaches.

For control of corpet beetles, thoroughly apply as a spray for spot freetment along beseboards and edges of carpeting, undor carpeting, rugs and furniture, in closets and on shelving, and whenever size these insects are seen or suspected.

For central of fless and brewn deg ticks, thoroughly apply as a spray for spot treatment to intested areas such as pet beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these peats may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet area. DO NOT TREAT PETS WITH THIS PRODUCT. To control the source of floa intestation, pets inhabiting the treated premises should be treated with a product registered for application to enimate. localized areas of floor and floor covering where

### PESTS OUT-OF-DOORS

Files, mossultose: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of acreens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate. Repeat as necessary.

Ants, brown dog ticks, crickets, fiees and serwige: For treatment of localized intestation of these insects in outdoor areas where there are weeds of brushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat application as infestations warrant and as reinfestation occur.

### NOTICE - READ CAREFULLY

CONDITIONS OF SALE: Salir(s) offer(s) the product for sale subject to, and buyer and all users are deemed to have accepted, the following conditions of sale and warranty which may only be visual by writen agreement of a duly authorized representative of Salir(s) warrant(s) that this product conforms to the chemical description on the label and is reseasedly till for the purposes relevand is in the directions for use on the label suspect to the inherent make private to below Salir(s) male(s) no other excesses warrantee. TheRE is MO MAPLIED WARMARTY OF IMERCHARTABILITY and there are no warrantes which extend beyond the description on the label hereof the MERCHARTABILITY and there are no warrantes which extend to be rehable and should be followed carefully flowerer. It is impossible to eliminate all risks associated with its use. Buyer assumes all risks associated with use or application of this product confirmy to table instructions or resulting from extraordney weather conditions. LIMITATION OF ELABRITY: In no case shall Seller(s) be liable for special, indirect or consequently damages resulting from the use or handling of this product and no claim of any kind shall be greater in amount than the purchase price of the product in respect of erticit such damages are claimed.