Causen irreversible eye damage. Maraful if swallowed or inhaled, May cause allergic skin reactions. Do not get in eyes. Wear goesles or face shield when handling. Avoid contact with shin and clothing. Nomove and separately launder clothing before reuse.

Wash hands, arms and face thoroughly with soap and water after handling and before eating, drinking, using tobacco products or applying commetics. Routinely shower or bathe after working. Do not contaminate food and feedstuffs. This product must be applied in a well wentilated area.

ENVIRONMENTAL HAZARDS: ..

This pesticide is toxic to fish. Keep out of any body of water, lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. _ . _

Exposed treated seed may be hazardous to birds and other wildlife. Dispose of excess treated seeds by burial away from bodies of water.

EMPLANGERED SPICIES PRECAUTIONS

The use of this product in a manner which may harm endangered species; or adversely modify their habitat is prohibited by Federal law. The following endangered species and the general location of their habitats have been identified by county:

Slackwater Dartet, Alabama (Lauderdale, Limestone and Madison)

Tennessee (Lawrence and Wayne)

New Mexico (Chaves and Eddy) Pecos gambusia,

Texas (Reeves, Jeff Davis and Pecos)

Freshwater Mussels, Tennessee (Hancock, Claiborne, Hawkins, Sullivan) Virginia (Smyth, Scott, Lee, Washington, Grayson)

Commanche Springs

Texas (Reeves and Jeff Davis) Pupfish,

Prior to use of this product in the above counties you must determine that these species are not located in, or immediately adjacent to, the areas to be treated with captan. Consult your regional U.S. Fish and Wildlife Service Office (Endangered Species Specialist) or State Wildlife Agency if there is any doubt as to the areas where the outdoor use of captum is prohibited.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use Precaution Statements

Fixers, loaders, and applicators, when mixing, loading, and applying, must wear mid-foresem to albow-length natural or synthetic subber, vinyl, or plastic gloves impermeable to captan; boots or overshoes; one-piece overalls which have long sleeves and long pants; face shield or goggles and a hat or other appropriate head covering.

A dust mask must be worn when mixing and loading this product.

A chemical-resistant apron must be worn when mixing and loading this

Clothing worm while loading, mixing and applying this product must be laundered separately from other clothing before reuse. Clothing that may have been drenched or heavily contaminated must be disposed of in accordance with State and local regulations.

Applicator's protection may also be obtained by use of an enclosed tractor cab with a properly filtered air supply.

THIS PRODUCT IS AVAILABLE UNDYED, DYED, OR DOUBLE DYED



CAPTAN-METHOXYCHLOR

FLOWABLE SEED PROTECTANT

Agricultural Fungicide ----- Liquid Suspension

ACTIVE INGREDIENTS *Captan 28.43 Related Derivatives 1.60 Methoxychlor, Technical ** 2.0% INERT INGREDIENTS 68.00 *N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide **Equivalent to 1.76% of 2,2-bis (p-methoxyphenyl)-1,1,1trichloroethane and 0.24% other isomers and related compds.

KEEP OUT OF REACH OF CHILDREN **DANGER**

Statement of Practical Treatment

IF SWALLOWED: Call a Physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious berson.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water

IF IN EYES: Immediately flush eyes with running water for at least 15 minutes. Call a Physician.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 43789-2 EPA Est

> 5 GAL. NET **MANUFACTURED FOR:**

AGRICULTURAL PRODUCTS CO., GREELEY, CO 80632

43789-2

PM12

PRODUCT INFORMATION:

Captan-Methoxyclor 300-20 Flowable Seed Protectant is a liquid suspension that is especially formulated for the treatment of seed prior to storage and planting to protect seed from molds and other fungi causing storage loss and to protect seed from seed-borne and soil-borne fungi which cause seed decay, damping-off, and seedling blights. Also for protection of stored seed against Cadelle, confused flour beetle, flat grain beetle, granary weevil, lesser grain borer, red flour beetle, rice weevil, and saw-toothed beetle. At the recommended dosage Captan-Methoxyclor 300-20 Flowable Seed Protectant is noninjunous to seeds or seedlings and the germination of treated seed is frequently stimulated, giving a superior result as compared to results from untreated seed.

SEED TREATMENT DOSAGE RATES

Oz. per 100 lb.

The Following Table gives the amounts of this product to use on various seeds, in OUNCES per HUNDRED POUNDS of seed

seeds, at objects per training a device of seed	
SEED	DOSAGE RATE
Alfalfa, Clover, Lespedeza, Trefoil	7 ft oz /100 lb
Beans (snap. dry cowpeas)	212 ft oz /100 lb
Beets (garden)	10 ft oz / 100 lb
Cereal Grains (for seed & seedling rots - not for bunt smut	1
Barley, rye	211 02 /10010
Oals	21/11/02/10010
Wheat Till I'm I'm	ti 02 / 100 العنا ﴿ كَرُ
Cole Crops (Broccoli Brussale-sprouts-Cathage Cavidloweri	1 1 2 ft oz / 100 lb
Corn Trac C L	j
Field Corn	112 (1 02 / 100 lb
Sweet Corn 1086	312fl oz /100 lb
Sweet Corn Cotton Acid delinted cotton	- 1 · . · · · · · · · · · · · · · · · · ·
Acid delinted cotton	212fl 02 /100 lb
Reginned and Fuzzy cotto	sie 3 2 ft 02 / 100 lb
Crucifiers (Mustard, Radisher Thape, Curpips)	2 112ft 0z /100 lb
Grasses Milo Milo Milo Milo Milo Milo Milo Milo	312il 02 /100lb
Grasses and ordered and 93 Louise	61211 02 /10010
Milo	5f1 oz /100 lb
Muskmelon, Watermelon, Pumping Squash	13411 oz /100 lb
Peanuts (unshelled)	6 il oz /100 lb
Peas .	212fl oz /100lb
Rice .	3fl oz /100 lb
Şorghum (hull-less)	312ft oz /100 lb
Soybeans	2fl oz /100 lb
Spinach	5 ft oz /100 lb
Sugar Beets, West	*5fl oz /100lb
East	10 ft. oz / 100 lb
Sunflowers	3 fl oz /100 lb
Swiss Chard	01001\ 50 1101 .
Tomato, Cucumbers, Cantaloupe	212 ft 02 / 100 lb

SEED TREATMENT: DO NOT USE TREATED SEED FOR FOOD, FEED OR OIL PURPOSES. Treated seed should be labelled in accord with all the applicable re-Quirements of the Federal Seed Act. The Federal Seed Act requires that seed treated with a pesticide must contain a dye which imparts an unnatural color to the seed if the seed is intended to be moved in interstate commerce. Labels attached to treated seed must state, "Treated seed must not be used for food, feed or oil purposes." and "Exposed treated seed may be hazardous to birds and other wildlife. Dispose of excess treated seed by burial away from bodies of water."

CAPTAN-METHOXYCHLOR 300-20

DIRECTIONS FOR USE:

It is a violation of State and Federal Law to use this product in a manner inconsistant with its labeling.

Read all directions before using and use only as specified on this label.

STIR THOROUGHLY TO MIX CONTENTS BEFORE USING.

FOR SLURRY TREATMENT, apply in a slurry-type treater specifically designed and approved for that purpose or apply by hand in any suitable mixing equipment, such as home made rotary drums.

Thoroughly mix the recommended amount of this product into the required mount of water for the slurry treater equipment and dilution rate to be used. Clean equipment thoroughly between treating operations.

Only seed of high termination with good vigor should be treated with this product. Poor seed may suffer greater injury. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Store treated seed in a dry place until planted so that excess moisture will evaporate. If seed is stacked when wet, heat may develop which could impair germination.

IMPORTANT - Be certain treated seeds are completely dry before sacking or Storing.

STORE ALL TREATED SEED IN A COOL, DRY PLACE.

IMPORTANT: Treated seed must not be used for human consumption nor as animal feed. Bags containing treated seed should be labeled: TREATED SEED

DO NOT USE FOR FEED, FOOD, OR OIL PURPOSES

STORAGE AND DISPOSAL

the net contaminate water, lead, or look by storage or disposal. Open demains to prohibited.

STORAGE Protect from excessive heat. Store in a cool (temperature below 85°P/29°C), dry, well ventilated area away from flammable materials and mources of heat Or flame. Store away from foodstuffs or animal feed in an area designated for pesticides. Exercise due caution to prevent damage to or leakage from the container. Store in original container only. Reep container tightly closed when not in use.

[PERTICIBE DISPORAL: Pesticide wastes are acutely hazardous. Improper disposal of excess] pesticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

CONTAINER DISPOSAL: Metal containers - Triple rings (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOTICE-READ CAREFULLY

COMMITIONS OF SALE: Seller(s) offer(s) this product for sale subject to, and buyer and all users are deemed to have accepted, the following conditions of sale and warranty which may only be varied by written agreement of a duly authorized representative of Selfer(s)

WARRANTY LIMITATION: Seller(s) warrant(s) that this produce conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use on the tabel subject to the inherantifiers referred to below. Seller(s) make(s) no other express warrantes. THERE IS NO IMPLIED WARRAN-TY OF MERCHANTABILITY and there are no warrantes which extend beyond the description on the label

IMMERENT MISKS: The directions for use of this product are believed to be reliable and should be followed ceretuity. However, it is impossible to eliminate all risks associated with its use. Buyer assumes all risks associsted with use or application of the product contrary to label instructions or resulting from extraordinary wee-

LIMITATION OF LIABILITY: In no case shall Seller(s) be liable for special, indirect, or consequential demages resulting from the use or handling of this product and no claim of any kind shall be greater in amount than the purchase price of the product in respect of which such demages are claimed. EPA_REG. NO. 43789-2 EPA_Est. No. EPA Est. No.