PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS) CAUTION

Read the entire label before using. Use only as recommended for claims listed

During commercial exposure in seed treatment and toacing operations wear goggles, clean synthetic rubber goves, protective clothing, and 2 pesticide respirator jointly approved by the Mining Enforcement and Safety Admir stration (formerly the U.S. Bureau of Minesi and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR part II

Wash hands, arms, and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or baths after work and wash all clothing with soap and hot water before reusing.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Bury wastes and empty containers in isolated area away from water supplies.

DIRECTIONS FOR USE AND RECOMMENDATIONS:

It is a violation of State and Federal Law to use this product in a manner inconsistent with its labeling.

Read all directions before using and use only as specified on this label

DIRECTIONS. Thoroughly mix the recommended amount of Captan-Methoxyclor 300-20 Undyed Flowable Seed Protectant into the required amount of water for the sturry treater equipment and dilution rate to be used. Clean equipment thoroughly between treating operations

NOTE TO USER:

The purchaser of this product is responsible for insuring that all seed treated with this product are adequately dyed with a suitable color to prevent its acidental use as food for man or teed for animals. Refer to 21 CFR Part 2.25. Any dye added to treated seed must be cleared for use under 40 CFR Part 180-1001.

SPECIAL USE PRECAUTIONS:

IMPORTANT. Treated seed must not be used for human consumption nor as an all feed. Bags containing treated seed should be labeled.

TREATED SEED DO NOT USE FOR FEED, FOOD, OR OIL PURPOSES

THE Federal Government and some states have issued regulations for the application of special tags or labels to be affixed to bags containing treated seed Dispose of excess treated seed by purial

PRODUCT INFORMATION:

Captan-Methoxyclor 300-20 UNDYED Flowable Seed Protectant is a liquid suspension that is especially formulated for the treatment of seed prior to storage and planting to protect seed from molds and other lungicausing storage loss and to protect seed from seed-borne and soil-borne, lungi which cause seed decay, damping-off, and seedling blights. Also for protection of stored seed against Cadelle, confused flour beetle, flat grain beetle granary weevil, lesser grain borer, red flour beetle, rice weevil, and saw-toothed beetle. At the recommended dosage Captan-Methoxyclor 300-20 Undyed Flowable Seed Protectant is noninjurious to seeds or seedlings and the germination of treated seed is frequently stimulated, giving a superior result as compared to results from untreated seed.

CEPTEN-METHOXYCHIOR 206-26 UMBYED FLOWABLE SEED PROTECTANT Agricultural Fungicide Liquid Suspension **ACTIVE INGREDIENTS:** 30.0% 2.0% CAPTAN: N-((Trichloromethyl) thio)-4-Cyclonexene-1, 2-dicarboximide 68.0% INERT INGREDIENTS. nBounweinth 1 (6) of 2 (2 to sip methoxyphe ϕ (1) 1 (1) then proving early 0 (4), other somers candle who common to ϕ CAUTION: KEEP OUT OF REACH OF CHILDREN *IN CASE OF EYE CONTACT: Immediately flush eves with running water for at least 15 minutes. Call a Physician 'IN CASE OF SKIN CONTACT: Wash the affected area with soap and warm water. *Causes eve and skin irritation. *Harmful if swallowed, inhaled, or absorbed through *Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash with soap and water after handling. *Avoid inhaling of spray mist. *Do not use or store near food or feed. See side panel for additional precautionary statements

STORE IN A COOL, DRY PLACE.
STIR THOROUGHLY TO MIX CONTENTS
BEFORE USING.

5 GAL. NET

٠.

AGRICULTURAL PRODUCTS COMPANY, Harlingen, Texas 78550

SEED 7

The Following Table (a) seeds in **OUNCES** per f

SEED

Affaifa Clover Lespeges: 'Beans isnap dn, conceas: Beets (garden)
Cereal Grans ifor seed & si
Barley ryt:
Oats
Wheat
Cote Crops (Broccol), Brusses

Corn Field Corn Sweet Corn

Cotton
Acid delinted cotton
Reginned and Fuzzy cott of
Crucillers (Mustard Radio e)

Flax Grasses Mag Muskmelon Watermelon • J

Peanuts (unshelled) Peas Rice Sorghum (hull-less) Soybeans

Spinach Sugar Beets West East

Suntlowers
Swiss Chard
Tomato, Cucumbers, Canted

STOR

PROHIBITIONS: —De salati en — Lo not reuse emps, and PESTICIDE DISPOSAL Fes

Should be disposed of in a unit of CONTAINER DISPOSAL. It pesticide containes or but in the

pesticide containers, de boni di 4. GENERAL: Consult Federa, Stiecen burning

NO

CONDITIONS OF SALE: A7/, 2 buver and a rusers are generated to a thir arrest warranty Limitation and description of the Bod area of the condition of the condit

hereof

IMHERENT FIRSKS: The direct.

Beweight it is impossible eliminate

Application of this product company of

LIMITATION OF LIABILITY

Consequential directs resulting to

amount than the purchase price of

EPA Reg. No. 4378+ EPA Est. 43789-TX 1



CAPTAN-METHOXYCHIOR 300-20 undved flowable seed protectant

BY WT. **ACTIVE INGREDIENTS:** CAPTAN: N-{{Trichloromethyl) thio}-4-Cyclonexene-1, 2-dicarboximide ... 30.0% Methorysthia, Technical-INERT INGREDIENTS..... 68.0% 100.0%

fEquivalent to 1.76% of 2. 2-bis ip methoryphenyl-1. The front groothane and 0.24% of enlightness and related condounds. **CAUTION: KEEP OUT OF** REACH OF CHILDREN

- *IN CASE OF EYE CONTACT: Immediately flush eyes with running water for at least 15 minutes. Call a Physician
- *IN CASE OF SKIN CONTACT: Wash the affected area with soap and warm water.
- *Causes eye and skin irritation.
- *Harmful if swallowed, inhaled, or absorbed through skin.
- *Do not get in eyes, on skin, or on clothing Wear gog-gles or face shield and rubber gloves when handling. Wash with soap and water after handling.
- *Avoid inhaling of spray mist.

2

*Do not use or store near food or feed.

See side panel for additional precautionary statements.

STORE IN A COOL, DRY PLACE. STIR THOROUGHLY TO MIX CONTENTS BEFORE USING.

5 GAL. NET

AGRICULTURAL PRODUCTS COMPANY, Harlingen, Texas 78550

SEED TREATMENT DOSAGE RATES Oz per 100 e

The Following Table gives the umbunt of the seeds in OUNCES per HUNDRED POUNDS of see .

SEED	DOSAGE RATE
Attalfa Clover Lespedeză Trefo	72 100 1
Beans (snap) dry contress.	2 .5 10 100 £
Beets (garden.	101 62 166 6
Cereal Grains (for seed & seedling rety — not for pure smut-	
Barley rye	21 67 100 to
Oats	2 15 62 100 6
Wheat	32 100 %
Cole Crops (Broccol) Brussels sproute Cabbage Cau 15461	1.1 62 16615
Corn	
Field Corn	1.5 62 100 5
Sweet Corn	3 I* EE *60 E
Cotton	
Acid delinted cotton	21.1 cz 1001b
Reginned and Fuzzy cotton	21.1 cz 100% 3 .1 cz 100%
Crucifiers (Mustard Radishes, Rape Turnius)	72 22 100 to
Flax	3 : 5 62 100 10
Grasses	6 if 62 100 lb
Mno	51. oz 100 ib
Muskmelon Watermelon Pumpson Squasti	134 oz 10015
Peanuts runshelled.	6 tr oz 100 is
Peas	2 : 1 62 100 15
Rice	31 5z 100 b
Sorghum (huil-less)	3124 oz 100 is
Soybeans	21 oz 100 lb
Spinach	5f 62 100 is
Sugar Beets West	51 oz 100 ip
East	*0f- oz 100 ib
Sunflowers	31 oz 100 b
Swiss Chard	16+ 63 196 6
Tomato, Cucumbers, Cantalouna	2. day States

BEST DUCUMENT AVAILABLE

STORAGE AND DISPOSAL:

1 PROMBITIONS: - Do not contaminate water food or feed by storage or disposal in experiounity is promon ez: —Do not reuse empti, contamer.

PESTICIDE DISPOSAL: Pestione: sorai muture or nosate maticannot de uscul a lution La li reprocessed.

should be disposed of in a undfil accrowed for pestiones or buried if a safe blace awy, from water supplies
CONTAINER DISPOSAL: Truce nose for equivalently and dispose in an incinerator or land approved for
pestioned containers, or bury in a safe place. GENERAL: Consult Federal State of Nice idage selections as authorise site, lede lived a ternal velocodoures is socras i mited

NOTICE — READ CAREFULLY

CONDITIONS OF SALE: Agreement Products Contain, rand sever lefters it as a control service state to be entained a users are commented the tendency of the entained as users are commented real estate the through conditions of sale and warranty of thin may only be a feet to extend agreement of a duly authorized representative of agreement of the product controls is sometimed. Approvized includes Company warrants that the product controls it melantic description on the open and its reasonable of its observable services and its reasonable of the interest instance representations agreement of the presentation of the product controls are an interest and the interest instance representations and the product control of the product con

LIMITATION OF LIABILITY: 17 no case shall consequent at damages mighting from the use of hall amount than the curriage or ce of the product in re-

EPA Rag. No. 43789-3 EPA Est. 43789-TX-1

*

Release

INHERENT RISKS. The directions for use of many

Michaele. The impassion is impassion as a second of the product of the product contracts to all uses on the product contracts to all uses on the product contracts to a second or the product contracts to a second o

Under the Federal Issecticide, Fungicide, and Rodenticide Act. as ununded, for the posticide registered under 43781-LUA Rea. No.

3/1