PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER

Causes irreversible eye damage. Maraful if availored or inhaled, May cause silergic skin reactions. On not get in eyes, West goggles or face shield when handling. Avaid contact with skin and clothing. Remove and separately launder clothing before rouse.

Mach hands, arms and face thoroughly with some and water after handling and before eating, drinking, using tobacco products or applying commetics. Routlanly shower or Eathe after working. Do not concuminate food and feedatuffs. This product must be applied in a well wentilated area.

ENVIRONMENTAL HAZARDS: -

This pesticide is toxic to fish. Keep out of any body of water, lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposel of water.

Exposed treated seed may be hazardous to birds and other wildlife, In the event that treated seeds are spilled and cannot be salvaged, completely cover them wi soil away from bodies of water.

ENDANGERED SPECIES PRECAUTIONS

The use of this product in a manner which may harm endangered species or adversely modify their habitat is prohibited by rederal law, the following endangered species and the general location of their habitats have been identified by county:

Slackwater Darter, Alabama (Lauderdale, Limestone and Hadison)

Tennessee (Lawrence and Wayne)

Pecce gambusia, New Mexico (Chaves and Eddy)
Texas (Reeves, Jeff Davis and Pecces)

Freshvater Mussels, Tennessee (Mancock, Claiborne, Markise, Sulfityan) Virginia (Smyth, Scott, Lee, Manhington, Griffson)

Commanche Sprangs

Puptish, Texas (Reeves and Jeff Davis)

Prior to use of this product in the above counties you must detection that these species are not located in, or immediately selected to be treated with captan. Consult your regional W.S. Firm and willdlife Service office 'Indangered Special Specialist) or State Willed life Agency if there is any doubt as to the areas where the outdoor use of captam is prohibited.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

USE PRECAUTION STATEMENTS

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

Mixera/loaders when sixing and loading this product must wear a long sleaved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Fersonal clothing worm during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.



CAPTAN-METHOXYCHLOR 300-20 UNDYED FLOWABLE SEED PROTECTANT

Agricultural Fungicide — Liquid Suspension

ACTIVE INGREDIENTS

**Captan 29.33%
Related Derivatives 0.67%
Methoxychlor, Technical ** 2.00%
INERT INGREDIENTS 68.00%

**N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide

**Equivalent to 1.76% of 2,2-bis (p-methoxyphenyl)-1,1,1trichloromethane and 0.24% other isomers and related compda.

KEEP OUT OF REACH OF CHILDREN DANGER

Statement of Practical Treatment

IF IN EYES: Flush with plenty of water. Call a physician.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. If not, breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 43789-3 EPA Est.

5 GAL. NET

Manufactured for:

AGRICULTURAL PRODUCTS CO., GREELEY, CO 80632

PRODUCT IN

Capitain-Methyoxychior 300-20 UNIST Gid suspension especially formulated for planting to protect seed from seed-home and so damping-off, and seeding blights. Also dalle, confused flour beetle, flat grain brief firth beetle, rice weevil, and saw-toc Caption-Methoxychior 300-20 UNITY jurious to seeds or seedings and the stimulated, giving a superior result as c

SEED TREATMENT Oz. per

The Following Table gives the amounts of OUNCES per HUNDRED POUNDS of se

SEED

2EED														
Alfalfa, Clov	rer, Les	pede	22	Tr	do	ł.							_	
Beans (sna	ρ, άγ, ε	OW.	24	1										
beets (gard	en),	٠.	٠.											
Coreal Grai	ns (for s	100	8	sec	ď	'n.	rot	5 -	- (10	1 6	Y	bu	
Barley, ry	•													
OMES.,														
Windal .														
Cole Crops	(Brocco	ø. B	n.s	اير	5 9	Dro	ut	. (Ca	b	ba		Ċ	
Com														
Field Con	n					٠.								
Sereet Co	ж.,.													
Cotton														
Acid delir	red cot	ion												
Reginned	and Fu	ZZV	ΩX	on								_		
Crucitors ()	Justine	. Ra	لعاد	45	. R	200	. 1	Īυ	m	b	5}			
Pleax														
Grasses				_				_	_					
MAND				_				_		_				
MUSITMOON	, Walen	ngh	n, f	'n	υí	άħ.	S	W	25	n				
Peanuts (ur	12/00400	١.												
Peas		٠.										. ,		
-														
Sorghum (h	ud less)	١											_	
Soybeans .														
Spinach				_										
Sugar Beet	s, West		٠.						_					
-	Faul													

SEED TREATMENT: DO NOT USE TREATED Treated seed should be labelled quitaments of the Federal Seed Act seed treated with a pesticide mu natural color to the seed if interstate conserce. Labels att "Treated seed must not be used "Exposed treated seed may be I In the swent that treated seec completely cover them with soil aw

BEST AVAILABLE CI

CAPTAN-METHOXYCHLOR 300-20 DIRECTIONS FOR USE:

It is a violation of State and Federal Law to use this product in a menner inconsistant with its labeling.

Read all directions before using and use only as specified on this label.

STIR THOROUGHLY TO MIX CONTENTS BEFORE USING.

For <u>surery recovery</u>, apply in a slucry-type treater specifically designed and approved for that purpose or apply by hand in any suitable mixing equipment, such as home made rotary drums.

Thoroughly min the recommended amount of this product into the required amount of veter for the slurry treater equipment and dilution rate to be used. Clean equipment thoroughly between treating operations.

Only seed of high permination with good vigor should be treated with this product. Pour seed may suffer greater injury. Treat only those seeds needed for issualists use, minimizing the interval between treatment and planting. Store treated used in a dry place until planted so that encess soluture will evaporate. If seed is stacked when wet, heat may develop which could impair sermination.

<u>INFORMATE</u> - Be certain treated seeds are completely dry before sacking or materials.

STORE ALL TREATED SEED IN A COOL, DRY PLACE.

IMPORTANT: Treated seed must not be used for human consumption nor as animal feed. Bags containing treated seed should be labeled;

TREATED SEED

DO NOT USE FOR FEED, FOOD, OR OIL PURPOSES

STORAGE AND DISPOSAL

Be not contaminate water, lood, or feed by storage or disposal. Open destains in problems

STORME Protect from excessive heat. Store in a cool (temperature below 85°F/29°C), dry, well ventilated area away from flammable meterials and sources of heat or flame. Store away from foodstuffs or eminal feed in an area designated for pesticides. Exercise due caution to prevent damage to or leakage from the container. Store in original container only. Even container tightly closed when not in use.

PESTICIBE DEPOSAL: Posticide wastes are acutely hazardous. Improper Esposal of excess posticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes carnot be disposed of by use according to label instructions, contact your State Posticide or Emvironmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal containers - Triple rinse (or equivalent), Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOTICE-READ CAREFULLY

CONDITIONS OF SALE: Seler(s) offer(s) this product for sale subject to, and buyer and all users are deemed to have accepted, the following conditions of sale and warranty which may only be varied by written agreement of a duly authorized representative of Selfer(s).

WARRARTY LIMITATION: Seller(s) warrant(s) that this produce conforms to the chemical description on the

WARRANTY LIMITATION: Selects) warrants) that this produce conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use on the label subject to the enterant risks referred to below Selects) make(s) no other express warrantees. THERE IS NO REPLIED WARRAN-TY OF MERICHANTABILITY and there are no warrantees which extend beyond the description on the label heared.

BRHERENT RISKS: The directions for use of this product are believed to be reliable and should be followed caretyly. However, it is impossible to syminate all notes associated with its user. Buyer assumes all risks associated with use or application of this product contrary to label instructions or resulting from extraordinary wells. Her conditions.

LIMITATION OF LIABILITY: In no case shall Selects) be liable for special, indirect, or corresponded demages resulting from the use or handling of the product and no claim of any kind shall be greater in amount then the purchase price of the product in respect of which such demages are claimed.

EPA RIJG. NO. 43789-3

PA Est. 🥍 🤈

BEST AVAILABLE COPY