Causes irreversible eye damage. Marmful if suchlaved or inheled. May cause allergic shin reactions. Do not get in eyes. West gogles or face shield when handling. Avoid contact with skin and clothing. Revewer and separately launder clothing before reuse.

Week hands, some and face thoroughly with some and water after handling and before eating, drinking, using tobacco products or applying commetics. Routinely shower or bathe after working. Do not contaminate food and feedstuffs. This product must be applied in a well ventilated area.

ENVIRONMENTAL HAZARDS: .

This posticide is toxic to fish. Keep out of any body of water, lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Exposed treated seed may be hazardous to birds and other wildlife. Dispose of excess treated seeds by burial away from bodies of water.

ENDANGERED SPECIES PRECAUTIONS

The use of this product in a manner which may have endangered species or adversely modify their habitat is prohibited by Federal law. The following endangered species and the general location of their habitats have been identified by county:

Slackwater Darter, Alabama (Lauderdale, Limestone and Madison)
Tennessee (Lawrence and Wayne)

Pecos gambusia,

Hew Mexico (Chaves and Eddy)

Texas (Reeves, Jeff Pavis and Pecos)

Freshwater Muscels, Tennessee (Mancook, Claiborne, Mawkins, Sullivan)
virginia (Swyth, Scott, Lee, Washington, Grayson)

Commenche Springs

Pupfish,

Texas (Reeves and Jeff Davis)

Prior to use of this product in the above counties you must determine that these species are not located in, or immediately adjacent to, the areas to be treated with captan. Consult your regional U.S. Fish and Wildlife Service office (Endangered Species Specialist) or State Wildlife Agency if there is any doubt as to the areas where the outdoor use of captan is prohibited.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use Precaution Statements

Mixers, loaders, and applicators, when mixing, loading, and applying, must wear mid-forearm to elbom-length natural or synthetic rubber, vinyl, or plastic gloves impermeable to captan; boots or overshoes; one-piece overalls which have long sleeves and long pants; face shield or goggles and a hat or other appropriate head covering.

A dust mask must be worn when mixing and loading this product.

A chemical-resistant apron must be worn when mixing and loading this product,

Clothing worn while loading, mixing and applying this product must be laundered separately from other clothing before reuse. Clothing that may have been drenched or heavily contaminated must be disposed of in accordance with State and local regulations.

Applicator's protection may also be obtained by use of an enclosed tractor ceb with a properly filtered air supply.



CAPTAN-METHOXYCHLOR 60-10 WP

Agricultural Fungicide

ACTIVE INGREDIENTS
*Captan
Beiated Derivatives
Methoxychlor, rechnical

Methosychilor, fechnical

Nethosychilor, fechnical

Nethosychilor, fechnical

Netholoromethylthio-4 voice

Equivalent to 8.808 of 2 point (penticular point)

By Wt. 56.74e 3.26e 10.00e 30.00e Carboxinide

Mable Powder

**Equivalent to 8.80% of 272-01s (p-methoxyphenyl)-1,,1-trichloroethane and 1,20% other isomers and related compds.

DANGER

Statement of Practical Treatment

IF SWALLOWED: Call a Physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Immediately flush eyes with running water for at least 15 minutes. Call a Physician.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 43789-4 EPA Est. No.

50 POUNDS NET

Made in U.S.A. by

AGRICULTURAL PRODUCTS CO., GREELEY, CO 80632

43789-4

PM12

1052

PRODUCT INFORMATION:

Captan-Methoxychlor 60-10 WP Seed Protectant is a microfine wettable powder especially furmulated for the treatment of seed proir to storage and planting to protect seed from molds and other fungi causing storage loss and to protect seed from seed-borne and soil-borne fungi which cause seed decay, damping-off, and seedling blights. At the recommended dosage Captan-Methoxychlor 60-16 WP Seed Protectant is noninjurious to seeds or seedlings and the germination of treated seed is frequently stimulated, giving a superior result as compared to results from untreated seed.

SEED TREATMENT DOSAGE RATES

Oz. per 100 lb.

The Following Table gives the amount of this product to use on various seeds, in OUNCES per HUNDRED POUNDS of seed.

SEED .	DOSAGE RATE
Alfalfa, Clover, Lespedeza, Trefoil	7 oz./100 lb.
Beans (snap, dry, cowpeas)	2½ oz./100 lb.
Beets (garden)	10 oz./100 lb.
Cereal Grains (for seed & seed)ing rots - not for burn	
Barley, rye	2 oz./100 lb.
Oats	
Wheat	
Cole Crops	
(Broccoti, Brussels sprouts, Cabbage, Cauliflow	er) 1½ oz./100 lb.
Corn	
Field Corn	1½ oz./100 lb.
Sweet Com	3½ oz./100 lb.
Cotton	
Acid delinted cotton	2 oz./100 lb.
Reginned and Fuzzy cotton	3 oz./100 lb.
Crucifiers (Mustard, Radishes, Rape, Turnips)	1½ oz./100 lb.
Flax	3½ oz./100 lb.
Grasses	6% oz./100 lb.
Milo	5 oz/100 lb.
Muskmelon, Watermelon, Pumpkin, Squash	1¾ oz./100 lb.
Peanuts (unshelled)	
Peas	
Rice	3 oz./100 lb.
Sorghum (hull-less)	3½ oz./100 lb.
Soybeans	
Spinach	5 oz./100 lb.
Sugar Beets, West	5 oz./100 lb.
East	10 oz /100 lb.
Sunflowers	
Swiss Chard	10 oz./100 lb.
Tomato, Cutumbers, Cantaloupe	2½ oz./100 lb.
·	

SEED TREATMENT: DO NOT USE TREATED SEED FOR FOOD, PEED OR OIL PURPOSES. Treated seed should be labeffled in accord with all the applicable requirements of the "ederal Seed Act. The Federal Seed Act requires that seed treated with a pesticide must contain a dye which imparts an unnatural color to the seed if the seed is intended to be moved in interstate commerce. Labels attached to treated seed must state, "Treated seed must not be used for food, feed or oil purposes." and "Exposed treated seed may be hazardous to birds and other wildlife. Dispose of excess treated seed by burial away from bodies of water."

CAPTAN-METHOXYCHLOR 60-1° WP

DIRECTIONS FOR US...

It is a violation of State and Federal Law to use this product in a manner inconsistant with its labeling.

Read all directions before using and use only as specified on this label.

STIR CONTENTS THOROUGHLY INTO WATER REFORE USE.

FOR SLURMY TREATMENT, apply in a slurry-type treater specifically designed and approved for that purpose or apply by hand in any suitable mixing equipment, such as home made rotary drums.

Thoroughly mix the recommended amount of this product into the required amount of water for the slurry treater equipment and dilution rate to be used. Clean equipment thoroughly between treating operations.

Only seed of high permination with good wigor should be treated with this product. Foor seed may suffer greater injury. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Store treated seed in a dry place until planted so that excess moisture will evaporate. If seed is stacked when wet, heat may develop which could impair germination.

IMPORTANT - Be certain treated seeds are completely dry before sacking

STORE ALL TREATED SEED IN A COOL, DRY PLACE.

IMPORTANT: Treated seed must not be used for human consumption nor as animal feed. Bags containing treated seed should be labeled:

TREATED SEED DO NOT USE FOR FEED, FOOD, OR OIL PURPOSES

STORAGE AND DISPOSAL

De not contaminate water, food, or food by storage or disposal. Open damping its prohibited.

STORAGE Protect from excessive heat. Store in a cool (temperature below \$5°F/29°C), dry, well ventilated area away from flammable materials and sources of heat or flame. Store away from foodstuffs or animal feed in an area designated for pesticides. Exercise due caution to prevent damage to or leakage from the container. Store in original container only. Keep container tightly closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Paper and plastic bags — Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE-READ CAREFULLY

CONDITIONS OF SALE: Seller(s) offer(s) this product for sale subject to, and buyer and all users are deemed to have accepted, the following conditions of sale and warranty which may only be varied by written agreement of a duly authorized representative of Seller(s)

WARRANTY LIMITATION: Seller(s) warrant(s) that this produce conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use on the label subject to the inherent risks referred to below. Seller(s) make(s) no other express warranties. THERE IS NO IMPLIED WARRAN-TY OF MERCHANTABILITY and there are no warranties which extend beyond the description on the label

WHERENT MISKS: The directions for use of this product are believed to be retable and should be followed carefully. However, it is impossible to eliminate all risks associated with its use. Buyer assumes all risks associated ciated with use or application of this product convary to tabel instructions or resulting from extraordinary wea-

LIMITATION OF LIABILITY: In no case shall Seller(s) be liable for special, indirect, or consequential demages resulting from the use or handling of this product and no claim of any kind shall be greater in amount than Be purchase price of the product in respect of which such damages are claimed. EPA REG. NO. 43789-4 EPA EST. No.