PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER

Causes irreversible eye desage. Harmful if musicound or inhaled, they cause allergie sale reactions. On mor got in eyes, their populae or fame shield when handling. Areid contact with sale and cinthing. Reserve and separately launder clothing before rouse.

Made hands, arms and face thoroughly with some and water after handling and before eating, drinking, using tobacco products or applying committee. Rowlinely abover or bethe after working. Do not contaminate food and faedetaffs. This product must be applied in a well wentlated arms.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish. Reep out of any bidy of water, lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposel of wastes.

Exposed treated seed may be hazardous to birds and other wildlife. In the event that treated seeds are spilled and cannot be salyaged, completely cover them with soil away from bodies of water.

ENDANGERED SPECIES PRECAUTIONS

The use of this product in a manner saich may have endangered sprices or adversely modify their habitat is prohibited by Tederal law. The following endangered species and the general location of cheir habitate have been identified by county:

Slactwater parter, Alabama (Lauderdate, Limestone and Madison)
Tennessee (Lauderda and Mayne)

Perce gashusia. Her Mexico (Chaves and Eddy) $F(\cdot)$ force (Reeves, Jeff Davis and Perce)

Preshvater Musaels, Tennessee (Mancock, Claiborne, Ravelne, Swillvan) Virginia (Smyth, South, Lan, Washington), Grayson)

 \mathcal{O}

Commenche Springs

Texas (deeves and Jeff seels)

Price to use of this product in the above country you must determine that these species are not located in, or immediately-adjacent to the areas to be treated with captan. Consult your regional 0,8, play-fad whilelife Service office (Endangered Species Specialist) or State Wild-life Agency if there is any doubt as to the areas where the outdoor use of captan is prohibited.

BIRECTIONS FOR USE: It is a violation of federal law is use this product in a manner inconsistent with its labeling.

USE PRECAUTION STATEMENTS

Mear goggles or face shield when handling. Wash thoroughly with scap and water after handling. Resove contaminated clothing and separately launder clothing before reuse.

Mixers/loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and fest. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

Affer WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be isundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with ceptan must be destroyed according to state and local regulations.

A dust mask wust be worn when mixing and loading this product.



CAPTAN-METHOXYCHLOR 60-10WP SEED PROTECTAINT

Agricultural Fungicida

Wettable Powder

ACTIVE INGREDIENTS

**Captan 58.67%

**Related Derivatives 1.33%

Hethoxychlor, Technical

INERT INGREDIENTS 30.00%

*R-Trichloromethylthio-%-cyclohexane-1,2-dicarboxiside &*Equivalent to 8.80% of 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 1.20% other isomers and related compds.

DANGER

Statement of Practical Treatment

IF IN EYES: Flush with plenty of water. Call a physician.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available drink large quantities of water. Avoid alcohol. Do not induce vomiting or give anything by mouth to an unconscious person. IF INNALED: Remove victim to fresh air. If not breathing give artificial respiration, prefer ably mouth-to-mouth. Get medical attention. If ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

SEE SIDE PANIL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 43789-4 EPA Est. No.

50 POUNDS NET

Made in U.S.A. by

AGRICULTURAL PRODUCTS CO., GREELEY, CO 80632

Carrian-Methoxychier 60-16 VIP Seed Price Carrian-Methoxychier 60-16 VIP Seed Price Carrian Communication of the treatment to protect seed from moids and other fixed from seed-borne and soil-borne tu off, and seedling blights. At the reconflowing the Carrian Communication of the Seed Protections is nonliquid patrial of typesed seed in frequently stin paired to results from untreated seed.

SEED TREATMEN

The Following Table gives the a various seeds, in DUNCES per HUI

SEED

* 0 +

Alfalfa, Clover, Lespedeza, Trefoil .
Beens (snep, dry, cowpeas)
Beets (garden)
· Cereal Grains ifor seed & seedling rot
Barley, rye
Cats
Wheet
Cole Crops
(Broccoli, Brussels sprouts, Cabi
Carn
Field Com
Sweet Com
Cotton
Acid delinted cotton
Reginned and Fuzzy cotton
Crucifiers (Mustard, Radishes, Rape,
Fiax
Grasset
Milo
 Muskmelon, Watermelon, Pumpkin, !
Peanuts (urahellad)
Peas,
Sorghum (hull-less)
Soybeans
Spinach.
Sugar Beets, West
East
Sunflowers
Swits Chard
Tomato, Cucumbers, Cantaloupe

SEED TREATMENT: 00 NOT USE TREAT
Treated seed should be labelle
quirements of the rederel Seed /
seed treated with a pesticide
instaral color to the seed if
interstate commerce. Labels .
"Treated seed must not be un
"Exposed treated seed may be
In the event that treated s
completely cover then with soil

BEST AVAILABLE C

CAPTAN-METHOXYCHLOR 60-10 WP

DIRECTIONS FOR USE:

It is a violation of State and Federal Law to use this product in a manner inconsistent with its labeling.

Read all directions before using and use only as specified on this label.

STIR CONTENTS THOROUGHLY INTO WATER BEFORE USE,_

For <u>SUPER TREATHER</u>, apply in a slutty-type treater specifically designed and approved for that purpose or apply by hand in am suitable mixing equipment, such as home made rotary drums.

Thoroughly mix the recommended amount of this product into the required amount of water for the slurry treater equipment and dilution rate to be used. Clean equipment thoroughly between treating operations.

Only seed of high permination with good viger should be treated with this product. Poor seed may suffer greater injury. Treat only those seeds needed for immediate use, minimising the interval between treatment and planting. Store treated seed in a dry place until planted so that excess moisture will evaporate. If seed is stacked when wet, heat may develop which could impair germination.

IMPORTANT - Be certain treated seeds are completely dry before sacking or storing.

STORE ALL TREATED SEED IN A COOL, DRY PLACE.

IMPORTANT: Treated seed must not be used for human consumption nor as animal feed. Bags containing treated seed should be labeled:

TREATED SEED

DO NOT USE FOR FEED, FOOD, OR OIL PURPOSES

STORAGE AND DISPOSAL

the rest contaminate water, lead, or feed by storage or disposal. Open damping in prohibited.

STORAGE protect from excessive heat. Store in a cool (temperature below 85°F/29°C), dry, well ventilated erea away from flammable materials and sources of heat or flame. Store away from foodstuffe or animal feed in an area designated for pesticides. Exercise due caution to prevent damage to or leakage from the container. Store in original container only. Keep container tightly closed when not in use.

PESTICIDE BISPITIAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Paper and plastic bags — Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE-READ CAREFULLY

CONDITIONS OF SALE: Sefer(s) ofer(s) this product for sale subject to, and buyer and at users are deemed to have accepted, the following conditions of sale and warrantly which may only be varied by written agreement of a duly authorized representative of Seffer(s).

WARRANTY LIMITATION: Seller(s) warrant(s) that this produce conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use on the tabel subject to the inter-sell risks referred to before Seller(s) make(s) no other express warrantees. THERE IS NO MAPLICO WARRAM-TY OF MERICHARTABILITY and there are no warranties which entend beyond the description on the label hereo!

BHYERENT RESKS: The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to seminate all risks associated with as use. Buyer assumes all risks assocated with use or application of this product contrary to label instructions or resulting from extraordinary wealther conclosing.

Literation of Liability: in no case shall Selects be liable for special, indirect, or consequential demands in such that from the use or handing of this product and no claim of any kind shall be greater in amount then the product in respect of which such demands are claimed.

EPA REG. NO. 43789-4

EPA EST. NO.

BEST AVAILABLE COF