Causes irreversible eye damage, Marmful if swallowed or inhaled, New cause allergie shim reactions. Do not get in eyes, West gosgled or form shield when handling. Avoid contact with shim and clothing, Remove and separately launder clothing before rouse.

Mach bands, arms and face thoroughly with soap and water after handling and before eating, drinking, using tobacco products or applying commetics. Routinely shower or bathe after working. Do not contaminate food and feedstuffs. This product must be applied in a well ventilated area.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish. Keep out of any body of water, lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Exposed treated seed may be hazardous to birds and other wildlife. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil away from bodies of water.

ENDANGERED SPECIES PRECAUTIONS

The use of this product in a manner which may harm endangered species or adversely modify their habitat is prohibited by rederall law. The following endangered species and the general location of their habitate have been identified by country:

Slockwater Darter, Alabama (Lauderdale, Limestone and Radiscm)
Tennessee (Lawrence and Wayne)

Pecos gasbusia, Few Hexico (Chaves and Eddy) Texas (Reeves, Jeff Davis and Pacos)

Freshwater Mussels, Tennessee (Mancock, Claiborne / Markine, Sailtwant' Virginia (Smyth, Scott, Lee, Washington, Grayson)

Commanche Springs
Fupfish, Texas (Reev.

Texas (Reeves and Jett Davis) Y

Frior to use of this product in the above counties you must determine that these species are not located in, or issediately adjabate shifts areas to be treated with captan. Consult your regional U.S. Paracasta wildlife Service office (Endangered Species Specialist) or State Paracasta Agency if there is any doubt as to the areas where the outdoor use of captan is prohibited.

DIRECTIONS FOR USE:

It is a violation of federal faw to use this product in a manner inconsistent with its labeling.

USE PRECAUTION STATEMENTS

Wear goggles or face shield when handling. Wash thoroughly with scap and water after handling. Remove contaminated clothing and separately launder clothing before rouss.

Mixers/loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant appon.

AFTER WORK: "ake off all clothes and shoes. Shower using scap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with scap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

A dust mask must be worn when mixing and loading this product.



CAPTAN-METHOXYCHLOR 65-10WP SEED PROTECTANT

Agricultural Fungicide

ACTIVE INGREDIENTS

*Captan

Captan

By Wt.

*Captan

63.56%

Related Derivitives

1.4%

Hethoxychior, Technical**

10.00%

IMERT INGREDIENTS

*S—Trichloromethylthio-%-cyclohexene-1,2-dicarboximide

*Squivalent to 8.80% of 2,2-bis (p-methoxyphenyl)-1,1,1
trichloroethane and 1.20% other isomers and related compds.

KEEP OUT OF REACH OF CHILDREN DANGER

Statement of Practical Treatment

IF IN EYES: Flush with plenty of water. Call a physician.

If SWALLOWED: Drink promptly a large quantity of milk, agg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting or give anything by aouth to an unconscious person. IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention. IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 43789-51 EPA Est. No.

50 POUNDS NET

Made in U.S.A. by

AGRICULTURAL PRODUCTS CO., GREELEY, CO 80632

43789-5

PRODUCT IN

Captack: Methoxychler 85 - 18 WP S

Cowder Inspecially formulated for the s
planting to protect seed from molds as
to protect seed from seed-borne and a
demoing-off, and seedling blights. At st
oxychlor 65*- 10 WP Seed Protectam
and the germination of treated seed is
result as compared to results from untre

SEED TREATMENT

The Following Table gives the amovarious seeds, in OUNCES per HUND

SEED

Alfalfa, Clover, Lespedeza, Trefoil
Beens (snep, dry, cowpees)
Beets (gerden)
Cereel Grains (for seed & seedling rots - r
Raday are
Barley, rye
Oats
Wheat.
Cale Crops
(Broccoli, Brussels sprouts, Cabbage,
Corn
Field Corn
Sweet Corn
Cotton
Acid definted cotton
Reginned and Fuzzy cotton
Crucifiers (Mustard, Radishes, Rape, Turn
Flax
Flax
Grasses
Mile.
Muskmelon, Watermalon, Pumpkin, Squas
Peanuts (unshelled)
Pess
Sorghum (hulf-less)
Soybeans
Princel

SEED TREATMENT: 00 NOT USE TREATED S
Treated seed should be labelled in
quirements of the Federal Seed Act.
seed treated with a pesticide must
natural color to the seed if th
interstate commerce. Labels attac
"Treated seed must not be used f
"Exposed treated seed may be har
In the event that treated seeds
completely cover them with soil away

Tomato, Cucumbers, Cantaloupe



CAPTAN-METHOXYCHLOR 65-10 WP DIRECTIONS FOR USE:

It is a violation of State and Federal Law to use this product in a marver inconsistant with its labeling.

Read all directions before using and use only as specified on this label.

STIR CONTENTS THOROUGHLY INTO WATER BEFORE USE.

Per STORY TREATHOR, apply in a slurry-type treater specifically designed and approved for that purpose or apply by hand in any suitable mixing equipment, such as home made rotary drums.

Thoroughly min the recommended amount of this product into the required amount of vater for the slurry treater equipment and dilution rate to be used. Clean equipment thoroughly between treating operations.

Only need of high permination with good vigor should be treated with this product. Foor need may suffer greater injury. Treat only those needs needed for immediate use, minimizing the interval between treatment and planting. Store treated seed in a dry place until planted so that oncess moisture will evaporate. If seed is stacked when wet, heat may develop which could impair germination.

<u>percent</u> - se certain treated seeds are completely dry before macking or storing.

STORE ALL TREATED SEED IN A COOL, DRY PLACE.

IMPORTANT: Treated seed must not be used for human consumption nor as animal feed. Bags containing treated seed should be labeled:

TREATED SEED

DO NOT USE FOR FEED, FOOD, OR OIL PURPOSES

STORAGE AND DISPOSAL

Do not contominate water, lood, or tood by storage or disposal. Open damping is prohibited.

STOARSE protect from excessive heat. Store in a cool (temperature below 85°F/29°C), dry, well ventilated area away from filameable materials and sources of heat or flame. Store away from foodstuffs or animal feed in an area designated for pesticides. Emercise due caution to prevent damage to or leakage from the container. Store in original container only. Evep container tightly closed when not in use.

PERTICIBE BISPOSAL: Posticide wastes are acutely hazardous: Improper disposal of excess posticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Posticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for envidance.

CONTINEE DISPOSAL: Paper and plastic bags — Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or it allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE-READ CAREFULLY

CONDITIONS OF SALE; Sefer(s) offer(s) this product for sale subject to, and buyer and at users are deemed by have accepted. On following conditions of sale, and warranty which may only be varied by written agreement of a duly authorized representative of Seiter(s).

WARRANTY LIMITATION: Soller(s) warrant(s) that this produce conforms to the chemical description on the label and is reasonably fill fill the purposes referred to in the directions for use on the label subject to the interent rinks referred to below Softer(s) make(s) no other express warrantees. THERE IS NO SIMPLED WARRANTTY OF MERCHANTABILITY and there are no warrantes which extend beyond the description on the label.

BREERIT RISKS: The directions for use of this product are believed to be refable and should be lottured caretally. However, it is impossible to stiminate all risks associated with its use. Super assumes all risks associated with use or application of this product contrary to label instructions or resulting from extraordinary weather conditions.

LIBITATION OF LIABILITY: In he case shall Seter(s) be liable for species, indirect, or consequential demages resulting from the use of handling of this product and no claim of any bind shall be greater in amount than the purchase price of the product in respect of which such damages are claimed.

EPA REG. NO. 43789-5

EPA Est. No.

BEST AVAILA