PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

muses irreversible eye damage. Marmful if swallowed or inhaled. New ause allergic skin reactions. Do not get in eyes. Wear goggles or ace shield when handling. Avoid contact with skin and clothing. Noove and separately launder clothing before reuse.

tash bands, arms, and face thoroughly with soap and water after wanted ling ind before eating, drinking, using tobacco products or applying competito. butinely shower or bathe after working. Do not contaminate Edod And leedstuffs. This product must be applied in a well ventilated areg.

ENVIRONMENTAL HAZARDS: ...

This pesticide is toxic to .ish. Keep out of any body of water, lake. streams or ponds. Do not contaminate water by cleaning of equipment orby disposal of wastes.

Exposed treated seed may be hazardous to birds and other wildle feed Dispose of excess treated seeds by burial away from bodies of water b

ENDANGERED SPECIES PRECAUTIONS

The use of this product in a manner which may harm endangered spec or adversely modify their habitat is prohibited by Federal law. following endangered species and the general location of their habitation have been identified by county:

Slackwater Darter, Alabama (Lauderdale, Limestone and Hadison)

Tennessee (Lawrence and Wayne)

Pecos gambusia,

New Mexico (Chaves and Eddy) Texas (Reaves, Jeff Davis and Pecos)

Freshwater Mussels, Tennessee (Hancock, Claiborne, Hawkins, Sullivan) Virginia (Smyth, Scott, Lee, Washington, Grayson)

Commanche Springs

Texas (Reeves and Jeff Davis) Puplish,

Prior to use of this product in the above counties you must determine that these species are not located in, or immediately adjacent to, the areas to be treated with captan. Consult your regional U.S. Fish and Wildlife Service office (Endangered Species Specialist) or State Wildlife Agency if there is any doubt as to the areas where the outdoor use of captan is prohibited.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its fabeling.

Use Precaution Statements

Mixers, loaders, and applicators, when mixing, loading, and applying, must wear mid-forearm to elbow-length natural or synthetic rubber, vinyl, or plastic gloves impermeable to captan; boots or overshoes; one-piece overalls which have long sleeves and long punts; face shield or goggles and a hat or other appropriate head covering.

A dust mask must be worn when mixing and loading this product.

A chemical-resistant apron must be worn when mixing and loading this product.

Clothing worn while loading, mixing and applying this product must be laundered separately from other clothing before reuse. Clothing that may have been drenched or heavily contaminated must be disposed of in eccordance with State and local regulations.

Applicator's protection may also be obtained by use of an enclosed tractor cab with a properly filtered air supply.



CAPTAN-METHOXYCHLOR 70-3 WP SEED PROTECTANT

<u> </u>	
ACTIVE INGREDIENTS	By Wt.
*Captan	66.194
Related Derivatives	3,81
Methoxychlor, Technical**	3,004
INERT INGREDIENTS	27,00%
AM MIT A	

*M-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide **Equivalent to 2.64% of 2,2-bis (p-methoxyphenyl)-1,1,1trichloroethane and 0.36% other isomers and related compds.

KEEP OUT OF REACH OF CHILDREN DANGER

Statement of Practical Treatment

IF SWALLOWED: Call a Physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN: Remove contaminated clothing and wash affected. areas with soap and water.

IF IN EYES: Immediately flush eyes with running water for at least 15 minutes. Call a Physician.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 43789-7 EPA Est.

50 POUNDS NET

Made in U.S.A. by

AGRICULTURAL PRODUCTS CO., GREELEY, CO 80632

* * * * * *

PM12 43789-7 \$142

PRODUCT INFORMATION:

Captan-Methoxyclor 70-3 WP Seed Protectant is a microfine wettable powder especially formulated for the treatment of seed prior to storage and planting to protect seed from molds and other fungi causing storage loss and to protect seed from seed-borne and soil-borne tungi which cause seed decay, damping-off, and seedling blights. At the recommended dosage Captan-Methoxyclor 70-3 XP Seed Protectant is noninjurious to seeds or seedlings and the germination of treated seed is frequently stimulated, giving a superior result as compared to results from untreated seed.

SEED TREATMENT DOSAGE RATES Oz. per 100 lb.

The Following Table gives the amount of this product to use on various seeds, in OUNCES per HUNDRED POUNDS of seed.

SEED .	DOSAGE RATE
Alfalfa, Clover, Lespedeza, Trefoil	7 oz./100 lb.
Beans (snap, dry, cowpeas)	2½ oz./100 lb.
Beets (garden)	10 oz./100 lb.
Cereal Grains (for seed & seedling rots — not for burnt so	nut)
Barley, rye	2 oz./100 lb.
Oats	2% oz./100 lb.
Wheat.	1½ oz./100 lb.
Cole Crops	
(Broccoli, Brussels sprouts, Cabbage, Cauliflower)	1½ oz./100 lb.
Corn	••••
Field Corn	1½ oz./100 lb.
Sweet Corn	3% oz./100 lb.
Acid delinted cotton	2 oz./100 lb.
Reginned and Fuzzy cotton	3 oz./100 lb.
Crucifiers (Mustard, Radishes, Rape, Turnips)	1% oz./100 lb.
Flax	3% oz./100 lb.
Grasses	6% oz /100 lb.
Milo	5 oz./100 lb.
Muskmelon, Watermelon, Pumpkin, Squash	1% oz./100 lb.
Peanuts (unshelled)	6 oz /100 lb.
Peas	2 oz /100 lb
Rice	3 oz /100 lb.
Hice.	3% oz /100 lb.
Sorghum (hull-less)	2 oz /100 ib.
Soybeans	5 oz /100 lb.
Spinach	5 oz /100 lb.
Sugar Beets, West	
East	2 oz /100 lb.
Sunflowers	
Swiss Chard	10 02.7 100 lb.
Tomato, Cucumbers, Cantaloupe	
COMP	PEED OR OUT DURBOCKS

SEED TREATMENT: DO NOT USE TREATED SEED FOR FOOD, FEED OR OIL PURPOSES. Treated seed should be labelied in accord with all the applicable requirements of the Federal Seed Act. The Federal Seed Act requires that seed treated with a pesticide must contain a dye which imparts an unnatural color to the seed if the seed is intended to be moved in interstate commerce. Labels attached to treated seed must mtate, "Treated seed must not be used for food, feed or oil purposes." and "Exposed treated seed may be hazardous to birds and other wildlife. Dispose of excess treated seed by burial away from bodies of water."

product. Poor seed may suffer greater injury. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Store treated seed in a dry place until planted so that excess moisture will evaporate. If seed is stacked when wet, heat may develop which could impair germination.

IMPORTANT - Be certain treated seeds are completely dry before sacking or storing.

STORE ALL TREATED SEED IN A COOL, DRY PLACE.

IMPORTANT: Treated seed must not be used for human consumption nor as animal feed. Bags containing treated seed should be labeled:

TREATED SEED

DO NOT USE FOR FEED, FOOD, OR OIL PURPOSES

STORAGE AND DISPOSAL

Do not contaminate water, feed, or lead by storage or disposal. Open damping is prohibited.

\$TORAGE: Protect from excessive heat. Store in a cool (temperature below \$5°F/29°C), dry, well ventilated area away from flammable materials and sources of heat or flame. Store away from foodstuffs or animal feed in an area designated for pesticides. Exercise due caution to prevent damage to or leakage from the container. Store in original container only. Reep container tightly closed when not in use.

PERTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Paper and plastic bags — Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incideration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE-READ CAREFULLY

CONDITIONS OF SALE: Seter(s) offer(s) this product for sale subject to, and buyer and all users are dremed to have accepted, the following conditions of sale and warranty which may only be varied by written

agreement of a duly authorized representative of Seller(s) WARRANTY LIMITATION: Seller(s) warrant(s) that this produce conforms to the chemical description on the label and is reasonably lit for the purposes referred to in the directions for use on the label subject to the inherent risks referred to below. Seller(s) make(s) no other express warrantes. THERE IS NO IMPLIED WARRAN-TY OF MERCHANTABILITY and there are no warranties which extend beyond the description on the label

INHERENT RISKS: The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks associated with its use. Buyer assumes all risks assodiated with use or application of this product contrary to label instructions or resulting from extraordinary west-

LIMITATION OF LIABILITY: In no case shall Seler(s) be table for special, indirect, or consequential demages resulting from the use or handling of this product and no claim of any kind shall be greater in amount than the purchase pince of the product in respect of which such damages are claimed. EPA REG. NO. 43789-7 EPA ESt. No.

EPA Est. No.