PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS) CAUTION

Read the entire label before using. Use only as recommended for claims listed.

During exposure in seed treatment and loading operations, wear goggles, clean synthetic rubber gloves, protective clothing

Wash hands, arms, and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work and wash all clothing with soap and not water before reusing.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning equipment or disposal of wastes. Bury wastes and empty containers in isolated areas away from water supplies.

SPECIAL USE PRECAUTIONS.

iMPORTANT Treated seed must not be used for human consumption nor as animal feed. Bags containing treated seed should be labeled.

TREATED SEED

DO NOT USE FOR FEED, FOOD, OR OIL PURPOSES

The Federal Government and some states have solved regulations for the application of special tags or abels to be affixed to bags containing treated seed.

Dispose of excess treated seed by our ar

PRODUCT INFORMATION

CAPTAN 25 PLANTER BOX SEED TREATER is a dust base agricultural fungicide especially formulated for seed treatment at planting time. This product is especially useful in planter box treatments and is formulated to help lubricate the planter box and assure smooth, even seed flow to the furrow. When used at the recommended levels. CAPTAN 25 PLANTER BOX SEED TREATER assures adequate seed protection in the furrow where it really counts. CAPTAN 25 PLANTER BOX SEED TREATER may be used on previously treated seed.



DIRECTIONS FOR

It is a violation of State and inconsistent with its labe.

Read all directions before u

MEASURING SCOOP capproximately 4 ounces of

PEANUTS: Use CAPTAN planter box at the rate of 2 100 pounds of seed

SOYBEANS: Use CAPTA! planter box at the rate of 4 confiseed

CAPTAN 25 PLANTER designed formulation for Protection is provided agreause seed decay dar recommended dosage CA is noninjurious to seeds of is frequently stimulated of the formulated seed.

FOR IMPROVED MIX recommended that the seconduct, then transferred obtained by filling the place required amount of product finally, the second half of

STORA

PROHIBITIONS Do not contage of the contage of

NOTE

CONDITIONS OF SALE Agriculture Duver and as users are benned to have a miner agreement the drug authorized in WARRANY LIMITATION Agriculture and associated as the sale and associated associated

INHERENT RISKS TO FIRST STATE OF THE STATE O

EPA Reg No. 43753 H EPA Est 43759-14 INMALS)

mmended for

rations, wear clothing

nd water after ower or bathe water before

wate. Do not sal of wastes as away from

lid for human 3 treated seed

PURPOSES

have issued r labels to be

s a dust base ed treatment at ranter box treatinter box and time used at the R BOX SEED he furrow where **EED TREATER**



DIRECTIONS FOR USE AND APPLICATION RATES:

It is a violation of State, and Federal Law to use this product in a manner nconsistent with its labeling

Read all directions before using and use proy as specified on this label

MEASURING SCOOP IS ENCLOSED. One level scoop holds approximately 4 punces of product

PEANUTS: Use CAPTAN 25 PLANTER BOX SEED TREATER in the planter box at the rate of 2 to 4 bunces per bushel or 4 to 6 ounces per 100 pounds of seed

SOYBEANS: Use CAPTAN 25 PLANTER BOX SEED TREATER in the planter box at the rate of 4 ounces per bushel or 7 ounces per 100 pounds.

CAPTAN 25 PLANTER BOX SEED TREATER is a specifically designed formulation for the treatment of soybean and peanut seeds Protection is provided against seed-borne and soil-borne fung: which cause seed decay damping-off and seedling blights. At the recommended dosage CAPTAN 25 PLANTER BOX SEED TREATER is noninjurious to seeds or seedlings and the germination of treated seed. is frequently stimulated, giving a superior result as compared to results. from untreated seed.

FOR IMPROVED MIXING OF PRODUCT WITH SEED it s recommended that the seed be premixed in a suitable container with the product, then transferred to the planter box. Similar results may be obtained by filling the planter box haif full of seed, then adding half the required amount of product, followed by thorough mixing with a stick, and finally, the second half of the seed and product, repeating the mixing.

STORAGE AND DISPOSAL:

PESTICIDE DISPOSAL TO THE TOTAL TO SET TO THE TOTAL SET OF THE SET

NOTICE - READ CARFULLY MUTICE — HEAD CAMPULLY

CONDITIONS OF SALE AQUITA INTRODUCTION A TIME of THIS TIME. A TIME OF THIS CONDITIONS OF SALE ADVITAGE TO THE PROPERTY OF THE PROPERTY

INMERENT RISKS

3,1

EPA Reg. No. 43739 8 EPA E (* 13789⊾TX 1