Coulos inceversible, eye damage, Maraful if evallowed or inhales, New cause allereic shin reactions. Do not get in eyes, Wear goggles de face shield when handling. Avoid contact with shin and clothing, thenove and separately launder clothing before rouse,

Man' bands, area and face thoroughly with soop and water after handling and before eating, drinking, using tobacco products or applying commetics. Routisely shower or baths after working. Do not contaminate food and feedstuffs. This product must be applied in a well wentilated area.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish. Keep out of any body of water, lakes, atreams or ponds. Do not contaminate water by cleaning of equipment or disposal of westes.

Exposed treated seed hay be harardous to birds and other wildlife. Dispose of excess treated seeds by burial away from bodies of water, '

DESAMGERED SPECIES PRECAUTIONS

The use of this product in a menner which may be needengered species or adversely modify their habitat is prohibited by Federal law. The following endangered species and the general location of their habitats have been identified by county;

Slackwater Darter, Alabama (Lauderdale, Limestone and Madison)

Tennessee (Lawrence and Wayne)

Pecos gasbusia,

Hew Mexico (Chaves and Eddy)

Texas (Reeves, Jeff Davis and Pecos)

Freshvater Hussels, Tennessee (Hancock, Claiborne, Mawkins, Sussing) Virginia (Smyth, Scott, Lee, Washington, Graybon)

Commanche Springs

Pupfish.

Texas (Resves and Jeff Davis)

Prior to use of this product in the shove counties you must determine that these species are not located in, or immediately adjacent to, the areas to be treated with captan, Consult your regional U.S. Fish and Wildlife Service office (Endangaged Species Specialist) or State Mildlife Agency if there is any doubt as to the creat where the outdoor use of captan is prohibited.

DIRECTIONS FOR USE:

Note a violation of fundament from the control for a prantile inconsistent with its fabeline.

USE PRECAUTION STATEMENTS

Wear goggles or face shield when handling. Wesh thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

Hixers/loaders when mixing and loading this product must weer a long sleeved shirt and long pants or a coverell that covers all parts of the body except the head, hands and feet. Year chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

A dust mask must be worn when mixing and loading this product.



CAPTAN-METHOXYCHLOR 75-3 WP **SEED PROTECTANT**

Agricultural Fungicide ----

Wettable Powder

73.73%

1.67%

3.00%

21.604

ACTIVE INGREDIENTS Cantan Related Derivatives # Jackburychlor, Technical** 3.00
IMERT MARDIENTS 21.60
**M-Talylloromethylthio-%-cyclohexene-1,2-dicarboximide

Figure 1,2-dicarboxistde 2,2-bis (p-methoxyphenyl)-1,1,1-gright octhan and 0.36% other isomers and related compds.

ഷ്ട്ല OUT OF REACH OF CHILDREN DANGER

Statement of Practical Treatment

IP IN EYES: Flush with plenty of water. Call a physician.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting or give anything by south to an unconscious person. IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention, ? IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 43789-10/ EPA Est. No.

POUNDS NET

Made in U.S.A. by

AGRICULTURAL PRODUCTS CO., GREELEY, CO 80632

43789-10 PM 12

PRODUCT INFORMATION:

Captan Methoxychlor 75-3 WP Seed Protectant is a microfine wettable powder especially formulated for the treatment of seed proir to storage and planting to protect seed from molds and other fungi causing storage loss and to protect seed from seed-borne and spil-borne funci which cause seed decay, damainsoff, and stedling blights. At the recommended dotage Captan Methoxychler 75-3 WP Seed Protectant is noninjurious to seeds or seedlings and the cermination of treated seed is frequently stimulated, giving a superior result as compered to results from untreated seed.

SEED TREATMENT DOSAGE RATES

Oz. per 100 lb.

The Following Table gives the amount of this product to use on various seeds, in OUNCES per HUNDRED POUNDS of seed.

SEED	DOSAGE RATE
Alfalfa, Clover, Lespedeza, Trefoil	7 oz./100 lb.
Beans (snap, dry, cowpees)	
Beets (garden)	
Ceres! Grains (for seed & seedling rots - not for burn	
Barley, rye	
Outs	
Wheet	
Cale Crops	
(Broccoli, Brussels sprouts, Cabbage, Cauliflower) 1% oz./100 lb.
Com	
Field Corn	1% oz./100 lb.
Sweet Carn	
Cotte	
Acid delinted cotton*	
Reginned and Fuzzy cotton	
Crucifiers (Mustard, Radishes, Rape, Turnips)	
Flax	
Grasses	
Milo.	
Muskmeton, Watermelon, Pumpkin, Squash	1% oz /100 lb
Peanuts (unshelled)	6 oz /100 lb
Peas.	2 oz /100 lb
Sorghum (hulf-less)	3% oz /100 fb
Soybeans	
Spinach.	
Sugar Beets, West	
East	
Sunflowers	
Swiss Chard	
	10 02./ 100 10.

SEED TREATMENT: DO NOT USE TREATED SEED FOR FOOD, FEED OR OLL PURPOSES. Treated seed should be labelled in accord with all the applicable requirements of the Federal Seed Act. The Federal Seed Act requires that seed treated with a pesticide must contain a sye which imparts an unnatural color to the seed if the seed is intended to be moved in interstate commerce. Labels attached to treated seed must state, "Treated seed must not be used for food, feed or oil purposes." and "Exposed treated seed may be hazardous to birds and other wildlife. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil away from bodies of water."

CAPTAN-METHOXYCHLOR 75-3 WP

DIRECTIONS FOR USE:

it is a violation of State and Federal Law to use this product in a manner inconsistent with its labeling.

Read all directions before using and use only as specified on this label.

STIR CONTENTS THOROUGHLY INTO WATER BEFORE USE.

For <u>SUMBY TREATMENT</u>, apply in a slurry-type treater specifically designed and approved for that purpose or apply by hand in any suitable mixing equipment, such as home made rotary drums.

Thoroughly mix the recommended amount of this product into the required amount of water for the slurry treater equipment and dilution rate to be used. Clean equipment thoroughly between treating operations.

Only seed of high permination with good vigor should be treated with this product. Poor seed may suffer greater injury. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Store Erested seed in a dry place until planted so that excess moisture will evaporate. If seed is stacked when wet, heat may develop which could impair germination.

<u>Institute</u> - So certain treated seeds are completely dry before sacking or atoring.

STORE ALL TREATED SEED IN A COOL, DRY PLACE.

IMPORTANT: Treated seed must not be used for human consumption nor as animal feed. Bags containing treated seed should be labeled:

TREATED SEED

DO NOT USE FOR FEED, FOOD, OR OIL PURPOSES

STORAGE AND DISPOSAL

Be not contaminate water, food, or food by storage or disposal. Open damping is prohibited.

STORAGE Protect from excessive heat. Store in a cool (temperature below 85°P/23°C), dry, well ventilated area away from flammable materials and sources of heat or flame. Store away from foodstuffs or animal feed in an area designated for pesticides. Exercise due caution to prevent damage to or leakage from the container. Store in original container only. Reep container tightly closed when not in use.

PERTICIDE BIBPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Pager and plastic bags — Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE-READ CAREFULLY

CONDITIONS OF SALE: Selec(s) ofer(s) this product for sale subject to, and buyer and all users are deemed to have accepted, the following conditions of sale and warranty which may only be varied by written agreement of a duty authorized representative of Selec(s)

WARRANTY LIBITATION: Seller(s) warrant(s) that this produce conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use on the label subject to the interest risks referred to below. Seller(s) make(s) no other express warrantees. THERE IS NO IMPLIED WARRAULTON MERCHANTABILITY and there are no warrantees which extend beyond the description on the label harrof.

BRHERENT RISKS: The directions for use of this product are believed to be refiable and should be followed carefully. However, it is impossible to stiminate all risks associated with its use. Buyer assumes all risks associated with use or application of this product contrary to label instructions or resulting from extraordinary weather conditions.

LIMITATION OF LIABILITY: In no case shall Seter(s) be liable for special, indirect, or consequential designs insuling from the use or handing of this product and no claim of any kind shall be greater in amount than the purchase price of the product in respect of which such demands are claimed.

EPA Reg. No. 43789-10 EPA EST. No.

BEST AVAILABLE COPY