

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER

Causes irreversible eye damage. May be fatal if swallowed, inhaled or absorbed through the skin. May cause allergic skin reactions. Do not get in eyes, on skin or clothing. Wear goggles or face shield when handling. Do not breathe dust or vapors. Avoid contact with skin and clothes. Remove and separately launder clothing before reuse.

Wash hands, arms and face thoroughly with soap and water after handling and before eating, drinking, using tobacco products or applying cosmetics. Routinely shower or bathe after working and separately launder work clothes with soap and hot water before reusing. Do not contaminate food and feedstuffs. This product must be applied in a well ventilated area.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds, and other wildlife. Do not apply directly to water or wetlands, lakes, streams, ponds, estuaries or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes.

Exposed treated seed may be hazardous to birds and other wildlife. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil away from bodies of water.

ENDANGERED SPECIES PRECAUTIONS

The use of this product in a manner which may harm endangered species or adversely modify their habitat is prohibited by Federal law. The following endangered species and the general location of their habitats have been identified by county:

- Slackwater Darter, Alabama (Lauderdale, Limestone and Madison)
Tennessee (Lawrence and Wayne)
- Pecos gambusia, New Mexico (Chaves and Eddy)
Texas (Reeves, Jeff Davis and Pecos)
- Freshwater Mussels, Tennessee (Hancock, Claiborne, Hawkins, Sullivan)
Virginia (Smyth, Scott, Lee, Washington, Grayson)
- Comanche Springs Pupfish, Texas (Reeves and Jeff Davis)

Prior to use of this product in the above counties you must determine that these species are not located in, or immediately adjacent to, the areas to be treated with captan. Consult your regional U.S. Fish and Wildlife Service office (Endangered Species Specialist) or State Wildlife Agency if there is any doubt as to the areas where the outdoor use of captan is prohibited.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE PRECAUTION STATEMENTS

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

Mixers/loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

A dust mask must be worn when mixing and loading this product.

CAPTAN SEED TREATER WITH LINDANE

Agricultural Fungicide (Fungicide) - Agricultural Insecticide (Fungicide - Insecticide with Non-oil Lubricant)

| ACTIVE INGREDIENTS | By Wt. |
|--|--------|
| Lindane (Gamma isomer) (Benzene Hexachloride) | 25.00% |
| Captan | 12.22% |
| Related Derivatives | 0.28% |
| INERT INGREDIENTS | 62.50% |
| *N-methylchloromethylcyclohexane-1,2-dicarboximide | |

**KEEP OUT OF REACH OF CHILDREN
DANGER**

Statement of Practical Treatment

- IF IN EYES:** Flush with plenty of water. Call a physician.
- IF SWALLOWED:** Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting or give anything by mouth to an unconscious person.
- IF INHALED:** Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.
- IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 43789-11
EPA Est.

POUNDS NET

Made in U.S.A. by

AGRICULTURAL PRODUCTS CO., GREELEY, CO 80632

CAPTAN SEED TREATER WITH LINDANE is a fungicide especially formulated for seed treatment to help lubricate the planter box and assure smooth operation. **SEED TREATER WITH LINDANE** is formulated against wireworms, seed corn maggot, and certain fungal diseases. For maximum protection at planting time, where a disease problem normally occurs, combine this product with a **CAPTAN 25 PLANTER BOX SEED TREATER**.

DIRECTION

It is a violation of federal law to use it with its labeling.

FOR IMPROVED MIXING OF PRODUCT WITH SEED dust with the seed in any commercial or coated. For **PLANTER BOX** method, fill to half the required amount of product then add the remainder of the seed to required amount of product to the seed.

SEED TREATMENT

| Type Of Seed | Oz. Per 100 Lbs. |
|---|------------------|
| Alfalfa, Clover | 2 oz. |
| Barley | 4 oz. |
| Beans (use with protective fungicide) | |
| Bush, Snap and all others except Lima | 2 oz. |
| Baby Bush Lima | 2 oz. |
| Standard and Fordhook Large Lima | 1 oz. |
| Cabbage, Cauliflower, Broccoli, Brussel Sprouts, Radish | 2 oz. |
| Carrots, Onions | 4 oz. |
| Corn | 8 oz. |
| Cotton | 8 oz. |

SEED TREATMENT: DO NOT USE TREATED seed should be labeled in accordance with the requirements of the Federal Seed Act. seed treated with a pesticide must be natural color to the seed if it is interstate commerce. Labels attached to treated seed must not be used. Exposed treated seed may be hazardous to birds and other wildlife. In the event that treated seed is spilled and cannot be salvaged, completely cover them with soil away from bodies of water. Only seed of high germination value should be treated with this product. Poor seed may suffer from reduced germination if treated. Seed needed for immediate use, minimize storage. Store treated seed in a cool, dry place. Excess moisture will evaporate, develop which could impair germination.

STORE ALL TREATED SEED

BEST AVAILABLE

**CAPTAN SEED TREATER
WITH LINDANE**

IMPORTANT: Treated seed must not be used for human consumption nor as animal feed. Bags containing treated seed should be labeled:

**TREATED SEED
DO NOT USE FOR FEED, FOOD, OR OIL PURPOSES**

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: protect from excessive heat. Store in a cool (temperature below 85°F/29°C), dry, well ventilated area away from flammable materials and sources of heat or flame. Store away from foodstuffs or animal feed in an area designated for pesticides. Exercise due caution to prevent damage to or leakage from the container. Store in original container only. Keep container tightly closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Paper and plastic bags — Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

CONTAINER DISPOSAL: Completely empty container by shaking and tapping sides and bottom to loosen clinging particles, thereby dispensing the entire contents of the can only as directed by the label. Dispose of container in a sanitary landfill or by incineration if allowed by State and local authorities. If burned stay out of smoke.

CONTAINER DISPOSAL: Plastic containers — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE—READ CAREFULLY

CONDITIONS OF SALE: Seller(s) offer(s) this product for sale subject to, and buyer and all users are deemed to have accepted, the following conditions of sale and warranty which may only be varied by written agreement of a duly authorized representative of Seller(s).

WARRANTY LIMITATION: Seller(s) warrant(s) that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use on the label subject to the inherent risks referred to below. Seller(s) make(s) no other express warranties. **THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY** and there are no warranties which extend beyond the description on the label hereof.

INHERENT RISKS: The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks associated with its use. Buyer assumes all risks associated with use or application of the product contrary to label instructions or resulting from extraordinary weather conditions.

LIMITATION OF LIABILITY: In no case shall Seller(s) be liable for special, indirect, or consequential damages resulting from the use or handling of this product and no claim of any kind shall be greater in amount than the purchase price of the product in respect of which such damages are claimed.

EPA REG. NO. 43789-11

EPA Est.

BEST AVAILABLE