

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)**

WARNING

May be fatal if swallowed. May be Absorbed Through Skin. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Causes eye and skin irritation. During exposure in seed treatment and loading operations, wear goggles, clean synthetic rubber gloves, protective clothing. Wash hands, arms, and face thoroughly with soap after handling and before eating or smoking. Routinely shower or bathe after work and wash work clothes with soap and hot water before reusing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame

DIRECTIONS FOR USE:


It is a violation of State and Federal Law to use this product in a manner inconsistent with its labeling. Read all directions before using and use only as specified on this label.

DIRECTIONS: Thoroughly mix the recommended amount of this product into the required amount of water for the slurry treater equipment and dilution rate to be used. Clean equipment thoroughly between treating operations. Store all treated seed in a cool dry place.

IMPORTANT: Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Seed commercially treated with this product must be labeled in accord with all applicable requirements of the Federal Seed Act. Labels attached to treated seed must state "Treated seed must not be used for or mixed with food or animal feed, or processed for oil," and "Exposed treated seed may be hazardous to birds and other wildlife. Dispose of all excess treated seed and seed packaging by burial away from bodies of water."

PRODUCT INFORMATION:

LINDANE 25 EC SEED TREATER is a Xylene base agricultural insecticide especially for the treatment of seeds against wireworms, seed corn maggots, and certain other soil-borne insects. It is designed for wet application through slurry treaters.



CERES

AUG 10 1981

U.S. Federal Insecticide, Fungicide, and Rodenticide Act, registered under the pesticide label No. 100-100000

LINDANE 25 EC SEED TREATER

Agricultural Insecticide — Emulsifiable Concentrate

ACTIVE INGREDIENTS:	BY WT.
LINDANE (Gamma Isomer of Benzene Hexachloride)	25.0%
XYLENE	70.1%
INERT INGREDIENTS:	4.9%
	100.0%

KEEP OUT OF THE REACH OF CHILDREN

WARNING

Statement of Practical Treatment

If swallowed — Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Remove victim to fresh air. Apply respiration if indicated.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes with plenty of water. Call a Physician immediately.

See side panel for additional precautionary statements

STORE IN A COOL, DRY PLACE.

SHAKE WELL BEFORE USING.

NET

Made in U.S.A. by

AGRICULTURAL PRODUCTS COMPANY, Ft. Worth, TX 76112

SEE

TYPE

- Aitana Clover
- Barley
- Beans
- Bush Snap and
- Baby Bush Lima
- Standard and F
- Cabbage, Cauliflowe
- Brusset Sprouts
- Cantaloupe, Cucu
- Pumpkin
- Carrots, Onions
- Corn
- Cotton
- Acid Derrited
- Machine Derrite
- Fuzzy Underint
- Flax
- Grass (Safflower, F
- Lentils
- Milo, Sorghum, O
- Lettuce
- Oats
- Peas
- Soybean
- Sprach, Sunflower
- Wheat


ONLY SEED OF HIGH GR...
greater injury. It is...
storage...
at all parts...
ing was determined

IF SOIL TEMPERATURE...
reduce...
protective...
insecticide

1. PROHIBITIONS
2. PESTICIDE DISPOS
3. CONTAINER DISPO
4. GENERAL
5. STORAGE

CONDITIONS OF SA...
WARRANTY LIMITA...
OF MERCHANTABILITY...
INHERENT RISKS...
LIMITATION OF LIAB...

EPA Reg. N...
EPA Est. 40...



CERIAL

AUG 10 1981

Federal Insecticide, Fungicide, and Rodenticide Act
Registered for this pesticide under No. _____

LINDANE 25 EC SEED TREATER

Agricultural Insecticide **Emulsifiable Concentrate**

ACTIVE INGREDIENTS:	BY WT.
LINDANE (Gamma Isomer of Benzene Hexachloride)	25.0%
XYLENE	70.1%
INERT INGREDIENTS:	4.9%
	100.0%

KEEP OUT OF THE REACH OF CHILDREN

WARNING

Statement of Practical Treatment

If swallowed — Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Remove victim to fresh air. Apply respiration if indicated.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes with plenty of water. Call a Physician immediately.

See side panel for additional precautionary statements

STORE IN A COOL, DRY PLACE.
SHAKE WELL BEFORE USING.

NET
Made in U.S.A. by

AGRICULTURAL PRODUCTS COMPANY, Ft. Worth, TX 76112

SEED TREATMENT DOSAGE RATES

TYPE OF SEED	OUNCES PER 100 POUNDS
Alfalfa Clover	20 fl. oz.
Barley	32 fl. oz.
Beans	
Bush Snap and all others except Limas	20 fl. oz.
Baby Bush Limas	20 fl. oz.
Standard and Forchook Large Limas	10 fl. oz.
Cabbage Cauliflower Broccoli	
Brussel Sprouts Radish	20 fl. oz.
Cantaloupe Cucumber Watermelon Squash	
Pumpkin	40 fl. oz.
Carrots Onions	40 fl. oz.
Corn	40 fl. oz.
Cotton	
Acid Deltinted	64 fl. oz.
Machine Deltinted	64 fl. oz.
Fuzzy, Undeltinted	72 fl. oz.
Flax	20 fl. oz.
Grass (Safflower, Rye, Sudan)	16 fl. oz.
Lentils	32 fl. oz.
Milo Sorghum, Okra	40 fl. oz.
Lettuce	40 fl. oz.
Oats	16 fl. oz.
Peas	32 fl. oz.
Soybean	20 fl. oz.
Spinach, Sunflower	40 fl. oz.
Wheat	10-20 fl. oz.

ONLY SEED OF HIGH GERMINATION with good vigor should be treated with Lindane. Poor seed may suffer greater injury. It is suggested that seed be treated not over six weeks before planting. What effect prolonged storage has on germination has not been definitely established. Treated seed should be stored in a dry place until sown so that excess moisture may evaporate. If seed is stacked when wet, heat may develop which impairs germination.

IF SOIL TEMPERATURE IS EXTREMELY HIGH (such as in weather midsummer planting, or other reasons) reduce the amount needed during application. When soil decay organisms and soil organisms combine with a protective fungicide.

STORAGE AND DISPOSAL

1. **PROHIBITIONS.** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
2. **PESTICIDE DISPOSAL.** Pesticide spray mixture or residue that cannot be used according to label instructions must be disposed of according to Federal, State, or Local procedures under the Resource Conservation and Recovery Act.
3. **CONTAINER DISPOSAL.** Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose in a sanitary landfill or by other approved State and local procedures.
4. **GENERAL.** Consult Federal, State, or Local Disposal Authorities for approved alternative procedures.
5. **STORAGE.** Store in a cool, dry place.

NOTICE—READ CAREFULLY

CONDITIONS OF SALE. Seller offers this product for sale subject to, and buyer and all users are deemed to have accepted, the following conditions of sale and warranty which may only be varied by written agreement of a duly authorized representative of Seller.

WARRANTY LIMITATION. Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use on the label subject to the inherent risks referred to below. Seller makes no other express warranties. **THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY** and there are no warranties which extend beyond the description on the label hereof.

INHERENT RISKS. The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks associated with its use. Buyer assumes all risks associated with use or application of this product contrary to label instructions or resulting from extraordinary weather conditions.

LIMITATION OF LIABILITY. In no case shall Seller be liable for special, indirect, or consequential damages resulting from the use or handling of this product and recovery of any kind shall be greater in amount than the purchase price of the product in respect of which such damages are claimed.

EPA Reg No 43789-14
EPA Est 43789-TX-01