

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)**

CAUTION

IN CASE OF EYE CONTACT: Immediately flush eyes with running water for at least 15 minutes. Call a physician.

IN CASE OF SKIN CONTACT: Wash the affected areas with soap and warm water.

Causes eye and skin irritation. Harmful if swallowed, inhaled, or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash with soap and water after handling. Avoid inhaling of spray mist. Do not use or store near food or feed.

During commercial exposure in seed treatment and loading operations, wear goggles, clean synthetic rubber gloves, protective clothing, and a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provision of 30 CFR part 11.

Wash hands, arms, and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work and wash all clothing with soap and hot water before reusing.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Bury wastes and empty containers in isolated area away from water supplies.

DIRECTIONS FOR USE:

It is a violation of State and Federal Law to use this product in a manner inconsistent with its labeling.

Read all directions before using and use only as specified on this label.

DIRECTIONS: Thoroughly mix the recommended amount of **Captan-Methoxychlor 300-20 DD** into the required amount of water for the slurry treater equipment and dilution rate to be used. Clean equipment thoroughly between treating operations.

IMPORTANT: Treated seed must not be used for human consumption nor as animal feed. Bags containing treated seed should be labeled:


TREATED SEED

DO NOT USE FOR FEED, FOOD, OR OIL PURPOSES

THE Federal Government and some states have issued regulations for the application of special tags or labels to be affixed to bags containing treated seed. Dispose of excess treated seed by burial.

PRODUCT INFORMATION:

Captan-Methoxychlor 300-20 DD is a liquid suspension especially formulated for the treatment of seed prior to storage and planting to protect seed from molds and other fungi causing storage loss and to protect seed from seed-borne and soil-borne fungi which cause seed decay, damping-off, and seedling blights. Also for protection of stored seed against Cadelle, confused flour beetle, flat grain beetle, granary weevil, lesser grain borer, red flour beetle, rice weevil, and saw-toothed beetle. At the recommended dosage **Captan-Methoxychlor 300-20 DD** is non-injurious to seeds or seedlings and the germination of treated seed is frequently stimulated, giving a superior result as compared to results from untreated seed. This product contains **DOUBLE DYE** as compared with **Captan-Methoxychlor 300-20 Flowable Seed Protectant** for applications where an extra-bright red seed coloring is desired.



**CAPTAN-METHOXYCHLOR
300-20 DD
Flowable Seed Protectant**

Agricultural Fungicide — Liquid Suspension

ACTIVE INGREDIENTS:	BY WT.
CAPTAN: M-[(Trichloromethyl)thio]-4-Cyclonexene-1,2-dicarboximide	28.5%
Related Derivatives	1.5%
METHOXYCHLOR, Technical*	2.0%
INERT INGREDIENTS	68.0%
	100.0%

*Equivalent to 1.76% of 2,2-bis(4-methoxyphenyl)-1,1,1-trichloroethane and 0.24% other isomers and related compounds.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes for at least 15 minutes with water. Call a Physician.

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomit fluid is clear. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person. See side panel for additional precautionary statements.

**STORE IN A COOL, DRY PLACE.
STIR THOROUGHLY TO MIX CONTENTS
BEFORE USING.**

5 GAL. NET 20
Made in U.S.A. by

AGRICULTURAL PRODUCTS COMPANY, Ft. Worth, TX 76112

The Following seeds in QUANTITY

- Alfalfa, Clover, Les
- Beans (snap dry)
- Beets (garden)
- Cereal Grains (for)
- Barley, rye
- Oats
- Wheat
- Cole Crops (Brocc)
- Corn
- Field Corn
- Sweet Corn
- Cotton
- Acid delinted co
- Reginned and F
- Crucifers (Mustar
- Flax
- Grasses
- Milo
- Muskmelon, Water
- Peanuts (unshelle
- Peas
- Rice
- Sorghum (hull-le
- Soybeans
- Spinach
- Sugar Beets, Wes
- East
- Sunflowers
- Swiss Chard
- Tomato, Cucumbe

1. PROHIBITIONS
2. Do not use
3. PESTICIDE DIS
4. CONTAINER D
5. GENERAL: Con

CONDITIONS OF
have accepted the
authorized represen
WARRANTY LIM
and is reasonably in
to below Seller's
MERCHANTABN
INHERENT RISK
However, it is impo
LIMITATION OF
resulting from the
price of the product

EPA Reg. No.
EPA Est. 4378



CAPTAN-METHOXYCHLOR 300-20 DD Flowable Seed Protectant

Agricultural Fungicide — Liquid Suspension

ACTIVE INGREDIENTS:	BY WT.
CAPTAN: N-[(Trichloromethyl)thio]-4-Cyclohexene-1,2-dicarboximide	28.5%
Related Derivatives	1.5%
METHOXYCHLOR, Technical*	2.0%
INERT INGREDIENTS	68.0%
	100.0%

*Equivalent to 1.76% of 2,2-bis(4-methoxyphenyl)-1,1,1-trichloroethane and 0.24% other isomers and related compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes for at least 15 minutes with water. Call a Physician.

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomit fluid is clear. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

See side panel for additional precautionary statements

**STORE IN A COOL, DRY PLACE.
STIR THOROUGHLY TO MIX CONTENTS
BEFORE USING.**

5 GAL. NET 20
Made in U.S.A. by

AGRICULTURAL PRODUCTS COMPANY, FL Worth, TX 76112

SEED TREATMENT DOSAGE RATES

Oz per 100 lb

The Following Table gives the amounts of this product to use on various seeds in **OUNCES** per **HUNDRED POUNDS** of seed

SEED	DOSAGE RATE
Alfalfa, Clover, Lespedeza, Trefol	7 fl oz / 100 lb
Beans (snap, dry, cowpeas)	2 1/2 fl oz / 100 lb
Beets (garden)	10 fl oz / 100 lb
Cereal Grains (for seed & seedling rots — not for bunt smut)	
Barley, rye	2 fl oz / 100 lb
Oats	2 1/2 fl oz / 100 lb
Wheat	1 1/2 fl oz / 100 lb
Cole Crops (Broccoli, Brussels sprouts, Cabbage, Cauliflower)	1 1/2 fl oz / 100 lb
Corn	
Field Corn	1 1/2 fl oz / 100 lb
Sweet Corn	3 1/2 fl oz / 100 lb
Cotton	
Acid delinted cotton	2 1/2 fl oz / 100 lb
Reginned and fuzzy cotton	3 1/2 fl oz / 100 lb
Crucifers (Mustard, Radishes, Rape, Turnips)	1 1/2 fl oz / 100 lb
Flax	2 1/2 fl oz / 100 lb
Grasses	6 1/2 fl oz / 100 lb
Milo	5 fl oz / 100 lb
Muskmelon, Watermelon, Pumpkin, Squash	3 1/2 fl oz / 100 lb
Peanuts (unshelled)	6 fl oz / 100 lb
Peas	2 1/2 fl oz / 100 lb
Rice	3 fl oz / 100 lb
Sorghum (hull-less)	2 1/2 fl oz / 100 lb
Soybeans	2 fl oz / 100 lb
Spinach	5 fl oz / 100 lb
Sugar Beets, West East	2 fl oz / 100 lb
Sunflowers	2 fl oz / 100 lb
Swiss Chard	2 fl oz / 100 lb
Tomato, Cucumbers, Cantaloupe	2 fl oz / 100 lb

43789-17
NOV 21 1980
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the Pesticide Act, registered under the FIFRA Act.

STORAGE AND DISPOSAL:

- PROHIBITIONS:** Do not contaminate water, food, feed, or storage or disposal containers. Do not reuse empty container.
- PESTICIDE DISPOSAL:** Pesticide sprays, mixtures, or residues should not be used on other crops. Residues should be disposed of in a manner approved for pesticides by local, state, or federal authorities.
- CONTAINER DISPOSAL:** Triple rinse container and dispose in an incinerator or other approved for pesticide containers or burn in a safe place.
- GENERAL:** Consult Federal, State or local pesticide authorities for approved alternative procedures, such as, limited open burning.

NOTICE — READ CAREFULLY

CONDITIONS OF SALE: Seller(s) offer(s) this product for sale subject to and buyer and all users are deemed to have accepted the following conditions of sale and warranty which may only be varied by written agreement of a duly authorized representative of Seller(s).

WARRANTY LIMITATION: Seller(s) warrant(s) that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use on the label subject to the inherent risks referred to below. Seller(s) make(s) no other express warranties. **THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY** and there are no warranties which extend beyond the description on the label hereof.

INHERENT RISKS: The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks associated with its use. Buyer assumes all risks associated with use or application of this product contrary to label instructions or resulting from extraordinary weather conditions.

LIMITATION OF LIABILITY: In no case shall Seller(s) be liable for special, indirect, or consequential damages resulting from the use or handling of this product and no claim of any kind shall be greater in amount than the purchase price of the product in respect of which such damages are claimed.

EPA Reg. No. 43789-17
EPA Est. 43789-TX-1