

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse.

Wash hands, arms and face thoroughly with soap and water after handling and before eating, drinking, using tobacco products or applying cosmetics. Routinely shower or bathe after working. Do not contaminate food and feedstuffs. This product must be applied in a well ventilated area.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish. Keep out of any body of water, lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Exposed treated seed may be hazardous to birds and other wildlife. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil away from bodies of water.

ENDANGERED SPECIES PRECAUTIONS

The use of this product in a manner which may harm endangered species or adversely modify their habitat is prohibited by Federal law. The following endangered species and the general location of their habitats have been identified by county:

Blackwater Cooter,	Alabama (Lauderdale, Limestone and Madison)
	Tennessee (Lawrence and Wayne)
Pecos gambusia,	New Mexico (Chaves and Eddy)
	Texas (Reeves, Jeff Davis and Pecos)
Freshwater Mussels,	Tennessee (Hancock, Claiborne, Hawkins, Sullivan)
	Virginia (Smyth, Scott, Lee, Washington, Wayson)
Comanche Springs Pupfish,	Texas (Reeves and Jeff Davis)

Prior to use of this product in the above counties you must determine that these species are not located in, or immediately adjacent to, the areas to be treated with captan. Consult your regional U.S. Fish and Wildlife Service office (Endangered Species Specialist) or State Wildlife Agency if there is any doubt as to the areas where the outdoor use of captan is prohibited.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


USE PRECAUTION STATEMENTS

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

Mixers/loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

RECEIVED
 U.S. SEP 30 1987
 U.S. Fish and Wildlife Service
 Washington, D.C.



**CAPTAN-METHOXYCHLOR
300-20 DD**

**Flowable Seed Protectant
Agricultural Fungicide — Liquid Suspension**

ACTIVE INGREDIENTS	By Wt.
•Captan	29.33%
•Related Derivatives	0.67%
Methoxychlor, Technical**	2.00%
INERT INGREDIENTS	68.00%
**N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide	
**Equivalent to 1.76% of 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 0.24% other isomers and related comds.	

**KEEP OUT OF REACH OF CHILDREN
DANGER**

Statement of Practical Treatment

IF IN EYES: Flush with plenty of water. Call a physician.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 43789-17
EPA EST.

5 GAL. NET

Manufactured for:

AGRICULTURAL PRODUCTS CO., GREELEY, CO 80632

43789-17

PRODUCT INFORMATION: Pm 12 1982

Captan-Methoxychlor 300-20 DD is a liquid suspension especially formulated for the treatment of seed prior to storage and planting to protect seed from molds and other fungi causing storage loss and to protect seed from seed-borne and soil-borne fungi which cause seed decay, damping-off, and seedling blights. Also for protection of stored seed against Cadelle, confused flour beetle, flat grain beetle, granary weevil, lesser grain borer, red flour beetle, rice weevil, and saw-toothed beetle. At the recommended dosage Captan-Methoxychlor 300-20 DD is non-injurious to seeds or seedlings and the germination of treated seed is frequently stimulated, giving a superior result as compared to results from untreated seed. This product contains DOUBLE DYE as compared with Captan-Methoxychlor 300-20 Flowable Seed Protectant for applications where an extra-bright red seed coloring is desired.

SEED TREATMENT DOSAGE RATES
Oz. per 100 lb.

The Following Table gives the amounts of this product to use on various seeds, in OUNCES per HUNDRED POUNDS of seed.

SEED	DOSAGE RATE
Alfalfa, Clover, Lespedeza, Trifol	7 fl. oz./100 lb.
Beans (snap, dry, cowpeas)	2 1/2 fl. oz./100 lb.
Beets (garden)	10 fl. oz./100 lb.
Cereal Grains (for seed & seedling rots - not for bunt smd)	
Barley, rye	2 fl. oz./100 lb.
Oats	2 1/2 fl. oz./100 lb.
Wheat	1 1/2 fl. oz./100 lb.
Cole Crops (Broccoli, Brussels sprouts, Cabbage, Cauliflower)	1 1/2 fl. oz./100 lb.
Corn	
Field Corn	1 1/2 fl. oz./100 lb.
Sweet Corn	3 1/2 fl. oz./100 lb.
Cotton	
Acid delinted cotton	2 1/2 fl. oz./100 lb.
Reginned and Fuzzy cotton	3 1/2 fl. oz./100 lb.
Crucifers (Mustard, Radishes, Rape, Turnips)	1 1/2 fl. oz./100 lb.
Flax	3 1/2 fl. oz./100 lb.
Grasses	6 1/2 fl. oz./100 lb.
Milo	5 fl. oz./100 lb.
Muskmelon, Watermelon, Pumpkin, Squash	1 1/2 fl. oz./100 lb.
Peanuts (unshelled)	6 fl. oz./100 lb.
Peas	2 1/2 fl. oz./100 lb.
Sorghum (hull-less)	3 1/2 fl. oz./100 lb.
Soybeans	2 fl. oz./100 lb.
Spinach	5 fl. oz./100 lb.
Sugar Beets, West	5 fl. oz./100 lb.
East	10 fl. oz./100 lb.
Sunflowers	3 fl. oz./100 lb.
Swiss Chard	10 fl. oz./100 lb.
Tomato, Cucumbers, Cantaloupe	2 1/2 fl. oz./100 lb.

SEED TREATMENT: DO NOT USE TREATED SEED FOR FOOD, FEED OR OIL PURPOSES. Treated seed should be labelled in accord with all the applicable requirements of the Federal Seed Act. The Federal Seed Act requires that seed treated with a pesticide must contain a dye which imparts an unnatural color to the seed if the seed is intended to be moved in interstate commerce. Labels attached to treated seed must state, "Treated seed must not be used for food, feed or oil purposes." and "Exposed treated seed may be hazardous to birds and other wildlife. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil away from bodies of water."

BEST AVAILABLE COPY

