PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

WARNING

May be tatal if swallowed. May be absorbed through skin. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Causes eye and skin irritation. Wash hands, arms, and face thoroughly with soap after handling and before eating or smoking. Routing to shower or bathe after working and wash all clothing with soap and the contemporary before reusing. Avoid contamination of feed and foodstuffs.

During exposure in seed treatment and loading operations, wear goggles, clean synthetic rubber gloves, protective clothing, and a posticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR part II.

17 ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds, and other wildlife. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water.

DIRECTIONS FOR USE:

It is a violation of State and Federal Law to use this product in a manner inconsistent with its labeling. Read all directions before using and use only as specified on this label.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. MEASURING SCOOP IS ENCLOSED. One level scoop holds approximately one ounce.

ype of Seed		Junces	per	Bushel
Barley		٠		. 2 oz.
Corn			. .	. 3 oz.
Flax				. 4 oz.
Oats	· · · · · · · · · · · · · · · · · · ·	- · · · · ·		. 2 oz
Rye				. 2 oz.
Soybeans .		<i>.</i>		. 3 oz.
Sunflower-				. 3 oz.

FOR IMPROVED MIXIN'G OF PRODUCT WITH SEED, it is recommended that the seed be premixed in a suitable container with the product, then transferred to the planter box. Similar results may be obtained by filling the planter box half full of seed, then adding half the required amount of product, followed by thorough mixing with a stick and finally, the second half of seed and product, repeating the mixing.

IF SOIL TEMPERATURE IS EXTREMELY HIGH (hot weather, midsummer planting, or other reasons) reduce recommended dosage by one-third. Avoid lengthy storage of treated seed to privent loss of Lindane.



MANEB - LINDANE PLANTER BOX SEED TREATER

Agricultural

Agricultural

Fungicide (Funo:

Inserticide

ACTIVE INGREDIENT: 43 789-19
Maneb (manganese ethylene bisdithiocalpathato) 1981...

50.00%

(Metallic manganese equivalent -- 10.31%)
Lindane: Gamma Isomer of Benzene Mexaghiorida

18.75%

INERT INGREDIENTS:

3<u>1.25%</u> 00.00%

KEEP OUT OF THE REACH OF CHILDREN WARNING

If swallowed — Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled — Remove victim to fresh air. Apply respiration if indicated.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes for at least 15 minutes with water.

Call a physician if irritation persists.

See side panel for additional precautionary statements.

STORE IN A COOL, DRY PLACE.

POUNDS NET

Made in U.S.A. by

GRICULTURAL PRODUCTS COMPANY FE Worth, TX 761

idANEB – tural insect time. This smcoth, ev for protectic insects as v smuls, cove

> 1. PRO age d

2. PEST that of posed place 3. CONT

pose ers n 4. GEN

thoritic open to condition

subject to, the follows varied by v Seller(s). WARRAN conforms to fit for the pu subject to the other expre OF MERC tend beyon INHERENT lieved to be is impossible sumes all r contrary to ther condition LIMITATION special, indi or handling (in sinount in such damag

EPA Reg.



MANEB - LINDANE PLANTER BOX SEED TREATER

Agricultural Fungicide

reathe

n irrita-

ng and

d wash ation of

oggles,

on (for-

)ccupa-

ectiv to

equip-

s label."

'e. Dis-

a manner

ra and use

ed, or pro-

minimizing

ss treated

. One level

oer Bushel

.. 2 02.

. . . 3 oz.

.. 4 02

.. 207

.. 2 oz.

. 3 oz.

.. 2 oz.

s recom-

with the

may be

ang with

epeating

hot wea-

me**nded**: d **to p**r

idi**ng haif**

Agricultural

ACTIVE INGREDIENT: 43 789-19 BY WI

Lindane: Gamma Isomer of Benzene Hexachlorida (

21 250

INERT INGREDIENTS:

00.00°a

WARNING

43741

If swallowed — Drink one or two glasses of water and induce vorniting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscipus person.

If Inhaled — Remove victim to fresh air. Apply respiration if indicated.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes for at least 15 minutes with water.

Call a physician if irritation persists.

See side panel for additional precautionary statements.

STORE IN A COOL, DRY PLACE.

POUNDS NET

Made in U.S.A by

AGRICULTURAL PRODUCTS COMPANY FE Worth TX 76112

PRODUCT INFORMATION

MANES: - LINDANE PLANTER BOX SEED TREATER is a dust base agricultural insecticide and fungicide especially formulated for seed treatment at planting time. This product is formulated to help lubricate the planter box and assure a smooth, even flow to the furrow. It is formulated for use in the treatment of seeds for protection against wireworms, seed corn maggots, and certain other soil-borne insects as well as providing protection against stinking smut (bunt) of wheat, oat smuts, covered and false loose smuts of barley, and seed decay.

STORAGE AND DISPOSAL

- t. PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.
- PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies
- CONTAINER DISPOSAL: Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place;
- GENERAL: Consult Federal, State, or Local Disposal Authorities for approved alternative procedures such as limited open burning

NOTICE -- READ CAREFULLY

conditions of sale: Setians) offer(s) this product for sale subject to, and buyer and all users are deemed to have accepted, the following conditions of sale and warranty which may only be varied by written agreement of a duly authorized representative of Seller(s).

WARRANTY LIMITATION: Seller(s) warrant(s) that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use on the label subject to the inherent risks referred to below. Seller(s) make(s) no other express warranties. THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY and there are no warranties which extend beyond the description on the label hereof.

INHERENT RISKS: The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks associated with its use. Buyer assumes all risks associated with use or application of this product contrary to label instructions or resulting from extraordinary weather conditions.

LIMITATION OF LIABILITY: In no case shall Seller(s) be liable for special, indirect, or consequential damages resulting from the use or handling of this product and no claim of any kind shall be greater in amount than the purchase price of the product in respect of which such damages are claimed.

EPA Reg: No. 43789-19 EPA Est. 43789-TX-1

007 27