PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

CAUTION

Causes eye and skin irritation. Harmful if swallowed, inhaled, or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash with soap and water after handling. Avoid inhaling of spray mist. Do not use or store near food or feed.

During commercial exposure in seed treatment and loading operations wear goggles, clean synthetic rubber gloves, protective clothing, and a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U. S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR part II.

Wash hands, arms, and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work and wash all clothing with soap and hot water before reusing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water.

DIRECTIONS FOR USE

It is a violation of State and Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

- PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.
- PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
- CONTAINER DISPOSAL: Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.
- GENERAL: Consult Federal, State, or Local Disposal Authorities for approved alternative procedures such as limited open burning.
- 5. STORAGE: Store in a cool, dry place.

ACCEPTED

APR 8 1981

in the Federal Insecticide.

in the and Ecdonticide Pet.

for the pestic to

127 2 43757-28

THIRAM 50WP UNDYED

ACTIVE INGREDIENT:		BY WT.
Thiram (Tetramethylthiuram disulfide)		. 50.0%
INERT INGREDIENTS:		50.0%
	'	100 0%

KEEPOUT OF REACH OF CHILDREN CAUTION

IF IN EYES: Immediately flush eyes with running water for at least 15 minutes. Call a Physician.

IF ON SKIN: Wash the affected area with soap and warm water. IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomitfluid is clear. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

See side panel for additional precautionary statements.

Mfg. by Agricultural Products Co. Ft. Worth, Texas 76112

EPA Est. 43789-TX-1 EPA Reg. No. 43789-28

Net Contents: _____Pounds

36

MENTS NS ALS)

wed, inhaled, or abor on clothing. Wear handling. Wash with f spray mist. Do not

t and loading operaes, protective clotho by the Mining Enihe U. S. Bureau of pational Safety and

oap and water after nely shower or bathe k it water before reus-

RD\$

L o not apply directly to by cleaning of equipspecified on this label. and other wildlife. Disodies of water.

nis **product in a manne**r

food or feed by stor-. Do not reuse empty

mixture or rinsate ssed should be dises **or buried in a s**afe

equivalent) and disfor pesticide contain-

Local Disposal Au-

ACCEPTED

APR 8 **1981**

at the Rederal Inspeticide. e i.i lo. and Ecdanicide Act, 43759-25

THIRAM 50WP UNDYED

	BY WT.
Thram (Tetramethy)thiuram dsulf de)	
INERT INGREDIENTS:	50.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

IF IN EYES: Immediately flush eyes with running water for at least 15 minutes. Call a Physician.

IF ON SKIN: Wash the affected area with soap and warm water.

IF INHALED: Remove victim to fresh air. If not breathing, give artifi-

cial respiration, preferably mouth-to-mouth.

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomit fluid is clear. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

See side panel for additional precautionary statements.

Mig. by Agricultural Products Co. Ft. Worth, Texas 76112

EPA Est. 43789-TX-1 EPA Reg. No. 43789-28

()

Net Contents: .Pounds

GENERAL INFORMATION

This providt is recommended for the treatment of listed seeds and bulbs and, when used as directed, will usually increase stands and yields by reducing loss from seed decay, damping-uff, ago seeding blights. It also will usually control the loose and covered kernel smuts of corghum and will usually prevent basal rot and decay of gladiolus bufbs.

DIRECTIONS FOR USE

This product may be applied as a dry treatment or may be mixed into the required amount * 61 wate: to form a slurry treatment.

(Rolary Drym of Small Container) - Fill unit not more than 1/2 full; add correct amount of hiram-proteite slawly until product is evenly distributed on all seed.

(Planter or Drull Box) - Place 1/2 the total amount of seed and Thiram in box & mix with paddle or stick. Addremaining 1/2 of seed and Thiram and stir as specified above.

Treat peanuts promptly after shelling. Other seeds may be treated anytime after being well-

Gladiolus Buibs - Treat after drying by thoroughly coating buibs with Thiram by shaking in a paper bag or similar device.

IMPORTANT:

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Seed commercially treated with this product must be labeled in accord with all applicable requirements of the Federal Seed Act. Labels attached to treated seed must state "Treated seed must not be used for or mixed with food or animal feed, or processed for oit." and "Exposed treated seed may be hazardous to birds and other wildlife. Dispose of all excess treated seed and seed packaging by burial away from bodies of water."

NOTE TO USER:

The purchaser of this product is responsible for insuring that all seed treated with this product are adequately dyed with a suitable color to prevent its accidental use as food for man or feed for ar mais. Refer to 21 CFR Part 2.25. Any dye added to treated seed must be cleared for use under 40 CFR Part 180-1001.

SEED TREATMENT DOSAGE RATES Type of Seed Ounces per 100 pounds
Barley 441
Beans (Snap & Eny) 20
Boans (Lena) 30
Beets (Garden & Sugar) 80
Cantaloupe, Cucumber, Pumpkin, Squash, Waterneton 45
Castor Beans 45
Com (Field & Swed) 30
Cotton 30
Cotton 45
Corpeas Legunes (Smail seeded)

Broccoli, Brusset Sprouts, Carrets, Cabbage, Ca. James, Colards, Endire, Kale, Kohlrabi, Lettuce, Mustard, Peppers, Radish, Spinach, Swiss Chard, Tump

NOTICE - READ CAREFULLY

CONSTROYS OF SALE. Selects lofe (i) he product businesses on a return of ARTHER FOR the control of the control Deponding description on the label hereof.

BREART REAR The directions by use of this production the inventible reliable reachistic difference death in the control of the such damages are Carned