

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)
CAUTION**

May cause irritation of nose, throat, eyes, and skin. Do not breathe spray mist. During exposure to seed treatment and loading operations, wear goggles, clean synthetic rubber gloves, protective clothing.

Wash hands, arms, and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work and wash all clothing with soap and hot water before reusing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and wildlife. Do not apply directly to lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Exposed treated seeds may be hazardous to birds and other wildlife.


DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

- 1. PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
- 2. PESTICIDE DISPOSAL:** Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State, or Local procedures under the Resource Conservation and Recovery Act.
- 3. CONTAINER DISPOSAL:** Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary landfill or by incineration if permitted by State and Local Authorities.
- 4. STORAGE:** Store in a cool place, but not below 32 F. Do not allow to become overheated in storage. Heat may bring on chemical changes which will impair the effectiveness of this product. Keep container tightly closed when not in use.

AUG 17 1981



**MAN-Z 300 DYED FLOWABLE
SEED PROTECTANT**

ACTIVE INGREDIENTS:

Active ingredient: 30.0%	
Inert ingredients: 70.0%	
TOTAL	100.0 %

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Statement of Practical Treatment

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomit fluid is clear. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN: Wash the affected area with soap and warm water.

IF IN EYES: Immediately flush eyes with running water for at least 15 minutes. Call a Physician.

See side panel for additional precautionary statements.

Store in a cool place, but not below 32 F. Do not allow to become overheated in storage. Excess heat may damage this product.

Mfg. by Agricultural Products Co.
Ft. Worth, Texas 76112

EPA Est. 43789-TX-01
EPA Reg. No. 43789-49

GAL. NET

MAN-Z 300 DYED FLOWABLE
formulated for ease of use as directed. It protects against damping-off, Achlya in rice seed, Pyricularia in rice seed, foliar rust disease in sorghum, smuts of barley, and seed

Read all directions and recommended amount of treater equipment and between treating operations. Do not mix with food or animal feed. This product must be labeled under the Federal Seed Act. Labels are to be used for or mixed with treated seed may be hazardous to seed and seed p

SEED TREATMENT

SEED
Barley
Corn (Feed)
Cotton, Acid delinted
Cotton, Fuzzy
Flax
Oats
Rice
Rye
Safflower
Sorghum
Tomatoes
Wheat

*Apply to well cured rice be completely and uniformly

Use lower rates shown coverage of seed and when weather conditions may not consistently pro

CONDITIONS OF SALE: Seller to have accepted the following of this product and represents a **WARRANTY LIMITATION:** The seller does not warrant the effectiveness of this product. **OF MERCHANTABILITY:** The seller does not warrant the effectiveness of this product. **INHERENT RISKS:** The seller does not warrant the effectiveness of this product. **LIMITATION OF LIABILITY:** The seller does not warrant the effectiveness of this product.



MAN-Z 300 DYED FLOWABLE SEED PROTECTANT

ACTIVE INGREDIENTS:

Azoxystrobin (100% active) and manganese ethylenebis(dithiocarbamate) 30.0%

Inert ingredients 70.0%

MAN-Z 300 DYED FLOWABLE SEED PROTECTANT 100.0%

INERT INGREDIENTS 70.0%

100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

Statement of Practical Treatment

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomit fluid is clear. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN: Wash the affected area with soap and warm water.

IF IN EYES: Immediately flush eyes with running water for at least 15 minutes. Call a Physician.

See side panel for additional precautionary statements.

Store in a cool place, but not below 32° F. Do not allow to become overheated in storage. Excess heat may damage this product.

Mfg. by Agricultural Products Co.
Ft. Worth, Texas 76112

EPA Est. 43789-TX-01
EPA Reg. No. 43789-49

GAL. NET



GENERAL INFORMATION

MAN-Z 300 DYED FLOWABLE SEED PROTECTANT is a flowable concentrate formulated for ease of application and exceptional binding to listed seeds. When used as directed, it provides protection against seed-borne and soil-borne fungi which cause damping-off and seedling blights. This product aids in control of Achlya in rice seed, Puccinia carthami Cda which causes foot and root disease and foliage rust disease in safflower, as well as stinking smut (bunt) of wheat, covered smuts of barley, and seed decay.

DIRECTIONS

Read all directions and use only as specified on this label. Thoroughly mix the recommended amount of this product into the required amount of water for the slurry treater equipment and dilution rate to be used. Clean equipment thoroughly between treating operations. **IMPORTANT:** Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Seed commercially treated with this product must be labeled in accord with all applicable requirements of the Federal Seed Act. Labels attached to treated seed must state "Treated seed must not be used for or mixed with food or animal feed, or processed for oil." and "Exposed treated seed may be hazardous to birds and other wildlife. Dispose of all excess treated seed and seed packaging by burial away from bodies of water."

SEED TREATMENT DOSAGE RATES

SEED	DOSAGE RATES 100 LBS.
Barley	5.2 fl oz
Corn (Feed)	5.2 fl oz
Cotton, Acid delinted	5.9 fl oz
Cotton, Fuzzy	11.8 fl oz
Flax	7.1 fl oz
Oats	7.8 fl oz
Rice*	3.9-7.8 fl oz
Rye	4.7 fl oz
Safflower	4.0 fl oz
Sorghum	5.9 fl oz
Tomatoes	15.8 fl oz
Wheat	4.3 fl oz

*Apply to well cured rice seed before, during, or after soaking in water. Seed must be completely and uniformly covered.

Use lower rates shown above when method of treating produces consistently even coverage of seed and when favorable planting weather prevails. Use higher rates when weather conditions are unfavorable or uncertain or where method of treating may not consistently produce even coverage of each seed.

NOTICE — READ CAREFULLY

CONDITIONS OF SALE: Seed seller's responsibility for seed quality and quantity is limited to the amount of seed sold. Buyer's responsibility is limited to the amount of seed received.

WARRANTY LIMITATION: This product is warranted to be free from defects in material and workmanship. The manufacturer is not responsible for any damage to crops or seedlings caused by the use of this product. **THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY** and no warranty is made by the manufacturer for the use of this product in any other manner than as directed on the label.

LIMITATION OF LIABILITY: In no case shall the manufacturer be liable for special, indirect or consequential damages, including loss of profits, arising out of the use of this product, even if the manufacturer has been advised of the possibility of such damages.