

MENTS
NS
ALS)

Breath Spray must
wear goggles

Water after handling
after work and wash

ARDS

Apply directly to takes
of equipment and
this label. Exposed
te

E
anner inconsistent

AL

for food or
umping is

ixture
to tube
to Fed
resource

ing and
of dis
of per

ow 32
storage
in m
ontainer



MAN-Z 300 UNDYED FLOWABLE

ACTIVE INGREDIENTS 30.0%

INERT INGREDIENTS 70.0%
100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Statement of Practical Treatment

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomit fluid is clear. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth.

IF ON SKIN: Wash the affected area with soap and warm water.

IF IN EYES: Immediately flush eyes with running water for at least 15 minutes. Call a Physician.

See Side panel for additional precautionary statements.

Store in original container. Do not use if container is damaged or leaking.

Mig. E. Agricultural Products Co.
Fl. Worth, Texas 76112

EPA Reg. No. 45789-1X-01
EPA Reg. No. 45789-1X-01

GAL. NET

AGRICULTURAL PRODUCTS COMPANY, Fl. Worth, TX 76112

GENERAL INFORMATION

MAN-Z UNDYED FLOWABLE

MAN-Z UNDYED FLOWABLE is a systemic insecticide for control of sucking and chewing insects on a wide range of crops.

MAN-Z UNDYED FLOWABLE is a systemic insecticide for control of sucking and chewing insects on a wide range of crops.

MAN-Z UNDYED FLOWABLE is a systemic insecticide for control of sucking and chewing insects on a wide range of crops.

SEED TREATMENT

MAN-Z 300 UNDYED FLOWABLE

MAN-Z 300 UNDYED FLOWABLE is a systemic insecticide for control of sucking and chewing insects on a wide range of crops.

IMPORTANT

MAN-Z UNDYED FLOWABLE is a systemic insecticide for control of sucking and chewing insects on a wide range of crops.


NOTE TO USER:

MAN-Z UNDYED FLOWABLE is a systemic insecticide for control of sucking and chewing insects on a wide range of crops.

SEED TREATMENT DOSAGE RATES

SEED

DOSAGE RATE 100 LBS



VEGETABLES

Asparagus Must be covered with water. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Carrots After frost, apply 1.0 to 1.5 gal. water per acre. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Celery, Fennel Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Corn (sweet, popcorn) Half an acre per acre. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Cucumbers, Cantaloupes, Honeydew Melons, Muskmelons, Summer Squash, Watermelons After frost, apply 1.0 to 1.5 gal. water per acre. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Onions (dry bulb) Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Onions (New York only) Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Potatoes Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Potato Seed Treatment Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Tomatoes Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Tomatoes Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

FRUITS

Apples, Crabapples, Pears, Quince Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Apples Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

FIELD CROPS

Barley, Oats, Rye, Wheat Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Corn (field, hybrid seed production) Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Cotton Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Peanuts Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Sugar Beets Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

MISCELLANEOUS USES

Asparagus Crown Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Caprifig Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Coniferous Christmas Tree Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

Pineapple Propagation Stud Early bright and late bright. Do not apply if there is a heavy rain or if there is a heavy frost. Do not apply if there is a heavy frost. Do not apply if there is a heavy frost.

NOTICE

CONDITIONS OF SALE Seller's liability is limited to the purchase price of the product. The buyer assumes all risk of loss or damage to the product after delivery.

