345 21992 SEP 19 1988


Ms. Dorothy Travis Agricultural Products Company P.O. Box W Greeley, CO 80632

Dear Ms. Travis:

Subject: Amendment - Revised Confidential Statement of Formula and Labeling Lindane 25 EC-LF Dyed Seed Treater EPA Registration No. 43789-53 Your Application Dated March 16, 1988

٠,

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling.



(The asterisk should also be placed above Inert Ingredients.)

Please note that the type size for the toxic declaration for Rhodamine B must be equivalent to the type size of other front panel statements.

53197:I:LeMaster:LLR-8:KENCO:9/15/88:10/28/88:AS:PR:VO:aw:JH:AS

	CONCURRENCES	Et de	
SYMBOL			
SURHAME	-		
DATE			

The Confidential Statement of Formula submitted on the above date is acceptable and has been made a part of the record for this product.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosure

May be fatal if swallowed. May be absorbed through skin. Do not treathe spray mist. Do not get in eyes, on skin, or on clothing, Causes eye and skin irritation. Wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking. Noutinely shower or bathe after working and wash work clothes with soap and hot water before reusing. Do not contaminate food and feedstuffs.

For seed treatment, applicators who apply this product manually or withcut the use of a closed-system treatment procedure must wear long-sleeved shirt, ling pants, gloves, and a disposable paper dust mask which covers at least one-third of the face. The product must be applied in a wellventilated area.

## **ENVIRONMENTAL HAZARDS**

Inia pesticide is toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing is equipment washwaters.

exposed treated seed may be hazardous to birds and other wildlife. Wispose of excess treated seed by burial away from bodies of water.

## PHYSICAL OR CHEMCIAL HAZARDS

Do not use, pour, spill or store near heat or open flame

### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

On not contaminate water, food or feed by storage of deposal Open Authoring a prohibited STORAGE: Store in a cool, dry place. Do not allow to freeze or become overheated. Store away from food or feed, in an area designated for pesticides. Store in original container only. Keep container tighly closed when not in use.

<u>PESTICIDE DISPOSAL</u>: Pesticide wastes are toxic. Improper disposal of excess pesticides, spray mixture, or rimate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Festicide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL (Metal) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

COMMAINER DISPOSAL (Plastic) Triple rines (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

SEED THEATMENT: bo not use treated meed for food, feed, or oil purposes. Treated seed should to labelled in accord with all the applicable requirements of the Federal Seed Act. The Federal Seed Act requires that seed treated with a posticide must contain a dye which imparts an unhabural color to the meed if the meed is intended to be moved in interstate commerce. Labels attached to treated meed must state, "Treated meed must not be used for food, feed or oil purposes." and "Exposed treated meed may te hazardous to birds and other wildlife. Dispose of excess treated meed by turnal away from bodies of water."

Only seed of high germination with good vigor should be treated with lindane. Poor seed may suffer greater injury. Treat seed not over 6 weeks before planting. Store treated seed in a dry place until planted see that excess moisture will evaporate. If seed is stacked when wet, heat may develop which could impair germination.



# **LINDANE 25 EC-LF**

DYED SEED TREATER

## FOR AGRICULTURAL USE ONLY

ACTIVE INGREDIENTS:	BY WT.
LINDANE (Gamma Isomer of Benzene Hexachloride)	25.0%
XYLENE	47.6%
INERT INGREDIENTS:	
mbdad	

This product contains 2 lbs. Lindane per gallon THIS PRODUCT CONTAINS THE TOXIC INERT INGREDIENT RHODAMINE B

## KEEP OUT OF REACH OF CHILDREN

## WARNING

Statement of Practical Treatment

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - immediately flush eyes with plenty of water. Call a physician immediately.

See side panel for additional precautionary statements

EPA Est. 11849-1A-2 EPA Reg. No. 43789-53 30 Gallons Net Contents

Manufactured for:

AGRICULTURAL PRODUCTS CO., GREELEY, CO 80