

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)
CAUTION**

Causes eye and skin irritation. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing spray, mist. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash with soap and water after handling and before eating or smoking. Do not use or store near food or feed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

- 1. STORAGE:** Store in a cool place.
- 2. PESTICIDE DISPOSAL:** Pesticide spray mixture or rinsate that cannot be used according to label instructions must be disposed of in accordance with Federal, State, or local procedures under the Resource Conservation and Recovery Act.
- 3. CONTAINER DISPOSAL:** Triple rinse (or equivalent) and dispose of in a sanitary and approved State and local procedures.



KELTHANE* SPRAY

For Red Spider and Certain Other Mites

ACTIVE INGREDIENTS:

1. 1-bis(1-chlorophenyl)-2,2	85%
2-trichloroethanol**	15%
Xylene	91%
INERT INGREDIENTS:	100.0%

*Registered Trademark Rohm & Haas
**Equivalent to 1.4 lbs. per gallon

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN: Wash the affected area with soap and warm water.

IF IN EYES: Immediately flush eyes with running water for at least 15 minutes. Call a Physician. See side panel for additional precautionary statements.

EPA Est 43789-TX-01
EPA Reg No 437-9-59

Net Contents _____

AGRICULTURAL PRODUCTS COMPANY, Ft. Worth, TX 76112

DIF

DILUTION RATE: Mix 1 part of Kelthane with 4 parts of water.

VEGETABLES: Beans, Cucumbers, Tomatoes. For control of Tomato Red Spider Mite, apply 2 quarts of spray per acre at first sign of infestation and repeat daily for 7 days. Do not use in California with 200 gallons of water of beans and with 12 days of California. In California do not spray 2 days of harvest of other vegetable.

Do not feed crop residues to domestic animals.

FRUITS AND NUTS: Apples, Crabapple, Red Mite and to control Apple Mite, Two-Spotted Mite, Witchhazel Mite, specified above. Make application five schedule is accepted practice, gallons dilute 1 spray applied at 10 applications.

NOTE: Spray may cause fruit spotting if used at the lower dosage rates. Injury do not use glyodol fungicide within 7 days of harvest.

For Apricots, Cherries, Figs, Nuts: European Red Mite, McDaniel Mite, Schoene Mite, Two-Spotted Mite. Apply spray mixture at regular intervals. If mite population appears, if repeated excessive residues. Do not spray 14 days on other fruits.

ORANAMENTAL HOUSE PLANTS: Spider Mite, Two-Spotted Mite. Control on house plants or bedding plants, bedding plants, roses, viburnum. Thoroughly with spray mixture. Thoroughly leaves are thoroughly covered with.

LAWN GRASSES: To control Brown Mite at the rate of 2 1/2 gallons of spray per acre. Covering the entire lawn in 10 to 14 days if needed.

NOTICE-F

CONDITIONS OF SALE: Seller's offer is made to have accepted the following conditions of sale by authorized representative of Seller's. **WARRANTY LIMITATION:** Seller's warranty is made and is limited to the purpose for which it is intended to be used. Seller's makes no representation of MERCHANTABILITY and the use of the product is at the user's own risk. **INHERENT RISKS:** The directions for use are carefully followed, however, it is impossible to eliminate all risks associated with the use of this product. **LIMITATION OF LIABILITY:** Seller's liability is limited to the use of the product and the purchase price of the product. Seller's and



KELTHANE* SPRAY

For Red Spider and Certain Other Mites

ACTIVE INGREDIENTS:

1. 1-bis (chlorophenyl)-2, 2, 4-trichloroethanol** 85%

Xylene 7.4%

INERT INGREDIENTS: 91%

100.0%

*Registered Trademark Rohm & Haas

**Equivalent to 1.4 lbs. per gallon

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN: Wash the effected area with soap and warm water.

IF IN EYES: Immediately flush eyes with running water for at least 15 minutes. Call a Physician.

See side panel for additional precautionary statements.

EPA Est 43789-TX-01

EPA Reg No 43789-59

Net Contents _____

AGRICULTURAL PRODUCTS COMPANY, Ft. Worth, TX 76112

DIRECTIONS

DILUTION RATE: For use on plants, dilute with water to the following concentrations:

VEGETABLES: Beans, Cucumbers, Peppers, Squash (winter and summer), Tomatoes. For control of Red Spider Mite, apply spray at 10 to 14 day intervals. For control of Two-Spotted Mite, apply spray at 10 to 14 day intervals. For control of Yellow Spider Mite, apply spray at 10 to 14 day intervals. For control of California Citrus Red Mite, apply spray at 10 to 14 day intervals. For control of California Citrus Red Mite, apply spray at 10 to 14 day intervals. For control of California Citrus Red Mite, apply spray at 10 to 14 day intervals. For control of California Citrus Red Mite, apply spray at 10 to 14 day intervals.

FRUITS AND NUTS: Apples, Crabapples, Pears, Quinces. For control of European Red Mite, apply spray at 10 to 14 day intervals. For control of European Red Mite, apply spray at 10 to 14 day intervals. For control of European Red Mite, apply spray at 10 to 14 day intervals.

NOTE: Spray may cause fruit spots on pears under certain conditions and should be used at the lower dosage rates and with caution on this crop. To avoid phytotoxic injury, do not use in conjunction with this spray in late cover sprays. Do not spray within 7 days of harvest.

For Apricots, Cherries, Figs, Nectarines, Peaches, Plums, Prunes: For control of European Red Mite, apply spray at 10 to 14 day intervals. For control of European Red Mite, apply spray at 10 to 14 day intervals. For control of European Red Mite, apply spray at 10 to 14 day intervals.

ORNAMENTAL HOUSE PLANTS, FLOWERS, SHRUBS: For control of Red Spider Mite, Two-Spotted Mite, Citrus Red Mite, Spruce Mite, Tripartite Mite, and other house plants, bedding plants, roses, yucca, and other evergreen shrubs, spray plants thoroughly with spray mixture at 10 to 14 day intervals. Repeat if necessary.

LAWN GRASSES: To control Bermudagrass Mite and Clover Mite, apply spray mixture at the rate of 2 to 3 gallons of spray per 1,000 square feet. Make application when mites are present. Cover the entire lawn area with a thorough spray and repeat in 10 to 14 days if needed.

NOTICE--READ CAREFULLY

CONDITIONS OF SALE: This product is sold as a general purpose miteicide. It is not intended to have any effect on insects other than mites. It is not intended to be used on plants other than those listed in the directions. It is not intended to be used on plants other than those listed in the directions.

WARRANTY LIMITATION: There is no implied warranty of merchantability or fitness for any particular purpose. The only warranty is that the product is as labeled. THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE.

INHERENT RISKS: The use of this product may result in injury to the user or others. It may also result in damage to property or the environment. It is the user's responsibility to use this product in accordance with the directions.

LIMITATION OF LIABILITY: The manufacturer shall not be liable for any damages, including consequential damages, arising out of the use of this product, even if such damages were foreseeable.