

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)**

CAUTION

Causes eye and skin irritation. Harmful if swallowed. Avoid contact through skin. Do not get in eyes. Use as directed. Wear goggles or face shield and rubber gloves when handling. Wash with soap and water after handling. Avoid inhaling of spray mist. Do not use in or near water or feed.

Wash hands, arms, and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work and wash all clothing with soap and hot water before re-use.

NOTE FOR PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment of residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not use when value of bees as pollinators is more important than insect control. Before applying, warn beekeepers to locate hives being treated and not until one week after application or to take other equally effective precautions.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

- 1. PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
- 2. PESTICIDE DISPOSAL:** Pesticide spray, mixture or residue that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.
- 3. CONTAINER DISPOSAL:** Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary landfill or by incineration if permitted by State and local Authorities.
- 4. STORAGE:** Store in a cool, dry place.



SEVIN* 300

Aquatic Insecticide. Mix with Water for the Control of Insects on Fruit and Vegetables, Shade Trees, Shrubs, Flowers, and Lawns. For Use on Fruit and Berries.

ACTIVE INGREDIENT	Carbaryl (90%) methycarbamate	25.00
INERT INGREDIENTS		75.00
		100.00

Registered Trademark of Union Carbide Corp.
U.S. Pat. Nos. 2,844,478

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Statement of Practical Treatment

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomit fluid is clear. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN: Wash the affected area with soap and warm water.

IF IN EYES: Immediately flush eyes with running water for at least 15 minutes. Call a Physician.

See side panel for additional precautionary statements.

EPA Est 43769-TX-01
EPA Reg No 43769-70

Net Contents _____

AGRICULTURAL PRODUCTS COMPANY, Ft. Worth, Texas 76112

DIRECTIONS

Apply this spray to foliage, soil, or ground to control insects on shade trees, shrubs, flowers, and lawns. For use on fruit and berries.

SHADE TREES, SHRUBS, FLOWERS: Spray foliage, soil, or ground to control insects on shade trees, shrubs, flowers, and lawns. For use on fruit and berries.

VEGETABLES: Spray foliage, soil, or ground to control insects on vegetables. For use on fruit and berries. For use on fruit and berries.

FRUITS: Apples and pears for Japanese beetle, pear leaf miner, and other insects. May be used within one day of harvest.

NOTE: Sevin spray will cause injury to plants if applied 10 to 25 days after full bud. Extension Service for list of varieties.

Peaches, plums, apricots, nectarines, oriental fruit moth, Japanese beetle, plant bug, scale crawlers. May be used on other fruits. Apply spray until control is achieved.

NOTE: Proper timing of the spray is important. Consult your local Agricultural Extension Service.

LAWN INSECTS: For control of chinch bugs, ants, earwigs, fleas, etc. 20 gallons of water per 750 sq. ft. per 1/2 lb. or 1 pint to 32 gallons treating and do not water again to areas until completely dry.

TICKS: For ticks in the yard and driveway or 10 oz. per 20 gallons of water inside and outside of doghouses and bedding in doghouse after spraying doghouses to kill ticks and fleas weeks old.

NOTICE—READ

CONDITIONS OF SALE: Sevin is sold under the name of Agricultural Products Company. It is sold under the name of Agricultural Products Company. It is sold under the name of Agricultural Products Company. It is sold under the name of Agricultural Products Company.

WARRANTY LIMITATION: Sevin is sold under the name of Agricultural Products Company. It is sold under the name of Agricultural Products Company. It is sold under the name of Agricultural Products Company. It is sold under the name of Agricultural Products Company.

OF MERCHANTABILITY: The purchaser of Sevin is advised that the product is sold under the name of Agricultural Products Company. It is sold under the name of Agricultural Products Company. It is sold under the name of Agricultural Products Company. It is sold under the name of Agricultural Products Company.

INHERENT RISKS: The purchaser of Sevin is advised that the product is sold under the name of Agricultural Products Company. It is sold under the name of Agricultural Products Company. It is sold under the name of Agricultural Products Company. It is sold under the name of Agricultural Products Company.

LIMITATION OF LIABILITY: The purchaser of Sevin is advised that the product is sold under the name of Agricultural Products Company. It is sold under the name of Agricultural Products Company. It is sold under the name of Agricultural Products Company. It is sold under the name of Agricultural Products Company.



SEVIN* 300

A Liquid to be Mixed with Water for the Control of many Insects on Fruit, Vegetables, Shade Trees, Shrubs, Flowers, and Grasses as well as Ticks on Dogs and in Kennels.

ACTIVE INGREDIENT:
Carbaryl (1-naphthyl methylcarbamate) 28.0%

INERT INGREDIENTS: 72.0%

100.0%

*Registered Trademark of Union Carbide Corp.
U.S. Pat. No. 2,903,475

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Statement of Practical Treatment

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomit fluid is clear. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN: Wash the affected area with soap and warm water.

IF IN EYES: Immediately flush eyes with running water for at least 15 minutes. Call a Physician.

See side panel for additional precautionary statements.

EPA Est 43769-TX-01
EPA Reg No 43769-70

Net Contents _____

AGRICULTURAL PRODUCTS COMPANY, Ft. Worth, Texas 76112

DIRECTIONS

Always read entire label carefully. See back of container for complete directions. Do not use this product if the label is torn, mutilated, or missing any instructions. Keep this and all other containers of this product tightly closed when not in use.

SHADE TREES, SHRUBS, FLOWERS: Apply to foliage and flowers. For control of many insects on shade trees, shrubs, and flowers, apply 1/2 oz. per 100 sq. ft. of foliage. For control of ticks on dogs and in kennels, apply 1/2 oz. per 100 sq. ft. of foliage.

VEGETABLES: For control of many insects on vegetables, apply 1/2 oz. per 100 sq. ft. of foliage. For control of ticks on dogs and in kennels, apply 1/2 oz. per 100 sq. ft. of foliage. For control of many insects on vegetables, apply 1/2 oz. per 100 sq. ft. of foliage. For control of ticks on dogs and in kennels, apply 1/2 oz. per 100 sq. ft. of foliage.

FRUITS: Apply to leaves and fruit. For control of many insects on fruits, apply 1/2 oz. per 100 sq. ft. of foliage. For control of ticks on dogs and in kennels, apply 1/2 oz. per 100 sq. ft. of foliage.

NOTE: Sevin spray will cause thinning of fruit on many apple varieties when applied 10 to 25 days after full bloom. Consult your State County Agricultural Extension Service for list of varieties affected.

Peaches, plums, apricots, nectarines, for control of codling moth, plum curculion, oriental fruit moth, Japanese beetle, bagworm, pear stem sawfly, apple stem sawfly, plum bud scale, sawflies. May be used within 7 days of harvest of plums, 8 days on other fruits. Apply spray at petal fall and every 10 to 14 days thereafter until control is achieved.

NOTE: Proper timing of the spray for control of fruit tree pests is essential. Consult your local Agricultural Extension Specialist for proper fruit tree spray schedule.

LAWN INSECTS: For control of chinch bugs, armyworms, cutworms, grasshoppers, and weevils, ants, fleas, mosquitos, use 1/2 oz. per 100 sq. ft. of lawn. Apply 20 gallons of water per 100 sq. ft. of lawn. For control of ticks on dogs and in kennels, apply 1/2 oz. per 100 sq. ft. of lawn. For control of many insects on lawns, apply 1/2 oz. per 100 sq. ft. of lawn.

TICKS: For ticks in the yard and doghouse, spray with one oz. per 20 gallons of water or 10 oz. per 20 gallons of water and one oz. per 20 gallons of water inside and outside of doghouse and other areas where dogs sleep. Refresh bedding in doghouse after spraying. Spray dogs with same mixture in doghouse to kill ticks and fleas on dogs. Do not apply to puppies under 4 weeks old.

NOTICE—READ CAREFULLY

CONDITIONS OF SALE: This product is sold as a general purpose insecticide and is not intended for use as a pest control agent on any other product. The user assumes all liability for any damage or injury resulting from the use of this product.

WARRANTY LIMITATION: The user assumes all liability for any damage or injury resulting from the use of this product. The user assumes all liability for any damage or injury resulting from the use of this product.

INHERENT RISKS: The user assumes all liability for any damage or injury resulting from the use of this product. The user assumes all liability for any damage or injury resulting from the use of this product.

LIMITATION OF LIABILITY: The user assumes all liability for any damage or injury resulting from the use of this product. The user assumes all liability for any damage or injury resulting from the use of this product.