

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)**

CAUTION

Causes eye and skin irritation. Harmful if swallowed, inhaled, or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash with soap and water after handling. Avoid inhaling of spray mist. Do not use or store near food or feed.

During commercial exposure in seed treatment and loading operations, wear goggles, clean synthetic rubber gloves, protective clothing, and a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR part 11.

Wash hands, arms, and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work and wash all clothing with soap and hot water before reusing.

ENVIRONMENTAL HAZARDS


This product is toxic to fish, birds, and wildlife. Do not apply directly to lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Exposed treated seeds may be hazardous to birds and other wildlife.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

- 1. PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
- 2. PESTICIDE DISPOSAL:** Pesticide spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State, or Local procedures under the Resource Conservation and Recovery Act.
- 3. CONTAINER DISPOSAL:** Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary landfill or by incineration if permitted by State and Local Authorities.
- 4. GENERAL:** Consult Federal, State, or Local Disposal Authorities for approved alternative procedures such as limited open burning.
- 5. STORAGE:** Store in a cool, dry place.



CAPTAN
32-D

Flowable Seed Protectant
Agricultural Fungicide — Liquid Suspension

ACTIVE INGREDIENT	BY WT.
CAPTAN: N-(2,4,6-Trichlorophenyl)-4-Cyclohexene-1,2-dicarboximide	30.3%
Related Derivatives	1.7%
INERT INGREDIENTS	68.0%
	100.0%

KEEP OUT OF REACH OF CHILDREN
CAUTION
Statement of Practical Treatment

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomit fluid is clear. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN: Wash the affected area with soap and warm water.

IF IN EYES: Immediately flush eyes with running water for at least 15 minutes. Call a Physician.

See side panel for additional precautionary statements.

STORE IN A COOL, DRY PLACE.
STIR THOROUGHLY TO MIX CONTENTS BEFORE USING.

EPA Est. 43789-TX-01
EPA Reg. No. 43789-72

Net Contents

AGRICULTURAL PRODUCTS COMPANY Ft. Worth, TX 76112

GENERAL INFORMATION

This product is a liquid suspension and should be stored in a cool, dry place prior to storage and planting to prevent cause seed decay, damping off, and other diseases. This product is noninjurious to seed and seedling. Treated seed is frequently stimulated to germinate faster than untreated seed.

SEED TREATMENT
FLUID OUNCES per HUNDRED POUNDS

The Following Table gives the amount of product to use in FLUID OUNCES per HUNDRED POUNDS of SEED.

SEED	FLUID OUNCES per HUNDRED POUNDS
Africa Clover, Lespedeza, Trefol	
Bears (snap), dry, cowpeas	
Beets (garden)	
Cereals (for seed & seedling rots - not for bud rot)	
Barley, rye	
Oats	
Wheat	
Cole Crops (Broccoli, Brussels sprouts, Cabbage, Cauliflower)	
Field Corn	
Sweet Corn	
Cotton	
Acid dehydrated cotton	
Reginned and Fuzzy cotton	
Crucifers (Mustard, Radishes, Rape, Turnips)	
Flax	
Grasses	
Milo	
Muskmelon, Watermelon, Pumpkin, Squash	
Peanuts (unshelled)	
Peas	
Rice	
Sorghum (hull-less)	
Soybeans	
Spinach	
Sugar Beets, West	
East	
Sunflowers	
Swiss Chard	
Tomato, Cucumbers, Cantaloupe	

Use lower rates shown above when method of application is changed or when favorable planting weather prevails. Use higher rates where method of treating may not consistently insure adequate coverage.

IMPORTANT: Treated seed must not be used for human consumption. Treat only those seeds needed for immediate use. Do not store excess treated seeds beyond planting time. Treated seed must be stored in accordance with all applicable requirements. Treated seed must not be used for animal consumption. Exposed treated seed may be hazardous to birds and other wildlife. Dispose of treated seed packaging by burial away from bodies of water.

NOTICE — READ LABEL

CONDITIONS OF SALE: Seller(s) offer(s) this product on the basis of an agreement of a duly authorized representative of the manufacturer. **WARRANTY LIMITATION:** Seller(s) warrant(s) that the product is as labeled and is reasonably fit for the purposes intended, and that the inherent risks referred to below. Seller(s) make no **WARRANTY OF MERCHANTABILITY** and do not warrant the absence of **INHERENT RISKS:** The directions for use of this product are given as a guide only. However, it is impossible to eliminate all risks associated with use or application of this product under all weather conditions. **LIMITATION OF LIABILITY:** In no case shall the manufacturer be liable for damages resulting from the use or handling of this product in excess of the purchase price of the product in respect to which such damages are claimed.



CAPTAN

32-D

Flowable Seed Protectant

Agricultural Fungicide — Liquid Suspension

ACTIVE INGREDIENT	BY WT.
CAPTAN: N-(2-Trichloromethyl-1-hydroxyethyl)-2,6-dimethyl-4-cyanophenylamine	30.3%
Related Derivatives	1.7%
INERT INGREDIENTS	68.0%
	100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Statement of Practical Treatment

IF SWALLOWED. Drink one or two glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomit fluid is clear. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN: Wash the affected area with soap and warm water.

IF IN EYES: Immediately flush eyes with running water for at least 15 minutes. Call a Physician.

See side panel for additional precautionary statements.

**STORE IN A COOL, DRY PLACE.
STIR THOROUGHLY TO MIX CONTENTS
BEFORE USING.**

EPA Est. 43789-TX-01
EPA Reg. No. 43789-72

Net Contents

AGRICULTURAL PRODUCTS COMPANY, Ft. Worth, TX 76112


GENERAL INFORMATION

This product is a liquid suspension specifically formulated for the treatment of seed prior to storage and planting to protect them from mold and other fungi which cause seed decay, damping off, and seedling blight. At the recommended dilution, the product is noninjurious to seeds or seedlings and the germination of treated seeds is frequently stimulated to a greater extent than is compared to results from untreated seed.

**SEED TREATMENT DOSAGE RATES
FLUID OUNCES per HUNDRED POUNDS of seed**

The Following Table gives the amount of this product to use on various seeds in FLUID OUNCES per HUNDRED POUNDS of seed.

SEED	DOSAGE RATE
Alfalfa (in special trays)	6.5 - 10 fl. oz. 100 lb.
Beans (snap, dry cowpeas)	2.5 - 4 fl. oz. 100 lb.
Beans (garden)	10 - 15 fl. oz. 100 lb.
Cereal Grains (for seed & seedling protection for burn only)	
Barely, rye	20 - 40 fl. oz. 100 lb.
Oats	25 - 50 fl. oz. 100 lb.
Wheat	15 - 50 fl. oz. 100 lb.
Cole Crops (Broccoli, Brussels sprouts, Cabbage, Cauliflower)	13 - 26 fl. oz. 100 lb.
Corn	
Field Corn	15 - 30 fl. oz. 100 lb.
Sweet Corn	26 - 52 fl. oz. 100 lb.
Cotton	
Acid de-milled cotton	25 - 65 fl. oz. 100 lb.
Reginned and Fuzzy cotton	35 - 90 fl. oz. 100 lb.
Crucifers (Mustard, Radishes, Rape, Turnips)	13 - 26 fl. oz. 100 lb.
Flax	26 - 42 fl. oz. 100 lb.
Grasses	65 - 108 fl. oz. 100 lb.
Ko	50 - 82 fl. oz. 100 lb.
Muskmelon, Watermelon, Pumpkin, Squash	17 - 26 fl. oz. 100 lb.
Peanuts (unshelled)	60 - 78 fl. oz. 100 lb.
Peas	25 - 35 fl. oz. 100 lb.
Rice	30 - 78 fl. oz. 100 lb.
Sorghum (nut-free)	22 - 58 fl. oz. 100 lb.
Soybeans	20 - 32 fl. oz. 100 lb.
Sprach	50 - 78 fl. oz. 100 lb.
Sugar Beets (West East)	50 - 83 fl. oz. 100 lb.
Sunflowers	100 - 167 fl. oz. 100 lb.
Swiss Chard	26 - 52 fl. oz. 100 lb.
Tomato, Cucumbers, Cantaloupe	100 - 160 fl. oz. 100 lb.
	25 - 40 fl. oz. 100 lb.



Use lower rates shown above when method of treating produces consistently even coverage of seed and when favorable planting weather prevails. Use higher rates when weather conditions are unfavorable or uncertain or where method of treating may not consistently produce even coverage of each seed.

IMPORTANT: Treated seed must not be used for or mixed with food or animal feed, or processed for or treated only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Seed commercially treated with this product must be labeled in accord with applicable requirements of the Federal Seed Act. Labels attached to treated seed must state: Treated seed must not be used for or mixed with food or animal feed, or processed for or and Exposed treated seed may be hazardous to birds and other wildlife. Dispose of all excess treated seed and seed packaging by burial away from bodies of water.

NOTICE — READ CAREFULLY

CONDITIONS OF SALE: Seller(s) offer(s) this product for sale subject to, and buyer and all users are deemed to have accepted, the following conditions of sale and warranty which may only be varied by written agreement of a duly authorized representative of Seller(s).

WARRANTY LIMITATION: Seller(s) warrant(s) that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use on the label, subject to the inherent risks referred to below. Seller(s) makes no other express warranties. **THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY** and there are no warranties which extend beyond the description on the label hereof.

INHERENT RISKS: The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks associated with its use. Buyer assumes all risks associated with use or application of this product contrary to label instructions or resulting from extraordinary weather conditions.

LIMITATION OF LIABILITY: In no case shall Seller(s) be liable for special, indirect or consequential damages resulting from the use or handling of this product and no claim of any kind shall be greater in amount than the purchase price of the product in respect of which such damages are claimed.