PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION

May cause irritation of nose, throat, eyes, or skin. Do not breathe dust or spray mist. During exposure to seed treatment and loading operations, wear goggles, clean synthetic rubber gloves, and protective clothing.

Wash hands, arms, and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work and wash all clothing with soap and hot water before reusing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not epply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Exposed treated seeds may be hazardous to birds and other wildlife.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read all directions before using and use only as specified on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry place.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state or local authorities.

		4
•	CHLOROVAX 300 DYED	
	Flowable Seed Protectant	1
	ACTIVE INGREDIENT BY WT.	
	Chloroneb (1,4-dichloro-2,5-	
	dimethoxybenzene)	1
	THIS PRODUCT CONTAINS THE TOXIC INERT INGREDIENT 100.0%	
	KEEP OUT OF REACH OF CHILDREN	
	CAUTION	
		i i
	Statement of Practical Treatment	
	IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Call a Physician	

and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person. IF INHALED: Remove victim to fresh air. If not breath-

ing, give artificial respiration, preferably mouth-tomouth.

IF ON SKIN: Wash the affected area with soap and warm water.

IF IN EYES: Immediately flush eyes with running water for at least 15 minutes. Call a Physician.

÷.

See side panel for additional precautionary state-

OCT 2 9 1987

Volut the Faderal Insecticide.

Fanni et al 4 Factoritarde Act. Est.

* *

 \mathbf{x}

EPA Rag. No. 23789-80 Stations Net Contents

* *

Made in U.S.A. by

AGRICULTURAL PRODUCTS CO., GREELEY, CO 80631

5.

H3739-80 PM21 DIRECTIONS AND APPLICATION RA

This product is an agricultural fungicide formulated for seed treatment purposes. It contains effective binding agents which reduce "dusting-off" of the treatment. It should be thoroughly mixed with water and applied as a suspension in the slurry-type treater designed and approved for this purpose, or may be applied by hand in any suitable mixing equipment such as home-made rotary drums. Use this product in combination with a standard tungicide.

161

FOR SLURRY-TYPE TREATER: Use by mixing with water in a sturry treater at the concentration necessary for the type of sturry equipment being used and the seed being treated. Maintain constant agitation during treatment to avoid settling.

FOR HAND SLUBRY TREATMENT: Consult the following information for the number of ounces of this product recommended for each 100 pounds of seed. Measure out the amount and add to a sufficient quantity of water to give thorough and even coverage of the seed to be treated (approximate dilution rates are 1 part of this product mixed with 4 or 5 parts of water). Agitate well until product is evenly dispersed in water. Place seed in a mixing container or spread in a 4-inch layer on floor on a clean dry paper. Sprinkle the measured amount of slurry suspension over the specified amount of seed and mix immediately. Turn seed at least 5 times and allow to dry before planting.

IMPORTANT: Treated seed must not be used or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Seed commercially treated with this product must be labeled in accord with all applicable requirements of the Federal Seed Act. Labels attached to treated seed must state "Treated seed must not be used for or mixed with food or animal feed, or processed for oil," and "Exposed treated seed may be hazardous to birds and other wildlife."

- BEANS: For control of Rhizoctonia solani, Pythium Spp., and Seed and seedling diseases, use 1.6 - 4.6 fluid ounces of this product per 100 pounds of seed.
- SOYBEANS: For control of Rhizoctonia solani, Pythium Spp., and Seed and seedling diseases, use 1.8 - 4.6 fluid ounces of this product per 100 pounds of seed.
- COTTON: For control of Rhizoctonia solani, Pythium Spp., Sclerolium rollsii, and Seed and seedling diseases, use 5.3 - 11.2 fluid ounces of this product per 100 pounds of seed.
- SUGAR BEETS: For control of Rhizoctonia solani, Pythium Spp., and Seed and seedling diseases, use 2.4 - 6.8 fluid ounces of this product per 100 pounds of seed.

Use high rate on pathologically intested seed or for soils such as in California.

NOTICE - READ CAREFULLY

CONDITIONS OF SALE Seller(s) offer(s) this product for sale subject to buyer and all users are deemed to have accepted, the following conditions of sale and warrantly which may only be varied by written agreement of a duly authorized representative of Seller(s). WARRANTY LIMITATION: Seller(s) warrant(s) that this product conforms to the c⁺ ..., description on the label and is reasonably tit for the purposes referred to in the directions tor use on the label subject to the inherent risks referred to below. Seller(s) make(s) no other express warranties. THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY and there are no warranties which extend beyond the description on the label need.

INHERENT RISKS: The directions for use of this product are believed to be reliable and should be tollowed carefully. However, it is impossible to eliminate all risks associated with its use. Buyer assumes all risks associated with use or application of this product contrary to label instructions or resulting from extraordinary weather conditions.

LIMITATION OF LIABLITY: In no case shall Seller(s) be liable for special, indirect, or consequential damages resulting from the use or handling of this product and no claim of any kind shall be greater in amount than the purchase price of the product in respect of which such damages are claimed.

....t